



SIGNAGE ARRANGEMENT - A90 JUNCTION NORTH SIDE
SCALE 1:2,000




SIGNAGE ARRANGEMENT - A90 JUNCTION SOUTH SIDE
SCALE 1:2,000

NOTES

1. CONTAINS ORDINANCE SURVEY DATA © CROWN COPYRIGHT AND DATABASE RIGHT 2020.
2. VISIBILITY TO ALL SIGNS TO BE MINIMUM 115m AS PER TSRGD CHAPTER 3 TABLE 8-3.
3. NEW SIGNS TO BE SAFELY POSITIONED OUTWITH EXISTING JUNCTION VISIBILITY PLAY.
4. TEMPORARY RESTRAINTS TO SIGNS TO BE PROVIDED BY CONTRACTOR.
5. RIGOROUS SURVEILLANCE AND MAINTENANCE OF SIGNS AND RESTRAINTS TO BE UNDERTAKEN DURING CONSTRUCTION PERIOD.
6. REFER TO PERMANENT WORKS DRAWINGS FOR HEALTH AND SAFETY INFORMATION.
7. SIGN FACES FOR DIAGRAMS 670, 671, 7001 TO BE 900mm SIZE UNLESS STATED AS A REPEATER SIGN WHICH WILL BE 750mm MIN. SIGN DIAGRAM 506.1 FACE TO BE 600mm.
8. BASED ON ALBA TRAFFIC MANAGEMENT DRAWING 19/ATM/10516/001(0) RECEIVED 09/10/20.
9. 7m RUMBLE STRIPS TO BE POSITIONED ACROSS THE ROAD UP TO 39m FROM THE EDGE OF THE APPROACHING JUNCTION BELLMOUTH. SPACING OF RUMBLE STRIPS TO COMMENCE AT 9m CENTRES AND BE CONSECUTIVELY DECREASED BY 1m ON APPROACH TO THE JUNCTION IN ORDER TO CREATE AN ILLUSION OF ACCELERATION FOR APPROACHING DRIVERS.
10. TEMPORARY RUMBLE STRIPS TO BE FORMED ACROSS HALF CARRIAGEWAY WIDTH APPROACHING THE JUNCTION, EXTENDING FROM THE CENTRELINE OF THE ROAD TO 1,000mm FROM KERB EDGE. RUMBLE STRIPS TO BE 13mm TALL WITH NO VERTICAL FACE GREATER THAN 6mm TALL, YELLOW IN COLOUR AND FORMED OF A MATERIAL WITH SUITABLE SKID RESISTANCE IN ACCORDANCE WITH THE HIGHWAYS (TRAFFIC CALMING) REGULATIONS 1999.

LEGEND

- - - SITE BOUNDARY
- EXISTING ROAD
- PROPOSED BITUMINOUS ROAD / WIDENING
- PROPOSED VERGE (DETAIL 9)
- PROPOSED FOOTWAY
- TEMPORARY VEHICLE OVERRUN AREA (GRANULAR FINISH)
- TEMPORARY RUMBLE STRIPS



Rev.	Date	Amendment Details	Drawn	Chk'd	App'd
C1	02.04.21	FOR CONSTRUCTION	PL	DS	CM
04	24.02.21	SIGNAGE UPDATE	JM	DS	CM
03	04.11.20	SIGNAGE UPDATE	JM	DS	CM
02	12.10.20	FOR ACCEPTANCE	PL	JHD	DS
01	06.10.20	FOR ACCEPTANCE	JM	JHD	DS

This drawing should not be relied on or used in circumstances other than those for which it was originally prepared and for which Sweco UK Limited was commissioned. Sweco UK Limited accepts no responsibility for this drawing to any party other than the person by whom it was commissioned. Any party which breaches the provisions of this disclaimer shall identify Sweco UK Limited for all loss or damage arising therefrom.

Sweco
2nd Floor, Quay 2
139 Fountainbridge
Edinburgh
EH3 9QG
Tel: +44 (0)131 550 6300
Web: www.sweco.co.uk

Client

Drawing Status: **FOR CONSTRUCTION**

Project Title: **PETERHEAD 400KV SUBSTATION**

Drawing Title: **JUNCTION A90 TEMPORARY SIGNAGE ARRANGEMENT**

Scale	Designed	Drawn	Checked	Approved
AS SHOWN	JM	JM	JHD	DS
Original Size	Date	Date	Date	Date
A1	05.10.20	05.10.20	06.10.20	06.10.20

Drawing Number: 0032-PEHE-DWG-0804-1001-12 Revision: C1

DRAWING STATUS: FOR ACCEPTANCE

SSEN CONTRACT NUMBER	SSEN MDR NUMBER	SSEN REVISION	DATE	HISTORY
LT000135	0032-PEHE-DWG-0804-1001-12	01	02.04.21	FOR CONSTRUCTION