Alyth Substation

Pre-Application Consultation





Who we are

We are Scottish and Southern Electricity Networks, operating under licence as Scottish Hydro Electric Transmission Plc for the transmission of electricity in the north of Scotland.



In total we maintain about 5,000km of overhead lines and underground cables – easily enough to stretch across the Atlantic from John O'Groats all the way to Boston in the USA.

Our network crosses some of the UK's most challenging terrain - including circuits that are buried under the seabed, are located over 750m above sea level and up to 250km long.

The landscape and environment that contribute to the challenges we face also give the area a rich resource for renewable energy generation. There is a high demand to connect from new wind, hydro and marine generators which rely on Scottish and Southern Electricity Networks to provide a physical link between the new sources of power and electricity users. Scottish and Southern Electricity Networks is delivering a major programme of investment to ensure that the network is ready to meet the needs of our customers in the future.

Our responsibilities

We have a licence for the transmission of electricity in the north of Scotland and we are closely regulated by the energy regulator Ofgem.

Our licence stipulates that we must develop and maintain an efficient, co-ordinated and economical system of electricity transmission.



What is the difference between **Transmission and Distribution?**

Electricity Transmission is the transportation of electricity from generating plants to where it is required at centres of demand.

The Electricity Transmission network, or grid, transports electricity at very high voltages through overhead lines, underground cables and subsea cables. The transmission network connects large scale generation, primarily renewables, to central and southern Scotland and the rest of Great Britain. It also helps secure supply by providing reliable connection to the wider network of generation plans.

The Electricity Distribution network is connected into the Transmission network but the voltage is lowered by transformers at electricity substations, and the power is then distributed to homes and businesses through overhead lines or underground cables.



Overview of Transmission projects

Project overview

Project requirement

Scottish & Southern Electricity Networks

A number of significant generation projects in the North East and East Coast of Scotland connecting to the transmission network has triggered the need for an upgrade to the East Coast transmission network. This upgrade includes a new 275kV substation near Alyth.

The East Coast transmission network will be upgraded in two stages.

Stage 1: Upgrade of the existing 275kV network for October 2023

Stage 2: Upgrade of the existing 275kV network to 400kV operation for October 2026

Stage 1 will allow for early delivery of increased capacity on the network, relieving some congestion on the network and allowing generation to connect.

Stage 2 will deliver the full capacity increase required to facilitate the new generation connections. Without these necessary reinforcements, the network cannot facilitate all generation connections.

Planning application

The proposal for a new substation at

Planning (Scotland) Act 1974) on the

Public Road Infrastructure works was

approved on the 23rd December 2014.

A follow-up planning application to

extend the timescale of the original

consent was approved in February

2015. A third planning application for

the substation was submitted in order

to amend the landscaping plan of the

original consent, It was approved on

SHE Transmission's project team have

assessed the design proposals of the

most recent consent for the site and

have determined that the previous air

insulated switchgear (AIS) design is

switchgear (GIS) solution.

no longer suitable, and thus are now

seeking to progress with a gas insulated

the 20th June 2018.

permission (under the Town and Country

19th December 2012. An application for

Alyth was first granted planning

The Alvth substation is an integral part of both of these reinforcements. The substation will operate at 275kV between 2023 and 2026.

The substation will be built so that minimal upgrades are required to bring it up to 400kV operation for 2026 (Stage 2). These upgrades will be undertaken in 2025/26 and will include the installation of two 400/275kV transformers.

The Alyth substation is proposed to be built at the point where the existing 275kV overhead line (OHL) network converges on an existing OHL T-Junction near Alyth.

The current OHL arrangement leads to an unequal sharing of power flows on OHLs between the Fetteresso, Tealing and Kincardine substations, which limits

Although the overall footprint of the

development platform is comparable

to that which has been consented,

given that the proposals are now for

the infrastructure to be housed within

change to the extant planning consent

and as such a new planning application

consideration. The planning application

will be submitted no earlier than the

12 weeks after the submission of the

In addition, there are changes proposed

to the overhead lines (OHL) and towers.

These changes will be dealt with via a

submitted to the Scottish Government's

Energy Consents Unit. The main change

being that the new OHL tie-ins will now

Section 37 application which will be

avoid the removal of trees along the

western edge of the substation site.

2nd September 2019 – that being

Proposal of Application Notice.

buildings, this constitutes a material

is required to be submitted for

the capacity of the OHLs and the ability of the network to accept new generation connections.

Establishing a substation at the T-Junction and connecting the OHLs into the substation addresses this issue.

The substation will also include reactive compensation equipment to stabilise voltage on the network

Along with the new OHL configuration, this will help to balance power flow and increase capacity on the OHLs. This will allow new generation to connect while keeping the network fully operable and compliant with all necessary technical standards.

Project timeline

Autumn 2019 **Revised Planning** Permission Submitted

Spring 2020 **Revised Planning** Application Approved (anticipated)

Spring 2021 Public Road Improvements Commence

Autumn 2021 Main Substation **Construction Commences**

Autumn 2021 Construction of New Towers

Autumn 2023 OHL Tie-In and Substation Completion

Our proposed solution

The site was preferred as it is close to the junction tower where the existing 275kV overhead line (OHL) between Fetteresso, Tealing and Kincardine is located.

Proximity to the existing junction tower has the benefit of reducing OHL diversions therefore is beneficial from a technical and cost perspective. The site benefits from an existing tree line which provides natural screening to the north west of the site.

The following additional factors were considered during the site selection appraisal; ecology, topography, flood risk, ground conditions, access constraints, security and connectivity to services.

Alyth Substation Consultation Event

Substation

Reactive compensation equipment (equipment to help stabilise network voltage) will be installed. Some of this equipment will also be housed in a building. The use of GIS has allowed us to include the new reactive compensation equipment without increasing the footprint of the substation.

Overhead line tie in

The 275kV overhead line tie ins are all existing circuits, which together form an important part of the SSEN transmission network. Due to their importance and the nature of the electricity network, these circuits must be kept live throughout delivery of this project. To facilitate this, two temporary bypass designs have been developed. This will require temporary towers to be erected in close proximity to the existing lines. The final substation design will have 3 new towers to facilitate the connection and 1 existing tower will be removed.





The substation will connect into the existing overhead line (OHL) circuits from Fetteresso, Kincardine and Tealing. The substation will consist of both Gas Insulated Switchgear (GIS) and Air Insulated Switchgear (AIS). The GIS equipment will be housed in a building. This equipment will operate at 275kV but will be built to a 400kV standard.



Project details

Screening

Appropriate screening and bunding for this site to lessen the visual impact of our proposal will be implemented. At this early stage the screening measures would involve the use of the existing tree line and planting a variety of trees around designated areas of the footprint of the site to mitigate the visual impact.

SSEN have committed to delivering Biodiversity Net Gain for all Projects by 2025 as one of our main sustainability goals. The planting and screening will be designed to take this into account. Utilising native species to screen and enhance the site.



Shows Wildflower Meadow one year after seeding at recently constructed Spittal Substation in Caithness.



Transport, infrastructure and construction methods

Construction of the substation will require plant and machinery, along with vehicles to transport materials and workers to the site. The largest plant item for the substation will be a Super Grid Transformer.

The transformer is likely to weigh in excess of 170 tonnes when transported. Vehicle access during construction would be via the B954 and Haughend Road adjacent to the site.

It is proposed to widen Haughend Road between the substation site and the B954.

This will include the permanent removal of the disused railway bridge on Haughend Road. These improvements will be captured under a separate planning application.

A new permanent access to the substation will be formed off Haughead Road for use during construction and to provide ongoing access and maintenance to the substation during its lifetime

Earthworks

Building the substation platform will require significant volumes of graded stone. Our intention is to retain as much material on site as possible.

This would mean there would be a mass balance of material on site to minimise vehicle movements in the local area however local sources of stone will be required as part of our development works into the platform design. This will be established during detailed design.

Laydown and office

Temporary offices, welfare and storage facilities for the main work force will be established during the planned construction period.

These will be located in close proximity to the platform.

Environment

Landscape and visual

The landscape is already influenced by transmission infrastructure including steel lattice towers and overhead lines and the proposed works would be seen in relation to this

Landscape mounding and planting will be incorporated into the design to provide opportunities to screen the substation site and to ensure the overall character of the area isn't diminished.

A landscape and visual assessment will be carried out to understand how the project will look within the surrounding area and identify any significant effects.

Noise

The nearest noise sensitive receptors within the vicinity of the proposed substation site are neighbouring residential properties. The current daytime noise climate in this rural area is low, consisting primarily of agricultural noise with distant road traffic noise.

A noise assessment has been undertaken as part of the development process and the substation will be designed to ensure noise levels at the nearest noise sensitive receptors all fall within guidance and Perth and Kinross Council recommended levels.

Electromagnetic fields

Electromagnetic Fields (EMF) arise from electric charges and current flow.

Exposure guidelines have been developed by the International Commission on Non-Ionising Radiation Protection (ICNRIP) to ensure protection of human health in different situations, occupational exposure and public exposure.

These guidelines are adopted in the UK. The substation will be designed to adhere to the ICNRIP guidance for EMF limits.

Cultural heritage

There are no designated heritage assets within the footprint of the proposed substation site; however a short distance to the south is a rectilinear enclosure which is recorded as cropmarks visible on aerial photographs, although no remains are visible on the ground surface. This site is designated as a Scheduled Monument.

There are no visible undesignated heritage assets within the substation site, although 15 assets were identified within 750 m during previous survey work which relate mostly to prehistoric and medieval or later settlement and land use. It was previously agreed that a Written Scheme of Investigation would set out an appropriate strategy for archaeological mitigation in advance of commencing the construction works; this would include the protection of the nearby scheduled monument.

Water, environment and soils

southerly direction via a series of field drains and unnamed watercourses into the River Isla which is located approximately 500m to the south of the site. It is part of the River Tay SAC

The site lies within the Tay local flood identify the project site as being within a 'potentially vulnerable area' for flooding.

map does not identify the project experience river water flooding. There are small areas of the site highlighted as susceptible to surface water flooding.

Cultural heritage

There are no major tourist attractions in the immediate area. In terms of recreation, the site is known to be visited by bird and wildlife enthusiasts due to the nesting Osprey and fishing takes place on the River Isla, which is a renowned salmon and trout river.



The site drains in a gently sloping

The SEPA national flood risk assessment

Nature conservation

The proposed area for the substation has already been surveyed to identify habitats, protected species and birds but will undergo updated survey work over the coming months.

The project is not located within any sites designated for their natural heritage. The River Isla is the main watercourse in the vicinity of the site, which forms part of the River Tay Special Area of Conservation (SAC). The qualifying interests of the SAC include lamprey, otter and salmon.

There are two unnamed tributaries present close to the site that flow into the River Isla. Both are unclassified by Scottish Environment Protection Agency (SEPA) and appear to be of low ecological value due to their modified appearance.

Ecological surveys carried out have recorded a variety of species at the site, mostly in the adjacent woodland including red squirrel and roosting bat habitat.

In 2014 SSEN erected a 25m tall platform along with two perching posts, to allow work on adjacent pylons. The Ospreys have since used and successfully bred. For the proposed substation works, SHE-T will continue to monitor and mitigate any possible adverse effects on the Ospreys.



۰ в

۰ С





Notes

Alyth Substation Consultation Event



Improvement works (Separate Application under the Town &

Country Planning Act)









What happens now and how do I have my say?

We understand and recognise the value of the feedback provided by members of the public during all engagements and consultations.

We are keen to receive your views and comments in regards to the following questions:

- Has the requirement for the project been clearly explained?
- Have we explained the approach taken to select the proposed substation site adequately?
- Are there any additional factors, or environmental features, that you consider important and should be brought to the attention of the project team?

Comments

Your views and comments can be provided to the project team by completing a feedback form or by writing to Louise Anderson, Community Liaison Manager.

Please note that comments made to SHE Transmission are not representations to Perth and Kinross Council, as planning authority at this stage. The opportunity for lodging representations will be when the application is formally submitted to Perth and Kinross Council for formal consideration.

We will be seeking feedback from members of the public and Statutory Bodies until 16:00, Friday 26 July 2019.

Community Liaison Manager Louise Anderson



07384 454 233

Louise Anderson Scottish and Southern Electricity Networks, 200 Dunkeld Road, Perth, PH1 3AQ



www.ssen-transmission.co.uk/projects/ alyth-275kv-substation-reactive-compensation

Information

Information will also be made available via the project web page and social media channels:

Project Website:

www.ssen-transmission.co.uk/projects/ alyth-275kv-substation-reactive-compensation

Find us on Facebook:

SSEN Community

Follow us on Twitter:



Your Feedback

Thank you for taking the time to attend this consultation event. In order to record your views and improve the effectiveness of our consultation, please complete this short feedback form.

Please complete in **BLOCK CAPITALS.** (Please tick one box per question only)

Q1	Has the requirement for the substation be Yes No Unsure
Q2	Have we explained the approach taken to Yes No Unsure
Q3	Are there any additional factors, or environ should be brought to the attention of the
Q4	Do you have any other comments regardin

ည



en clearly explained?

select the proposed substation site adequately?

nmental features, that you consider important and project team?

ng the proposed substation location and lay out?

Q5 Following review of the provided information, how would you describe your understanding of the Alyth Substation project? I am very well informed Know a lot Know very little Know nothing at all		
Q6 Overall how do you feel about the Alyth Substation project? Support Neither support or object Object		
Q7 And finally, from your experience to date, can you rate the quality of consultation undertaken on the Alyth Substation project? Excellent Quite good Neither good not poor Poor Very poor		
Please use the space below to provide further comments:		
Full name		
Address		
Postcode		
Telephone		
Email		
If you would like your comments to remain anonymous please tick this box		
We would like to send you relevant communications via email such as invitations to stakeholder events, surveys, updates on projects, services and future developments from the Scottish and Southern Electricity Networks group listed below. If you are happy to receive email updates please opt in by ticking the box below. You can unsubscribe at any time by contacting us at unsubscribe@ssen.co.uk or by clicking on the unsubscribe link that will be at the end of each of our emails.		
For information on how we collect and process your data please see our privacy notice available at today's event. This can also be obtained online at www.ssen.co.uk/PrivacyNotice/.		
Would you like to sign up for email updates?		

Please hand your completed form in at the event or alternatively by one of the methods below:

Post: Louise Anderson, Scottish and Southern Electricity Networks, 200 Dunkeld Road, Perth PH1 3AQ Email: louise.anderson@sse.com

Closing date for feedback is 16:00, Friday 26 July 2019.

The feedback form and all information provided at the event can also be downloaded from the dedicated website: www.ssen-transmission.co.uk/projects/alyth-275kv-substation-reactive-compensation

Any information given on the feedback form can be used and published anonymously as part of Scottish and Southern Electricity Networks consultation report. By completing this feedback form you consent to Scottish and Southern Electricity Networks using feedback for this purpose.

Scottish and Southern Electricity Networks is a trading name of: Scottish and Southern Energy Power Distribution Limited Registered in Scotland No. SC213459; Scottish Hydro Electric Transmission plc Registered in Scotland No. SC213461; Scottish Hydro Electric Power Distribution plc Registered in Scotland No. SC213460; (all having their Registered Offices at Inveralmond House 200 Dunkeld Road Perth PH1 3AQ); and Southern Electric Power Distribution plc Registered in England & Wales No. 04094290 having its Registered Office at Number One Forbury Place, 43 Forbury Road, Reading, Berkshire, RG1 3JH which are members of the SSE Group.