

Visualisation 7.2h

Viewpoint 2: Creraig (Crerag) - Cumulative (Fanellan Substation)

Photowire - Proposed Development Shown In Red ----- Vertical Limit of Deviation

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: Eye Level: Direction of view: Distance to Development: 1666 m

247871 840927 146.4 m AOD

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

90° (cylindrical projection) Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm





Visualisation 7.2i Viewpoint 2: Creraig (Crerag) - Cumulative (Fanellan Substation) Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project OS reference: 247871 8
Eye Level: 146.4 m A
Direction of view: 24°
Distance to Development: 1666 m

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Visualisation 7.2j Viewpoint 2: Creraig (Crerag) - Cumulative (Fanellan Substation) Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project OS reference: 247871 8
Eye Level: 146.4 m A
Direction of view: 24°
Distance to Development: 1666 m

247871 840927 146.4 m AOD 24°

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Visualisation 7.2k

Viewpoint 2: Creraig (Crerag) - Cumulative (Fanellan Substation)

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 247871 8
Eye Level: 146.4 m A
Direction of view: 28°
Distance to Development: 1666 m

247871 840927 146.4 m AOD 28°

Viewpoint Type: Representative Viewpoi Visualisation Type: Type 3 Enlargement Factor: 150% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

53.5° (planar projection) 18.2°

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 05/03/2024 12:52



TRANSMISSION



Visualisation 7.2l Viewpoint 2: Creraig (Crerag) - Cumulative (Fanellan Substation) Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project OS reference: 247871 8
Eye Level: 146.4 m A
Direction of view: 28°
Distance to Development: 1666 m

247871 840927 146.4 m AOD 28°

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 150% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 53.5° (planar projection)
Vertical Field of View: 18.2° Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 05/03/2024 12:52



TRANSMISSION



Visualisation 7.2m Viewpoint 2: Creraig (Crerag) - Cumulative (Fanellan Substation) Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project OS reference: 247871 8
Eye Level: 146.4 m A
Direction of view: 28°
Distance to Development: 1666 m

247871 840927 146.4 m AOD 28°

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 150% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 53.5° (planar projection)
Vertical Field of View: 18.2°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

