

Existing View - Annotated Baseline

This image provides landscape and visual context only

Location Plan



Key

- Proposed Tower 400 kV
- Proposed OHL Alignment 400 kV
- OHL to be Removed
- 90° Field of View
- 53.5° Field of View

Notes:

- The following images provide landscape and visual context only.
- View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.
- The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.
- To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown.
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.
- The images must be printed at the right size to be viewed properly (260mm by 820mm).
- If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
- Vertical Limit of Deviation: the maximum height of a tower above ground level.
- The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Representative of:

Residential receptors: the settlement of Beaully (THC-R-11, THC-R-14).

Recreational & Amenity receptors: users of the A862 (THC-REC-2) and users of Core Path IN03.01 'Riverside Loop, Beaully' (THC-REC-4).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT342 Farmed River Plains.

For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context**.

Visualisation 7.4a  
Viewpoint 4: Beaully  
View southeast from car park off the A862, Beaully.  
**Beaully to Blackhillock to New Deer to Peterhead 400 kV OHL Project**

OS reference: 252008 845757  
Eye Level: 7.2 m AOD  
Direction of view: 135°  
Distance to Development: 1430 m

Viewpoint Type: Representative Viewpoint  
Visualisation Type: Type 3  
Enlargement Factor: 96% @ A3 extended  
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)  
Vertical Field of View: 13.5°  
Paper size: 841 x 297 mm  
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4  
Lens: 50 mm Fixed Focal Length  
Camera Height: 1.5 m AGL  
Date and time: 05/03/2024 16:59



Existing View - Baseline

This image provides landscape and visual context only



Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red  
----- Vertical Limit of Deviation



Operational Phase (90° Year of Opening Photomontage)

View flat at a comfortable arm's length



Visualisation 7.4c  
Viewpoint 4: Beauly  
**Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project**

OS reference: 252008 845757  
Eye Level: 7.2 m AOD  
Direction of view: 135°  
Distance to Development: 1430 m

Viewpoint Type: Representative Viewpoint  
Visualisation Type: Type 3  
Enlargement Factor: 96% @ A3 extended  
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)  
Vertical Field of View: 27°  
Paper size: 841 x 297 mm  
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4  
Lens: 50 mm Fixed Focal Length  
Camera Height: 1.5 m AGL  
Date and time: 05/03/2024 16:59



Location Plan



Key

- Proposed Tower 400 kV
- Proposed OHL Alignment 400 kV
- OHL to be Removed
- 90° Field of View
- 53.5° Field of View

Notes:

- The following images provide landscape and visual context only.
- View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.
- The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.
- To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown.
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.
- The images must be printed at the right size to be viewed properly (260mm by 820mm).
- If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
- Vertical Limit of Deviation: the maximum height of a tower above ground level.
- The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Representative of:

Residential receptors: the settlement of Beauly (THC-R-11, THC-R-14).

Recreational & Amenity receptors: users of the A862 (THC-REC-2) and users of Core Path IN03.01 'Riverside Loop, Beauly' (THC-REC-4).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT342 Farmed River Plains.

For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context**.

Visualisation 7.4d  
Viewpoint 4: Beauly  
View southwest from car park off the A862, Beauly.  
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 252008 845757  
Eye Level: 7.2 m AOD  
Direction of view: 225°  
Distance to Development: 1430 m

Viewpoint Type: Representative Viewpoint  
Visualisation Type: Type 3  
Enlargement Factor: 96% @ A3 extended  
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)  
Vertical Field of View: 13.5°  
Paper size: 841 x 297 mm  
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4  
Lens: 50 mm Fixed Focal Length  
Camera Height: 1.5 m AGL  
Date and time: 05/03/2024 16:59



Existing View - Baseline

This image provides landscape and visual context only



Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red  
----- Vertical Limit of Deviation



Operational Phase (90" Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.4f  
Viewpoint 4: Beauly

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 252008 845757  
Eye Level: 7.2 m AOD  
Direction of view: 225°  
Distance to Development: 1430 m

Viewpoint Type: Representative Viewpoint  
Visualisation Type: Type 3  
Enlargement Factor: 96% @ A3 extended  
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)  
Vertical Field of View: 27°  
Paper size: 841 x 297 mm  
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4  
Lens: 50 mm Fixed Focal Length  
Camera Height: 1.5 m AGL  
Date and time: 05/03/2024 16:59



TRANSMISSION



Operational Phase (53.5° Photowire)  
Photowire - Proposed Development Shown In Red  
----- Vertical Limit of Deviation

View flat at a comfortable arm's length

Visualisation 7.4g  
Viewpoint 4: Beauly  
**Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project**

|                          |               |                     |                          |
|--------------------------|---------------|---------------------|--------------------------|
| OS reference:            | 252008 845757 | Viewpoint Type:     | Representative Viewpoint |
| Eye Level:               | 7.2 m AOD     | Visualisation Type: | Type 3                   |
| Direction of view:       | 172°          | Enlargement Factor: | 150% @ A3 extended       |
| Distance to Development: | 1430 m        | Principal distance: | 812.5 mm                 |

|                             |                           |
|-----------------------------|---------------------------|
| Horizontal field of view:   | 53.5° (planar projection) |
| Vertical Field of View:     | 18.2°                     |
| Paper size:                 | 841 x 297 mm              |
| Correct printed image size: | 820 x 260 mm              |

|                |                          |
|----------------|--------------------------|
| Camera:        | Sony ILCE-7M4            |
| Lens:          | 50 mm Fixed Focal Length |
| Camera Height: | 1.5 m AGL                |
| Date and time: | 05/03/2024 16:59         |



Operational Phase (53.5° Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.4h  
Viewpoint 4: Beauly

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 252008 845757  
Eye Level: 7.2 m AOD  
Direction of view: 172°  
Distance to Development: 1430 m

Viewpoint Type: Representative Viewpoint  
Visualisation Type: Type 3  
Enlargement Factor: 150% @ A3 extended  
Principal distance: 812.5 mm

Horizontal field of view: 53.5° (planar projection)  
Vertical Field of View: 18.2°  
Paper size: 841 x 297 mm  
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4  
Lens: 50 mm Fixed Focal Length  
Camera Height: 1.5 m AGL  
Date and time: 05/03/2024 16:59