


## Location Plan



Visualisation 7.10a Viewpoint 10: A832, Newton View south from the A832, Newton. Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

## Key

Proposed Tower 400 kV

Proposed OHL Alignment 400 kV

OHL to be Removed

90° Field of View

53.5° Field of View

-The following images provide landscape and visual context only.

-View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.

-A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the

-The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.

-To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint

-The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.

-The images must be printed at the right size to be viewed properly (260mm by 820mm).

-If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

-Vertical Limit of Deviation: the maximum height of a tower above ground level.

-The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

## Representative of:

Residential receptors: residents to the north of the Beauly Firth, including those in Newton (THC-R-21).

Recreational & Amenity receptor: users of the A862, including tourists (THC-REC-2).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT345 Farmed and Forested Slopes - Ross & Cromarty.

For visual receptor and viewpoint locations refer to Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations and Figure 7.7 Visual Context.

258357 850523 63.98 m AOD 192° Direction of view: Distance to Development: 6817 m

OS reference:

Eye Level:

Viewpoint Type: Representative Viewpoint Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection) Vertical Field of View: 13.5° 841 x 297 mm Paper size: Correct printed image size: 820 x 130 mm





Viewpoint 10: A832, Newton

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project





Visualisation 7.10c Viewpoint 10: A832, Newton Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project OS reference: 258357 8
Eye Level: 63.98 m A
Direction of view: 192°
Distance to Development: 6817 m

258357 850523 63.98 m AOD 192°

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Visualisation 7.10d Viewpoint 10: A832, Newton Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project OS reference: 258357 8
Eye Level: 63.98 m A
Direction of view: 192°
Distance to Development: 6817 m

258357 850523 63.98 m AOD 192°

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: Vertical Field of View:

Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Viewpoint 10: A832, Newton

Eye Level: 63.98 m A
Direction of view: 198°
Distance to Development: 6817 m

Viewpoint Type: Representative Viewpoi Visualisation Type: Type 3 Enlargement Factor: 150% @ A3 extended Principal distance: 812.5 mm

Vertical Field of View: 18.2° ` Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Viewpoint 10: A832, Newton Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project OS reference: 258357 8
Eye Level: 63.98 m A
Direction of view: 198°
Distance to Development: 6817 m

258357 850523 63.98 m AOD

Viewpoint Type: Representative Viewpoi Visualisation Type: Type 3 Enlargement Factor: 150% @ A3 extended Principal distance: 812.5 mm

Vertical Field of View:

18.2° ` Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Viewpoint 10: A832, Newton Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project OS reference: 258357 8
Eye Level: 63.98 m A
Direction of view: 198°
Distance to Development: 6817 m

258357 850523 63.98 m AOD

Viewpoint Type: Representative Viewpoi Visualisation Type: Type 3 Enlargement Factor: 150% @ A3 extended Principal distance: 812.5 mm

Vertical Field of View:

Horizontal field of view: 53.5° (planar projection) 18.2° ` Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project Visualisation 7.10h Viewpoint 10: A832, Newton Vertical Field of View: 27° Horizontal Field of View: 39.6° Viewpoint Location: X 258357, Y 850523 AOD: 63.98 m Distance to nearest tower: 6817 m Direction of view: 198°

Camera: Sony ILCE-7M4 Lens: 50 mm Height of camera above the ground: 1.5 m Date and time: 05/03/2024 17:32 The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.





Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project Visualisation 7.10i
Viewpoint 10: A832, Newton

Vertical Field of View: 27° Horizontal Field of View: 39.6° Viewpoint Location: X 258357, Y 850523 AOD: 63.98 m Distance to nearest tower: 6817 m Direction of view: 198°

Camera: Sony ILCE-7M4 Lens: 50 mm Height of camera above the ground: 1.5 m Date and time: 05/03/2024 17:32 The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.

