


### Location Plan



## Key

- Proposed Tower 400 kV
- Proposed Tower Kellas Alternative Alignment
- Proposed OHL Alignment 400 kV
- 90° Field of View
- 53.5° Field of View

#### Nlote

- -The following images provide landscape and visual context only.
- -View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- -A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image
- -The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.
- -To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown
- -The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.
- -The images must be printed at the right size to be viewed properly (260mm by 820mm).
- -If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
- -Vertical Limit of Deviation: the maximum height of a tower above ground level.
- -The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot Visual Representation of Wind Farms Guidance Version 2.2 February 2017.

#### Representative of:

Residential receptors: residents in and around Kellas (MOR-R-16, MOR-R-17).

Recreational & Amenity receptor: users of Mill of Kellas Trout Fishery (MOR-REC-4).

Transport receptor: users of local roads (MOR-T-2) and users of the B9010 (MOR-T-3).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT285 Rolling Farmland and Forests - Moray & Nairn.

For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context.** 

Visualisation 7.24a
Viewpoint 24: B9010, Kellas
View east from the B9010 in Kellas, sout

View east from the B9010 in Kellas, south of the Pluscarden Valley Special Landscape Area. Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 317077 854497
Eye Level: 125.19 m AOD
Direction of view: 105°
Distance to Development: 2484 m

Viewpoi Visualis Enlarge

Viewpoint Type: Representative Viewpoint Type 3
Enlargement Factor: Principal distance: Representative Viewpoint Type 3
96% @ A3 extended 812.5 mm

Horizontal field of view: 90° (cylindrical Vertical Field of View: 13.5°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

90° (cylindrical projection)
Camera:
13.5°
Lens:
Camera Height:





Visualisation 7.24b Viewpoint 24: B9010, Kellas

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: Eye Level: Direction of view: Distance to Development: 2484 m

125.19 m AOD

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: 90° (cylindrical projection) Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 7/03/2024 13:44



TRANSMISSION



Visualisation 7.24c Viewpoint 24: B9010, Kellas

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: Eye Level: Direction of view: Distance to Development: 2484 m

317077 854497 125.19 m AOD

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: Vertical Field of View: 90° (cylindrical projection) Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 7/03/2024 13:44

Scottish & Southern
Electricity Networks TRANSMISSION



Viewpoint 24: B9010, Kellas

Eye Level: Direction of view: Distance to Development: 2484 m

Paper size:

841 x 297 mm Correct printed image size: 820 x 130 mm






Visualisation 7.24e Viewpoint 24: B9010, Kellas OS reference: Eye Level: Direction of view: Distance to Development: 2484 m


Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: Vertical Field of View: 90° (cylindrical projection) Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





#### **Location Plan**



# Key

- Proposed Tower 400 kV
- Proposed Tower Kellas Alternative Alignment
- Proposed OHL Alignment 400 kV

90° Field of View

53.5° Field of View

- -The following images provide landscape and visual context only.
- -View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- -A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the
- -The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.
- -To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint
- -The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.
- -The images must be printed at the right size to be viewed properly (260mm by 820mm).
- -If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
- -Vertical Limit of Deviation: the maximum height of a tower above ground level.
- -The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Representative of:

Residential receptors: residents in and around Kellas (MOR-R-16, MOR-R-17).

Recreational & Amenity receptor: users of Mill of Kellas Trout Fishery (MOR-REC-4).

Transport receptor: users of local roads (MOR-T-2) and users of the B9010 (MOR-T-3).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT285 Rolling Farmland and Forests - Moray & Nairn.

For visual receptor and viewpoint locations refer to Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations and Figure 7.7 Visual Context.

Visualisation 7.24f Viewpoint 24: B9010, Kellas View south from the B9010 in Kellas, south of the Pluscarden Valley Special Landscape Area.

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 317077 854497 125.19 m AOD Eye Level: 195° Direction of view: Distance to Development: 2484 m

Viewpoint Type: Representative Viewpoint Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Paper size:

Horizontal field of view: 90° (cylindrical projection) Vertical Field of View: 841 x 297 mm Correct printed image size: 820 x 130 mm





Visualisation 7.24g Viewpoint 24: B9010, Kellas

Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

OS reference: Eye Level: Direction of view: Distance to Development: 2484 m

317077 854497 125.19 m AOD

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: 90° (cylindrical projection) Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm





Visualisation 7.24h Viewpoint 24: B9010, Kellas

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 317077 8
Eye Level: 125.19 m
Direction of view: 195°
Distance to Development: 2484 m 317077 854497 125.19 m AOD 195° Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Visualisation 7.24i Viewpoint 24: B9010, Kellas

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Operational Phase (90° Photowire: Kellas Alternative Alignment)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

OS reference: Eye Level: Direction of view: Distance to Development: 2484 m

317077 854497 125.19 m AOD

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

90° (cylindrical projection)

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 7/03/2024 13:44



TRANSMISSION



Visualisation 7.24j Viewpoint 24: B9010, Kellas

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 317077 8
Eye Level: 125.19 m
Direction of view: 195°
Distance to Development: 2484 m

317077 854497 Viewpoi 125.19 m AOD Visualis 195° Enlarge

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical pro-Vertical Field of View: 27° Paper size: 841 x 297 mm Correct printed image size: 820 x 260 mm

