



Operational Phase (53.5" Photowire)
Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

View flat at a comfortable arm's length



Operational Phase (53.5° Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.24I
Viewpoint 24: B9010, Kellas
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	317077 854497	Viewpoint Type:	Representative Viewpoint	Horizontal field of view:	53.5° (planar projection)	Camera:	Sony ILCE-7M4
Eye Level:	125.19 m AOD	Visualisation Type:	Type 3	Vertical Field of View:	18.2°	Lens:	50 mm Fixed Focal Length
Direction of view:	170°	Enlargement Factor:	150% @ A3 extended	Paper size:	841 x 297 mm	Camera Height:	1.5 m AGL
Distance to Development:	2484 m	Principal distance:	812.5 mm	Correct printed image size:	820 x 260 mm	Date and time:	7/03/2024 13:44



Operational Phase (53.5' Photowire: Kellas Alternative Alignment)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

View flat at a comfortable arm's length

Visualisation 7.24m
Viewpoint 24: B9010, Kellas
Beauy to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 317077 854497
Eye Level: 125.19 m AOD
Direction of view: 170°
Distance to Development: 2484 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 150% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 53.5° (planar projection)
Vertical Field of View: 18.2°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 7/03/2024 13:44



Operational Phase (53.5" Year of Opening Photomontage: Kellas Alternative Alignment)

View flat at a comfortable arm's length



Operational Phase (Year of Opening Photomontage) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
 Visualisation 7.24o
 Viewpoint 24: B9010, Kellas

Vertical Field of View: 27° Horizontal Field of View: 39.6°
 Viewpoint Location: X 317077, Y 854497 AOD: 125.19 m
 Distance to nearest tower: 2484 m
 Direction of view: 170°

Camera: Sony ILCE-7M4
 Lens: 50 mm
 Height of camera above the ground: 1.5 m
 Date and time: 7/03/2024 13:44

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.



Operational Phase (Year of Opening Photomontage: Kellas Alternative Alignment) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
 Visualisation 7.24p
 Viewpoint 24: B9010, Kellas

Vertical Field of View: 27° Horizontal Field of View: 39.6°
 Viewpoint Location: X 317077, Y 854497 AOD: 125.19 m
 Distance to nearest tower: 2484 m
 Direction of view: 170°

Camera: Sony ILCE-7M4
 Lens: 50 mm
 Height of camera above the ground: 1.5 m
 Date and time: 7/03/2024 13:44

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.