



Operational Phase (90° Year of Opening Photomontage: Kellas Alternative Alignment)

View flat at a comfortable arm's length

Visualisation 7.25j
Viewpoint 25: Mannocho Road Heritage Path
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 321013 851591
Eye Level: 322.84 m AOD
Direction of view: 350°
Distance to Development: 982 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 27°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 7/03/2024 15:41



Operational Phase (53.5' Photowire)
Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

View flat at a comfortable arm's length

Visualisation 7.25k
Viewpoint 25: Mannocho Road Heritage Path
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	321013 851591	Viewpoint Type:	Representative Viewpoint	Horizontal field of view:	53.5° (planar projection)	Camera:	Sony ILCE-7M4
Eye Level:	322.84 m AOD	Visualisation Type:	Type 3	Vertical Field of View:	18.2°	Lens:	50 mm Fixed Focal Length
Direction of view:	349°	Enlargement Factor:	150% @ A3 extended	Paper size:	841 x 297 mm	Camera Height:	1.5 m AGL
Distance to Development:	982 m	Principal distance:	812.5 mm	Correct printed image size:	820 x 260 mm	Date and time:	7/03/2024 15:41



Operational Phase (53.5' Photowire: Kellas Alternative Alignment)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

Visualisation 7.25I
Viewpoint 25: Mannoch Road Heritage Path
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	321013 851591	Viewpoint Type:	Representative Viewpoint
Eye Level:	322.84 m AOD	Visualisation Type:	Type 3
Direction of view:	349°	Enlargement Factor:	150% @ A3 extended
Distance to Development:	982 m	Principal distance:	812.5 mm

Horizontal field of view:	53.5° (planar projection)	Camera:	Sony ILCE-7M4
Vertical Field of View:	18.2°	Lens:	50 mm Fixed Focal Length
Paper size:	841 x 297 mm	Camera Height:	1.5 m AGL
Correct printed image size:	820 x 260 mm	Date and time:	7/03/2024 15:41



Operational Phase (53.5" Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.25m
Viewpoint 25: Mannocho Road Heritage Path
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 321013 851591
Eye Level: 322.84 m AOD
Direction of view: 349°
Distance to Development: 982 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 150% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 53.5" (planar projection)
Vertical Field of View: 18.2°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 7/03/2024 15:41



Operational Phase (53.5" Year of Opening Photomontage: Kellas Alternative Alignment)

View flat at a comfortable arm's length


Visualisation 7.25n
Viewpoint 25: Mannocho Road Heritage Path
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 321013 851591
Eye Level: 322.84 m AOD
Direction of view: 349°
Distance to Development: 982 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 150% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 53.5" (planar projection)
Vertical Field of View: 18.2°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 7/03/2024 15:41




Operational Phase (Year of Opening Photomontage) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
 Visualisation 7.25o
 Viewpoint 25: Mannocho Road Heritage Path

Vertical Field of View: 27° Horizontal Field of View: 39.6°
 Viewpoint Location: X 321013, Y 851591 AOD: 322.84 m
 Distance to nearest tower: 982 m
 Direction of view: 349°

Camera: Sony ILCE-7M4
 Lens: 50 mm
 Height of camera above the ground: 1.5 m
 Date and time: 7/03/2024 15:41

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.



Operational Phase (Year of Opening Photomontage: Kellas Alternative Alignment) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
 Visualisation 7.25p
 Viewpoint 25: Mannoch Road Heritage Path

Vertical Field of View: 27° Horizontal Field of View: 39.6°
 Viewpoint Location: X 321013, Y 851591 AOD: 322.84 m
 Distance to nearest tower: 982 m
 Direction of view: 349°

Camera: Sony ILCE-7M4
 Lens: 50 mm
 Height of camera above the ground: 1.5 m
 Date and time: 7/03/2024 15:41

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.