



Operational Phase (90° Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.29i
Viewpoint 29: Earth Pillars Viewpoint, Ordiequish - Summer View
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	333537 856531	Viewpoint Type:	Representative Viewpoint
Eye Level:	75.7 m AOD	Visualisation Type:	Type 3
Direction of view:	291°	Enlargement Factor:	96% @ A3 extended
Distance to Development:	284 m	Principal distance:	812.5 mm

Horizontal field of view:	90° (cylindrical projection)
Vertical Field of View:	27°
Paper size:	841 x 297 mm
Correct printed image size:	820 x 260 mm

Camera:	Sony ILCE-7M4
Lens:	50 mm Fixed Focal Length
Camera Height:	1.5 m AGL
Date and time:	10/07/2025,13:33



Operational Phase (53.5° Photowire)

Photowire - Proposed Development Shown In Red

----- Vertical Limit of Deviation

View flat at a comfortable arm's length

Visualisation 7.29j

Viewpoint 29: Earth Pillars Viewpoint, Ordiequish - Summer View

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 333537 856531

Eye Level: 75.7 m AOD

Direction of view: 299°

Distance to Development: 284 m

Viewpoint Type: Representative Viewpoint

Visualisation Type: Type 3

Enlargement Factor: 150% @ A3 extended

Principal distance: 812.5 mm

Horizontal field of view: 53.5° (planar projection)

Vertical Field of View: 18.2°

Paper size: 841 x 297 mm

Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4

Lens: 50 mm Fixed Focal Length

Camera Height: 1.5 m AGL

Date and time: 10/07/2025,13:33



Operational Phase (53.5th Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.29k
Viewpoint 29: Earth Pillars Viewpoint, Ordiequish - Summer View
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	333537 856531	Viewpoint Type:	Representative Viewpoint
Eye Level:	75.7 m AOD	Visualisation Type:	Type 3
Direction of view:	299°	Enlargement Factor:	150% @ A3 extended
Distance to Development:	284 m	Principal distance:	812.5 mm

Horizontal field of view:	53.5° (planar projection)
Vertical Field of View:	18.2°
Paper size:	841 x 297 mm
Correct printed image size:	820 x 260 mm

Camera:	Sony ILCE-7M4
Lens:	50 mm Fixed Focal Length
Camera Height:	1.5 m AGL
Date and time:	10/07/2025,13:33



IMAGE FOR VISUAL IMPACT ASSESSMENT

Operational Phase (Year of Opening Photomontage) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
Visualisation 7.29I
Viewpoint 29: Earth Pillars Viewpoint, Ordiequish - Summer View

Vertical Field of View: 27° Horizontal Field of View: 39.6°
Viewpoint Location: X 333537, Y 856531 AOD: 75.7 m
Distance to nearest tower: 284 m
Direction of view: 299°

Camera: Sony ILCE-7M4
Lens: 50 mm
Height of camera above the ground: 1.5 m
Date and time: 10/07/2025,13:33

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.