



Operational Phase (53.5' Photowire)
Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

View flat at a comfortable arm's length



Operational Phase (53.5° Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.35n		OS reference: 349694 848890		Viewpoint Type: Representative Viewpoint		Horizontal field of view: 53.5° (planar projection)		Camera: Sony ILCE-7M4	
Viewpoint 35: Haughs - Summer View		Eye Level: 156.76 m AOD		Visualisation Type: Type 3		Vertical Field of View: 18.2°		Lens: 50 mm Fixed Focal Length	
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project		Direction of view: 185°		Enlargement Factor: 150% @ A3 extended		Paper size: 841 x 297 mm		Camera Height: 1.5 m AGL	
		Distance to Development: 4589 m		Principal distance: 812.5 mm		Correct printed image size: 820 x 260 mm		Date and time: 10/07/2025,11:34	



Operational Phase (Year of Opening Photomontage) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
 Visualisation 7.35o
 Viewpoint 35: Haughs - Summer View

Vertical Field of View: 27° Horizontal Field of View: 39.6°
 Viewpoint Location: X 349694, Y 848890 AOD: 156.76 m
 Distance to nearest tower: 4589 m
 Direction of view: 185°

Camera: Sony ILCE-7M4
 Lens: 50 mm
 Height of camera above the ground: 1.5 m
 Date and time: 10/07/2025, 11:34

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.