


Location Plan



Visualisation 7.41a

Viewpoint 41: Kirkton of Auchterless

View west from unnamed road, Kirkton of Auchterless.

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Key

Proposed Tower 400 kV

Proposed OHL Alignment - 400 kV

90° Field of View

53.5° Field of View

otes:

-The following images provide landscape and visual context only.

-View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.

-A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.

-The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.

-To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown

-The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.

-The images must be printed at the right size to be viewed properly (260mm by 820mm).

-If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

-Vertical Limit of Deviation: the maximum height of a tower above ground level.

-The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Representative of:

Residential receptors: residents in and around Kirkton of Auchterless (AB-R-7, AB-R-18).

<u>Transport receptors:</u> users of local roads (AB-T-5).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT19 Farmed Rolling Ridges and Hills.

For visual receptor and viewpoint locations refer to Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations and Figure 7.7 Visual Context.

OS reference: 369578 842649
Eye Level: 154.44 m AOD
Direction of view: 285°
Distance to Development: 1829 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 13.5°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm





Viewpoint 41: Kirkton of Auchterless

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Eye Level: Direction of view: Distance to Development: 1829 m

154.44 m AOD 285°

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Vertical Field of View: 13.5° 841 x 297 mm Paper size: Correct printed image size: 820 x 130 mm





Visualisation 7.41c

Viewpoint 41: Kirkton of Auchterless

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 369578 8
Eye Level: 154.44 m
Direction of view: 285°
Distance to Development: 1829 m

369578 842649 154.44 m AOD

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm


Horizontal field of view: Vertical Field of View:

90° (cylindrical projection) Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Location Plan



Visualisation 7.41d

Viewpoint 41: Kirkton of Auchterless

View north from unnamed road, Kirkton of Auchterless.

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Proposed Tower 400 kV

Proposed OHL Alignment - 400 kV

Key

90° Field of View

53.5° Field of View

-The following images provide landscape and visual context only.

-View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.

-A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the

-The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.

-To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint

-The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.

-The images must be printed at the right size to be viewed properly (260mm by 820mm).

-If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

-Vertical Limit of Deviation: the maximum height of a tower above ground level.

-The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

OS reference:

Eye Level:

Representative of:

Residential receptors: residents in and around Kirkton of Auchterless (AB-R-7, AB-R-18).

<u>Transport receptors:</u> users of local roads (AB-T-5).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT19 Farmed Rolling Ridges and Hills.

For visual receptor and viewpoint locations refer to Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations and Figure 7.7 Visual Context.

369578 842649 154.44 m AOD Direction of view: 15° Distance to Development: 1829 m

Representative Viewpoint Viewpoint Type: Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection) Vertical Field of View: 13.5° 841 x 297 mm Paper size: Correct printed image size: 820 x 130 mm





Visualisation 7.41e

Viewpoint 41: Kirkton of Auchterless

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: Eye Level: Direction of view: Distance to Development: 1829 m

154.44 m AOD

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Vertical Field of View:

90° (cylindrical projection) Paper size: 841 x 297 mm Correct printed image size: 820 x 130 mm

Sony ILCE-7M4 50 mm Fixed Focal Length Camera Height: 1.5 m AGL
Date and time: 29/03/2024 11:55



TRANSMISSION



Visualisation 7.41f

Viewpoint 41: Kirkton of Auchterless

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 369578 8
Eye Level: 154.44 m
Direction of view: 15°
Distance to Development: 1829 m

369578 842649 154.44 m AOD

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Visualisation 7.41g

Viewpoint 41: Kirkton of Auchterless

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: Eye Level: Direction of view: Distance to Development: 1829 m

369578 842649 154.44 m AOD 305°

Viewpoint Type: Representative Viewpoi Visualisation Type: Type 3 Enlargement Factor: 150% @ A3 extended Principal distance: 812.5 mm

Representative Viewpoint

Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm





Visualisation 7.41h

Viewpoint 41: Kirkton of Auchterless

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: Eye Level:
Direction of view: Distance to Development: 1829 m

369578 842649 154.44 m AOD 305°

Viewpoint Type: Representative Viewpoi Visualisation Type: Type 3 Enlargement Factor: 150% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: 53.5° (planar projection) Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 29/03/2024 11:55



TRANSMISSION



Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project Visualisation 7.41i Viewpoint 41: Kirkton of Auchterless Vertical Field of View: 27° Horizontal Field of View: 39.6° Viewpoint Location: X 369578, Y 842649 AOD: 154.44 m Distance to nearest tower: 1829 m Direction of view: 305°

Camera: Sony ILCE-7M4 Lens: 50 mm Height of camera above the ground: 1.5 m Date and time: 29/03/2024 11:55 The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.

