




Location Plan



Key

- Proposed Tower 400 kV
- Proposed OHL Alignment - 400 kV
- 90° Field of View
- 53.5° Field of View

Notes:

- The following images provide landscape and visual context only.
- View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.
- The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.
- To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown.
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.
- The images must be printed at the right size to be viewed properly (260mm by 820mm).
- If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
- Vertical Limit of Deviation: the maximum height of a tower above ground level.
- The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Representative of:

- Residential receptors:** the settlement of Maud (AB-R-22) and residents between Turriff and the B9030, Stuartfield (AB-R-47).
 - Recreational & Amenity receptors:** users of the Formartine and Buchan Way Great Trail (AB-REC-10) and users of Core Paths 209.01 'Maud: Clackriach Path' & Core Path NCN Route 1D 'Montcoffer Croft to Maud' (AB-REC-7).
 - Transport receptor:** users of the B9029 (AB-T-8).
- This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT20 Undulating Agricultural Heartland.
- For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context**.

Visualisation 7.49a
Viewpoint 49: B9029, Maud
View south from the B9029, Maud.
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 391439 847850
Eye Level: 89.97 m AOD
Direction of view: 170°
Distance to Development: 1368 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 13.5°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 29/03/2024 13:56



Existing View - Baseline

This image provides landscape and visual context only



Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

Visualisation 7.49b
Viewpoint 49: B9029, Maud
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	391439 847850	Viewpoint Type:	Representative Viewpoint
Eye Level:	89.97 m AOD	Visualisation Type:	Type 3
Direction of view:	170°	Enlargement Factor:	96% @ A3 extended
Distance to Development:	1368 m	Principal distance:	812.5 mm

Horizontal field of view:	90° (cylindrical projection)
Vertical Field of View:	13.5°
Paper size:	841 x 297 mm
Correct printed image size:	820 x 130 mm

Camera:	Sony ILCE-7M4
Lens:	50 mm Fixed Focal Length
Camera Height:	1.5 m AGL
Date and time:	29/03/2024 13:56



Operational Phase (90" Year of Opening Photomontage)

View flat at a comfortable arm's length



Visualisation 7.49c
Viewpoint 49: B9029, Maud
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 391439 847850
Eye Level: 89.97 m AOD
Direction of view: 170°
Distance to Development: 1368 m


Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 27°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 29/03/2024 13:56



Location Plan



Key

- Proposed Tower 400 kV
- Proposed OHL Alignment - 400 kV
- 90° Field of View
- 53.5° Field of View

Notes:

- The following images provide landscape and visual context only.
- View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.
- The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.
- To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown.
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.
- The images must be printed at the right size to be viewed properly (260mm by 820mm).
- If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
- Vertical Limit of Deviation: the maximum height of a tower above ground level.
- The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Representative of:

- Residential receptors:** the settlement of Maud (AB-R-22) and residents between Turriff and the B9030, Stuartfield (AB-R-47).
 - Recreational & Amenity receptors:** users of the Formartine and Buchan Way Great Trail (AB-REC-10) and users of Core Paths 209.01 'Maud: Clackriach Path' & Core Path NCN Route 1D 'Montcoffer Croft to Maud' (AB-REC-7).
 - Transport receptor:** users of the B9029 (AB-T-8).
- This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT20 Undulating Agricultural Heartland.
- For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context**.

Visualisation 7.49d
Viewpoint 49: B9029, Maud
View west from the B9029, Maud.
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 391439 847850
Eye Level: 89.97 m AOD
Direction of view: 260°
Distance to Development: 1368 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 13.5°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 29/03/2024 13:56



Existing View - Baseline

This image provides landscape and visual context only



Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

Visualisation 7.49e
Viewpoint 49: B9029, Maud
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	391439 847850	Viewpoint Type:	Representative Viewpoint	Horizontal field of view:	90° (cylindrical projection)	Camera:	Sony ILCE-7M4
Eye Level:	89.97 m AOD	Visualisation Type:	Type 3	Vertical Field of View:	13.5°	Lens:	50 mm Fixed Focal Length
Direction of view:	260°	Enlargement Factor:	96% @ A3 extended	Paper size:	841 x 297 mm	Camera Height:	1.5 m AGL
Distance to Development:	1368 m	Principal distance:	812.5 mm	Correct printed image size:	820 x 130 mm	Date and time:	29/03/2024 13:56



Operational Phase (90° Year of Opening Photomontage)

View flat at a comfortable arm's length



Operational Phase (90° Year 15 Photomontage)

View flat at a comfortable arm's length



Operational Phase (53.5' Photowire)
Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

Visualisation 7.49h
Viewpoint 49: B9029, Maud
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	391439 847850	Viewpoint Type:	Representative Viewpoint	Horizontal field of view:	53.5° (planar projection)	Camera:	Sony ILCE-7M4
Eye Level:	89.97 m AOD	Visualisation Type:	Type 3	Vertical Field of View:	18.2°	Lens:	50 mm Fixed Focal Length
Direction of view:	245°	Enlargement Factor:	150% @ A3 extended	Paper size:	841 x 297 mm	Camera Height:	1.5 m AGL
Distance to Development:	1368 m	Principal distance:	812.5 mm	Correct printed image size:	820 x 260 mm	Date and time:	29/03/2024 13:56



Operational Phase (53.5' Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.49i		OS reference:		391439 847850	Viewpoint Type:		Representative Viewpoint	Horizontal field of view:		53.5° (planar projection)	Camera:		Sony ILCE-7M4
Viewpoint 49: B9029, Maud		Eye Level:		89.97 m AOD	Visualisation Type:		Type 3	Vertical Field of View:		18.2°	Lens:		50 mm Fixed Focal Length
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project		Direction of view:		245°	Enlargement Factor:		150% @ A3 extended	Paper size:		841 x 297 mm	Camera Height:		1.5 m AGL
		Distance to Development:		1368 m	Principal distance:		812.5 mm	Correct printed image size:		820 x 260 mm	Date and time:		29/03/2024 13:56