




Location Plan



Key

- Proposed Tower 400 kV
- Proposed OHL Alignment - 400 kV
- 90° Field of View
- 53.5° Field of View

Notes:

- The following images provide landscape and visual context only.
- View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.
- The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.
- To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown.
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.
- The images must be printed at the right size to be viewed properly (260mm by 820mm).
- If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
- Vertical Limit of Deviation: the maximum height of a tower above ground level.
- The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Representative of:

- Residential receptors: residents between the A948 and A952, to the south of Stuartfield (AB-R-13, AB-R-25).
- Transport receptors: users of local roads (AB-T-8).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT21 Farmland and Wooded Policies.

For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context**.

Visualisation 7.51a
Viewpoint 51: Skelmuir
View northwest from unnamed road, Skelmuir.
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 398728 842029
Eye Level: 104.96 m AOD
Direction of view: 325°
Distance to Development: 1401 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 13.5°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 29/03/2024 15:17



Existing View - Baseline

This image provides landscape and visual context only




Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation




Operational Phase (90° Year of Opening Photomontage)

View flat at a comfortable arm's length



Location Plan



Key

- Proposed Tower 400 kV
- Proposed OHL Alignment - 400 kV
- 90° Field of View
- 53.5° Field of View

Notes:

- The following images provide landscape and visual context only.
- View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.
- The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.
- To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown.
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.
- The images must be printed at the right size to be viewed properly (260mm by 820mm).
- If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
- Vertical Limit of Deviation: the maximum height of a tower above ground level.
- The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Representative of:

- Residential receptors:** residents between the A948 and A952, to the south of Stuartfield (AB-R-13, AB-R-25).
- Transport receptors:** users of local roads (AB-T-8).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT21 Farmland and Wooded Policies.

For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context**.

Visualisation 7.51d
Viewpoint 51: Skelmuir
View northeast from unnamed road, Skelmuir.
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 398728 842029
Eye Level: 104.96 m AOD
Direction of view: 55°
Distance to Development: 1401 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 13.5°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 29/03/2024 15:17



Existing View - Baseline

This image provides landscape and visual context only



Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation



Operational Phase (90" Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.51f
Viewpoint 51: Skelmuir
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 398728 842029
Eye Level: 104.96 m AOD
Direction of view: 55°
Distance to Development: 1401 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 27°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 29/03/2024 15:17



Operational Phase (53.5° Photowire)
Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

View flat at a comfortable arm's length



Operational Phase (53.5" Year of Opening Photomontage)

View flat at a comfortable arm's length



Operational Phase (Year of Opening Photomontage) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
 Visualisation 7.51i
 Viewpoint 51: Skelmuir

Vertical Field of View: 27° Horizontal Field of View: 39.6°
 Viewpoint Location: X 398728, Y 842029 AOD: 104.96 m
 Distance to nearest tower: 1401 m
 Direction of view: 6°

Camera: Sony ILCE-7M4
 Lens: 50 mm
 Height of camera above the ground: 1.5 m
 Date and time: 29/03/2024 15:17

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.