



Operational Phase (90° Year 15 Photomontage)

View flat at a comfortable arm's length



Operational Phase (53.5° Photowire)
Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

View flat at a comfortable arm's length

Visualisation 7.52k
Viewpoint 52: Longside - Cumulative (Netherton Hub)
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	403314 847045	Viewpoint Type:	Representative Viewpoint
Eye Level:	33.12 m AOD	Visualisation Type:	Type 3
Direction of view:	137°	Enlargement Factor:	150% @ A3 extended
Distance to Development:	1981 m	Principal distance:	812.5 mm

Horizontal field of view:	53.5° (planar projection)
Vertical Field of View:	18.2°
Paper size:	841 x 297 mm
Correct printed image size:	820 x 260 mm

Camera:	Sony ILCE-7M4
Lens:	50 mm Fixed Focal Length
Camera Height:	1.5 m AGL
Date and time:	29/03/2024 14:28



Operational Phase (53.5th Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.52l
Viewpoint 52: Longside - Cumulative (Netherton Hub)
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	403314 847045	Viewpoint Type:	Representative Viewpoint
Eye Level:	33.12 m AOD	Visualisation Type:	Type 3
Direction of view:	137°	Enlargement Factor:	150% @ A3 extended
Distance to Development:	1981 m	Principal distance:	812.5 mm

Horizontal field of view:	53.5° (planar projection)
Vertical Field of View:	18.2°
Paper size:	841 x 297 mm
Correct printed image size:	820 x 260 mm

Camera:	Sony ILCE-7M4
Lens:	50 mm Fixed Focal Length
Camera Height:	1.5 m AGL
Date and time:	29/03/2024 14:28



Operational Phase (53.5° Year 15 Photomontage)

View flat at a comfortable arm's length

Visualisation 7.52m
Viewpoint 52: Longside - Cumulative (Netherton Hub)
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	403314 847045	Viewpoint Type:	Representative Viewpoint
Eye Level:	33.12 m AOD	Visualisation Type:	Type 3
Direction of view:	137°	Enlargement Factor:	150% @ A3 extended
Distance to Development:	1981 m	Principal distance:	812.5 mm

Horizontal field of view:	53.5° (planar projection)
Vertical Field of View:	18.2°
Paper size:	841 x 297 mm
Correct printed image size:	820 x 260 mm

Camera:	Sony ILCE-7M4
Lens:	50 mm Fixed Focal Length
Camera Height:	1.5 m AGL
Date and time:	29/03/2024 14:28



Operational Phase (Year of Opening Photomontage) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
 Visualisation 7.52n
 Viewpoint 52: Longside- Cumulative (Netherton Hub)

Vertical Field of View: 27° Horizontal Field of View: 39.6°
 Viewpoint Location: X 403314, Y 847045 AOD: 33.12 m
 Distance to nearest tower: 1981 m
 Direction of view: 137°

Camera: Sony ILCE-7M4
 Lens: 50 mm
 Height of camera above the ground: 1.5 m
 Date and time: 29/03/2024 14:28

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.



Operational Phase (Year 15 Photomontage) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
 Visualisation 7.52o
 Viewpoint 52: Longside- Cumulative (Netherton Hub)

Vertical Field of View: 27° Horizontal Field of View: 39.6°
 Viewpoint Location: X 403314, Y 847045 AOD: 33.12 m
 Distance to nearest tower: 1981 m
 Direction of view: 137°

Camera: Sony ILCE-7M4
 Lens: 50 mm
 Height of camera above the ground: 1.5 m
 Date and time: 29/03/2024 14:28

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.