


Location Plan



Visualisation 7.56a Viewpoint 56: The Bin - Winter View View northwest from the summit of The Bin. Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Key

Proposed Tower 400 kV

Proposed OHL Alignment - 400 kV

53.5° Field of View

90° Field of View

-The following images provide landscape and visual context only.

-View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.

-A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the

-The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.

-To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint

-The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.

-The images must be printed at the right size to be viewed properly (260mm by 820mm).

-If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

-Vertical Limit of Deviation: the maximum height of a tower above ground level.

-The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Specific to:

Recreational & Amenity receptor: visitors to The Bin (AB-REC-1).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT27 Farmed Moorland Edge – Aberdeenshire.

For visual receptor and viewpoint locations refer to Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations and Figure 7.7 Visual Context.

OS reference: 350312 843882 303.77 m AOD Eye Level: 335° Direction of view:

Distance to Development: 1807 m

Viewpoint Type: Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Representative Viewpoint

Horizontal field of view: 90° (cylindrical projection) Vertical Field of View: Paper size: 841 x 297 mm Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4 50 mm Fixed Focal Length Camera Height: 1.5 m AGL Date and time: 30/03/2024,11:58





Viewpoint 56: The Bin - Winter View

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 30/03/2024,11:58



TRANSMISSION



Visualisation 7.56c

Viewpoint 56: The Bin - Winter View

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 350312 8
Eye Level: 303.77 m
Direction of view: 335°
Distance to Development: 1807 m

350312 843882 303.77 m AOD


Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 27° Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm


Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 30/03/2024,11:58



TRANSMISSION



Location Plan



Visualisation 7.56d Viewpoint 56: The Bin - Summer View View northwest from the summit of The Bin. Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Proposed Tower 400 kV

Proposed OHL Alignment - 400 kV

90° Field of View

53.5° Field of View

-The following images provide landscape and visual context only.

-View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.

-A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the

-The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.

-To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint

-The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.

-The images must be printed at the right size to be viewed properly (260mm by 820mm).

-If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

-Vertical Limit of Deviation: the maximum height of a tower above ground level.

-The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

OS reference:

Direction of view:

Eye Level:

Specific to:

Recreational & Amenity receptor: visitors to The Bin (AB-REC-1).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT27 Farmed Moorland Edge – Aberdeenshire.

For visual receptor and viewpoint locations refer to Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations and Figure 7.7 Visual Context.


350312 843882 303.77 m AOD 335° Distance to Development: 1807 m

Representative Viewpoint Viewpoint Type: Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection) Vertical Field of View: Paper size: 841 x 297 mm Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4 50 mm Fixed Focal Length Camera Height: 1.5 m AGL Date and time: 11/07/2025,11:47







Visualisation 7.56e

Viewpoint 56: The Bin - Summer View Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project OS reference: Eye Level: Direction of view: Distance to Development: 1807 m

303.77 m AOD 335°

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Vertical Field of View:

Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

Sony ILCE-7M4 50 mm Fixed Focal Length Camera Height: 1.5 m AGL
Date and time: 11/07/2025,11:47





Visualisation 7.56f

Viewpoint 56: The Bin - Summer View

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 350312 8
Eye Level: 303.77 m
Direction of view: 335°
Distance to Development: 1807 m

350312 843882 303.77 m AOD

Viewpoint Type: Representative Viewpo Visualisation Type: Type 3 Enlargement Factor: 96% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 11/07/2025,11:47





Visualisation 7.56g

Viewpoint 56: The Bin - Summer View

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Viewpoint Type: Representative Viewpoi Visualisation Type: Type 3 Enlargement Factor: 150% @ A3 extended Principal distance: 812.5 mm

Horizontal field of view: Vertical Field of View:

Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 11/07/2025,11:47





Visualisation 7.56h

Viewpoint 56: The Bin - Summer View

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: Eye Level: Direction of view: Distance to Development: 1807 m

350312 843882 303.77 m AOD

Viewpoint Type: Representative Viewpoint Visualisation Type: Type 3
Enlargement Factor: 150% @ A3 extended Principal distance: 812.5 mm Representative Viewpoint

Horizontal field of view: 53.5° (planar projection) Vertical Field of View: Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 11/07/2025,11:47

