



Operational Phase (53.5' Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.59I
Viewpoint 59: Knock of Braemoray
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 301142 841754
Eye Level: 454.61 m AOD
Direction of view: 6°
Distance to Development: 3271 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 150% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 53.5° (planar projection)
Vertical Field of View: 18.2°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 09/12/2024,12:26




Operational Phase (53.5° Year 7 Photomontage)

View flat at a comfortable arm's length



Operational Phase (53.5° Year 15 Photomontage)

View flat at a comfortable arm's length



Operational Phase (Year of Opening Photomontage) - 50mm

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project
Visualisation 7.59o
Viewpoint 59: Knock of Braemoray

Vertical Field of View: 27° Horizontal Field of View: 39.6°
Viewpoint Location: X 301142, Y 841754 AOD: 454.61 m
Distance to nearest tower: 3271 m
Direction of view: 6°

Camera: Sony ILCE-7M4
Lens: 50 mm
Height of camera above the ground: 1.5 m
Date and time: 09/12/2024,12:26

The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes. The printed image is representative of the Proposed Development, but is not representative of scale or distance.