


Location Plan



Key

- Proposed Tower 400 kV
- Proposed Tower - Existing OHL Works (275 kV)
- Realignment and Crossing)
- Proposed Tower - Temporary
- Proposed OHL Alignment 400 kV
- Temporary OHL Diversion
- Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
- 90° Field of View
- 53.5° Field of View

Notes:

-The following images provide landscape and visual context only.

-View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.

-A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.

-The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.

-To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown.

-The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.

-The images must be printed at the right size to be viewed properly (260mm by 820mm).

-If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

-Vertical Limit of Deviation: the maximum height of a tower above ground level.

-The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Representative of:

Residential receptors: residents within the Spey Valley, including Inchberry (MOR-R-33a, MOR-R-33b, MOR-R-34).

Transport receptors: users of local roads, including tourists (MOR-T-5).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT284 Coastal Farmlands - Moray & Nairn.

For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context**.

Visualisation 7.62a
Viewpoint 62: Inchberry
View northeast from unnamed road, Inchberry.
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 331848 855862
Eye Level: 42.68 m AOD
Direction of view: 36°
Distance to Development: 1301 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 13.5°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 20/10/2024,14:58



Existing View - Baseline

This image provides landscape and visual context only



Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation



Operational Phase (90° Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.62c
Viewpoint 62: Inchberry
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 331848 855862
Eye Level: 42.68 m AOD
Direction of view: 36°
Distance to Development: 1301 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 27°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 20/10/2024,14:58



Operational Phase (90° Year 7 Photomontage)

View flat at a comfortable arm's length

Visualisation 7.62d
Viewpoint 62: Inchberry
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 331848 855862
Eye Level: 42.68 m AOD
Direction of view: 36°
Distance to Development: 1301 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 27°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 20/10/2024,14:58



Operational Phase (90° Year 15 Photomontage)

View flat at a comfortable arm's length

Visualisation 7.62e
Viewpoint 62: Inchberry
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 331848 855862
Eye Level: 42.68 m AOD
Direction of view: 36°
Distance to Development: 1301 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 27°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 20/10/2024,14:58



Operational Phase (53.5' Photowire)
Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

View flat at a comfortable arm's length

Visualisation 7.62f
Viewpoint 62: Inchberry
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	331848 855862	Viewpoint Type:	Representative Viewpoint	Horizontal field of view:	53.5° (planar projection)	Camera:	Sony ILCE-7M4
Eye Level:	42.68 m AOD	Visualisation Type:	Type 3	Vertical Field of View:	18.2°	Lens:	50 mm Fixed Focal Length
Direction of view:	36°	Enlargement Factor:	150% @ A3 extended	Paper size:	841 x 297 mm	Camera Height:	1.5 m AGL
Distance to Development:	1301 m	Principal distance:	812.5 mm	Correct printed image size:	820 x 260 mm	Date and time:	20/10/2024,14:58



Operational Phase (53.5" Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.62g
Viewpoint 62: Inchberry
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 331848 855862
Eye Level: 42.68 m AOD
Direction of view: 36°
Distance to Development: 1301 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 150% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 53.5" (planar projection)
Vertical Field of View: 18.2°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 20/10/2024,14:58