


Location Plan



- Key
- Proposed Tower 400 kV
 - Proposed Tower - Existing OHL Works (275 kV)
 - Realignment and Crossing)
 - Proposed Tower - Temporary
 - Proposed OHL Alignment 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
 - 90° Field of View
 - 53.5° Field of View

Notes:

-The following images provide landscape and visual context only.

-View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.

-A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.

-The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.

-To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown.

-The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.

-The images must be printed at the right size to be viewed properly (260mm by 820mm).

-If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

-Vertical Limit of Deviation: the maximum height of a tower above ground level.

-The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Specific to:

Recreational & Amenity receptors: recreational users of Meikle Balloch Hill, including Core Paths CP-KT02, CP-KT03 and CP-KT27 (MOR-REC-10 & MOR-REC-23).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT27 Farmed Moorland Edge – Aberdeenshire.

For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context**.

Visualisation 7.64a
Viewpoint 64: Meikle Balloch Hill
View southeast from the summit of Meikle Balloch Hill.
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	346964 849341	Viewpoint Type:	Representative Viewpoint
Eye Level:	358.6 m AOD	Visualisation Type:	Type 3
Direction of view:	143°	Enlargement Factor:	96% @ A3 extended
Distance to Development:	1934 m	Principal distance:	812.5 mm

Horizontal field of view:	90° (cylindrical projection)	Camera:	Sony ILCE-7M4
Vertical Field of View:	13.5°	Lens:	50 mm Fixed Focal Length
Paper size:	841 x 297 mm	Camera Height:	1.5 m AGL
Correct printed image size:	820 x 130 mm	Date and time:	30/03/2024, 14:29



Existing View - Baseline

This image provides landscape and visual context only



Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation



Operational Phase (90" Year of Opening Photomontage)

View flat at a comfortable arm's length



Existing View - Baseline

This image provides landscape and visual context only



Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation

Visualisation 7.64e
Viewpoint 64: Meikle Balloch Hill
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference:	346964 849341	Viewpoint Type:	Representative Viewpoint	Horizontal field of view:	90° (cylindrical projection)	Camera:	Sony ILCE-7M4
Eye Level:	358.6 m AOD	Visualisation Type:	Type 3	Vertical Field of View:	13.5°	Lens:	50 mm Fixed Focal Length
Direction of view:	233°	Enlargement Factor:	96% @ A3 extended	Paper size:	841 x 297 mm	Camera Height:	1.5 m AGL
Distance to Development:	1934 m	Principal distance:	812.5 mm	Correct printed image size:	820 x 130 mm	Date and time:	30/03/2024, 14:29



Operational Phase (90' Year of Opening Photomontage)

View flat at a comfortable arm's length



Location Plan



Key

- Proposed Tower 400 kV
- Proposed Tower - Existing OHL Works (275 kV)
- Realignment and Crossing
- Proposed Tower - Temporary
- Proposed OHL Alignment 400 kV
- Temporary OHL Diversion
- Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
- 90° Field of View
- 53.5° Field of View

Notes:

- The following images provide landscape and visual context only.
- View photomontages flat and at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- A visualisation can never show exactly what the Proposed Development will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image.
- The images provided give a reasonable impression of the scale of the towers and the distance to the towers, but can never be 100% accurate.
- To form the best impression of the impacts of the proposal these images are best viewed at the viewpoint location shown.
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations.
- The images must be printed at the right size to be viewed properly (260mm by 820mm).
- If viewing photomontages on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
- Vertical Limit of Deviation: the maximum height of a tower above ground level.
- The following images are type 3 visualisations and have been produced in accordance with Landscape Institute Technical Guidance Note 06/19 and NatureScot - Visual Representation of Wind Farms Guidance Version 2.2 - February 2017.

Specific to:

Recreational & Amenity receptors: recreational users of Meikle Balloch Hill, including Core Paths CP-KT02, CP-KT03 and CP-KT27 (MOR-REC-10 & MOR-REC-23).

This visualisation has been identified and created for use with the visual impact assessment, but can also be used to inform landscape impacts on LCT27 Farmed Moorland Edge – Aberdeenshire.

For visual receptor and viewpoint locations refer to **Volume 3: Figure 7.6 Visual Amenity Receptors and Viewpoint Locations** and **Figure 7.7 Visual Context**.

Visualisation 7.64g
Viewpoint 64: Meikle Balloch Hill
View northwest from the summit of Meikle Balloch Hill.
Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

OS reference: 346964 849341
Eye Level: 358.6 m AOD
Direction of view: 323°
Distance to Development: 1934 m

Viewpoint Type: Representative Viewpoint
Visualisation Type: Type 3
Enlargement Factor: 96% @ A3 extended
Principal distance: 812.5 mm

Horizontal field of view: 90° (cylindrical projection)
Vertical Field of View: 13.5°
Paper size: 841 x 297 mm
Correct printed image size: 820 x 130 mm

Camera: Sony ILCE-7M4
Lens: 50 mm Fixed Focal Length
Camera Height: 1.5 m AGL
Date and time: 30/03/2024,14:29



Existing View - Baseline

This image provides landscape and visual context only



Operational Phase (90° Photowire)

Photowire - Proposed Development Shown In Red
----- Vertical Limit of Deviation



Operational Phase (90" Year of Opening Photomontage)

View flat at a comfortable arm's length

Visualisation 7.64i		OS reference: 346964 849341		Viewpoint Type: Representative Viewpoint		Horizontal field of view: 90" (cylindrical projection)		Camera: Sony ILCE-7M4	
Viewpoint 64: Meikle Balloch Hill		Eye Level: 358.6 m AOD		Visualisation Type: Type 3		Vertical Field of View: 27"		Lens: 50 mm Fixed Focal Length	
Beauty to Blackhillock to New Deer to Peterhead 400 kV OHL Project		Direction of view: 323°		Enlargement Factor: 96% @ A3 extended		Paper size: 841 x 297 mm		Camera Height: 1.5 m AGL	
		Distance to Development: 1934 m		Principal distance: 812.5 mm		Correct printed image size: 820 x 260 mm		Date and time: 30/03/2024, 14:29	