


VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052; G1)
Views from upper rooms of northern elevation to west toward alignment.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,9:19
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 250693, Y 843006, AOD 28.22 m
Distance to the nearest tower: 842 m
Direction of view: 269°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.1a
VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052;
G1)
Existing View**

VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052; G1)
Views from upper rooms of northern elevation to west toward alignment.



Operational Phase (90° Photowire)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View
 - Vertical Limit of Deviation

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,9:19
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 250693, Y 843006, AOD 28.22 m
Distance to the nearest tower: 842 m
Direction of view: 269°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.1b
VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052;
G1)
Operational Phase (90° Photowire)**

VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052; G1)
Views from upper rooms of northern elevation to west toward alignment.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,9:19
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 250693, Y 843006, AOD 28.22 m
Distance to the nearest tower: 842 m
Direction of view: 269°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.1c
VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052;
G1)
Operational Phase (90° Year of Opening Photomontage)**


VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052; G1)

Views from upper rooms of northern elevation to north toward alignment.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,9:19
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 250693, Y 843006, AOD 28.22 m
Distance to the nearest tower: 842 m
Direction of view: 359°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.1d
VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052;
G1)
Existing View**

VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052; G1)
Views from upper rooms of northern elevation to north toward alignment.



Operational Phase (90° Photowire)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View
 - Vertical Limit of Deviation

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,9:19
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 250693, Y 843006, AOD 28.22 m
Distance to the nearest tower: 842 m
Direction of view: 359°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.1e
VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052;
G1)
Operational Phase (90° Photowire)**

VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052; G1)
Views from upper rooms of northern elevation to north toward alignment.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,9:19
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 250693, Y 843006, AOD 28.22 m
Distance to the nearest tower: 842 m
Direction of view: 359°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.1f
VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052;
G1)
Operational Phase (90° Year of Opening Photomontage)**

VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052; G1)
Views from upper rooms of northern elevation to east toward alignment.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,9:19
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 250693, Y 843006, AOD 28.22 m
Distance to the nearest tower: 842 m
Direction of view: 89°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.1g
VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052;
G1)
Existing View**

VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052; G1)
Views from upper rooms of northern elevation to east toward alignment.



Operational Phase (90° Photowire)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View
 - Vertical Limit of Deviation

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,9:19
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 250693, Y 843006, AOD 28.22 m
Distance to the nearest tower: 842 m
Direction of view: 89°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.1h
VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052;
G1)
Operational Phase (90° Photowire)**

VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052; G1)
Views from upper rooms of northern elevation to east toward alignment.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - - - OHL to be Removed
 - Yellow shaded area 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,9:19
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 250693, Y 843006, AOD 28.22 m
Distance to the nearest tower: 842 m
Direction of view: 89°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.1i
VP1: Beaufort Castle (LB8068; L16) and Gardens (GDL00052;
G1)
Operational Phase (90° Year of Opening Photomontage)**