


VP3 Mains of Daviot Ring Cairn (SM3085; S20)
Views looking northeast with ring cairn in the foreground



Existing View

Location Plan



Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 17/06/2024, 11:50
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° Horizontal Field of View: 90°
Viewpoint location: X 272689, Y 841169, AOD 193.28 m
Distance to the nearest tower: 168 m
Direction of view: 64°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**


Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.3a
VP3 Mains of Daviot Ring Cairn (SM3085;S20)
Existing View

VP3 Mains of Daviot Ring Cairn (SM3085; S20)
Views looking northeast with ring cairn in the foreground



Operational Phase (90° Photowire) Vertical Limit of Deviation

Location Plan



For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 17/06/2024, 11:50
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° Horizontal Field of View: 90°
Viewpoint location: X 272689, Y 841169, AOD 193.28 m
Distance to the nearest tower: 168 m
Direction of view: 64°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


Beaulay to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.3b
VP3 Mains of Daviot Ring Cairn (SM3085;S20)
Operational Phase (90° Photowire)

VP3 Mains of Daviot Ring Cairn (SM3085; S20)
Views from northeast with ring cairn in the foreground



Operational Phase (90° Year of Opening Photomontage)

Location Plan



For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 17/06/2024, 11:50
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 272689, Y 841169, AOD 193.28 m
Distance to the nearest tower: 168 m
Direction of view: 64°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.3c
VP3 Mains of Daviot Ring Cairn (SM3085;S20)
Operational Phase (90° Year of Opening Photomontage)**