


VP6 Arn Hill Stone Circle (SM4; S41)

View toward Deveron River Valley and distant views to Proposed OHL Alignment to the southeast.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 14:25
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 353167, Y 845644, AOD 130.87 m
Distance to the nearest tower: 7707 m
Direction of view: 154°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.6a
VP6 Arn Hill Stone Circle (SM4; S41)
Existing View**

VP6 Arn Hill Stone Circle (SM4; S41)

View toward Deveron River Valley and distant views to Proposed OHL Alignment to the southeast.




Operational Phase (90° Photowire)

----- Vertical Limit of Deviation

Location Plan

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 14:25
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 353167, Y 845644, AOD 130.87 m
Distance to the nearest tower: 7707 m
Direction of view: 154°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.6b
VP6 Arn Hill Stone Circle (SM4; S41)
Operational Phase (90° Photowire)**


VP6 Arn Hill Stone Circle (SM4; S41)

View toward Deveron River Valley and distant views to Proposed OHL Alignment to the southeast.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 14:25
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 353167, Y 845644, AOD 130.87 m
Distance to the nearest tower: 7707 m
Direction of view: 154°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.6c
VP6 Arn Hill Stone Circle (SM4; S41)
Operational Phase (90° Year of Opening Photomontage)**