


VP8 North Pitglassie Stone Circle (SM38; S48)

Views towards northwest.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,16:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 368616, Y 843474, AOD 178.18 m
Distance to the nearest tower: 577 m
Direction of view: 314°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.8a
VP8 North Pitglassie Stone Circle (SM38; S48)
Existing View**


VP8 North Pitglassie Stone Circle (SM38; S48)
Views towards northwest.



Operational Phase (90° Photowire) ----- Vertical Limit of Deviation

Location Plan

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - Yellow shaded area: 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,16:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 368616, Y 843474, AOD 178.18 m
Distance to the nearest tower: 577 m
Direction of view: 314°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.8b
VP8 North Pitglassie Stone Circle (SM38; S48)
Operational Phase (90° Photowire)**

VP8 North Pitglassie Stone Circle (SM38; S48)
Views towards northwest.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024,16:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 368616, Y 843474, AOD 178.18 m
Distance to the nearest tower: 577 m
Direction of view: 314°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.8c
VP8 North Pitglassie Stone Circle (SM38; S48)
Operational Phase (90° Year of Opening Photomontage)**


VP8 North Pitglassie Stone Circle (SM38; S48)

Views towards northeast (Corrydown Stone Circle).



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 16:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 368616, Y 843474, AOD 178.18 m
Distance to the nearest tower: 577 m
Direction of view: 44°
Height of camera above ground: 1.5 m


NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.8d
VP8 North Pitglassie Stone Circle (SM38; S48)
Existing View**

VP8 North Pitglassie Stone Circle (SM38; S48)

Views towards northeast (Corrydown Stone Circle).




Operational Phase (90° Photowire)

----- Vertical Limit of Deviation

Location Plan

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - Yellow shaded area: 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 16:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 368616, Y 843474, AOD 178.18 m
Distance to the nearest tower: 577 m
Direction of view: 44°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.8e
VP8 North Pitglassie Stone Circle (SM38; S48)
Operational Phase (90° Photowire)**


VP8 North Pitglassie Stone Circle (SM38; S48)

Views towards northeast (Corrydown Stone Circle).



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 16:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 368616, Y 843474, AOD 178.18 m
Distance to the nearest tower: 577 m
Direction of view: 44°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.8f
VP8 North Pitglassie Stone Circle (SM38; S48)
Operational Phase (90° Year of Opening Photomontage)**