


VP9 Corrydown Stone Circle (SM16; S50)
Views towards the west (North Pitglassie Stone Circle).



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - Yellow Polygon 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 17:36
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 370689, Y 844452, AOD 116.86 m
Distance to the nearest tower: 693 m
Direction of view: 281°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.9a
VP9 Corrydown Stone Circle (SM16; S50)
Existing View**


VP9 Corrydown Stone Circle (SM16; S50)
Views towards the west (North Pitglassie Stone Circle).



Operational Phase (90° Photowire) ----- Vertical Limit of Deviation

Location Plan

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 17:36
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 370689, Y 844452, AOD 116.86 m
Distance to the nearest tower: 693 m
Direction of view: 281°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.9b
VP9 Corrydown Stone Circle (SM16; S50)
Operational Phase (90° Photowire)**

VP9 Corrydown Stone Circle (SM16; S50)
Views towards the west (North Pitglassie Stone Circle).



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 17:36
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 370689, Y 844452, AOD 116.86 m
Distance to the nearest tower: 693 m
Direction of view: 281°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.9c
VP9 Corrydown Stone Circle (SM16; S50)
Operational Phase (90° Year of Opening Photomontage)**


VP9 Corrydown Stone Circle (SM16; S50)

Views towards the north and northeast.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 17:36
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 370689, Y 844452, AOD 116.86 m
Distance to the nearest tower: 693 m
Direction of view: 11°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.9d
VP9 Corrydown Stone Circle (SM16; S50)
Existing View**

VP9 Corrydown Stone Circle (SM16; S50)

Views towards the north and northeast.




Operational Phase (90° Photowire)

----- Vertical Limit of Deviation

Location Plan

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - Yellow Polygon 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 17:36
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 370689, Y 844452, AOD 116.86 m
Distance to the nearest tower: 693 m
Direction of view: 11°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.9e
VP9 Corrydown Stone Circle (SM16; S50)
Operational Phase (90° Photowire)**


VP9 Corrydown Stone Circle (SM16; S50)

Views towards the north and northeast.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 10/05/2024, 17:36
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 370689, Y 844452, AOD 116.86 m
Distance to the nearest tower: 693 m
Direction of view: 11°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.9f
VP9 Corrydown Stone Circle (SM16; S50)
Operational Phase (90° Year of Opening Photomontage)**