


VP12 Phoineas Hill, enclosure (SM4729; S5)
Views from the enclosure looking northwest.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 18/01/2025,13:42
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° Horizontal Field of View: 90°
Viewpoint location: X 253268, Y 842556, AOD 158.44 m
Distance to the nearest tower: 1812 m
Direction of view: 308°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Beaulay to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.12a
VP12 Phoineas Hill, enclosure (SM4729; S5)
Existing View

VP12 Phoineas Hill, enclosure (SM4729; S5)
Views from the enclosure looking northwest.




Operational Phase (90° Photowire)

----- Vertical Limit of Deviation

Location Plan

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 18/01/2025,13:42
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 253268, Y 842556, AOD 158.44 m
Distance to the nearest tower: 1812 m
Direction of view: 308°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.12b
VP12 Phoineas Hill, enclosure (SM4729; S5)
Operational Phase (90° Photowire)**

VP12 Phoineas Hill, enclosure (SM4729; S5)
Views from the enclosure looking northwest.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - OHL to be Removed
 - 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 18/01/2025,13:42
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 253268, Y 842556, AOD 158.44 m
Distance to the nearest tower: 1812 m
Direction of view: 308°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beaulay to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.12c
VP12 Phoineas Hill, enclosure (SM4729; S5)
Operational Phase (90° Year of Opening Photomontage)**