


VP14 Torbreck Stone Circle (SM3098; S13)
View from the monument looking southeast.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV) Realignment and Crossing
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV) Realignment and Crossings
 - OHL to be Removed
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 18/01/2025, 11:25
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° Horizontal Field of View: 90°
Viewpoint location: X 264373, Y 840384, AOD 60.13 m
Distance to the nearest tower: 547 m
Direction of view: 134°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.14a
VP14 Torbreck Stone Circle (SM3098; S13)
Existing View


VP14 Torbreck Stone Circle (SM3098; S13)
View from the monument looking southeast.



Operational Phase (90° Photowire)

----- Vertical Limit of Deviation

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV) Realignment and Crossing
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV) Realignment and Crossings
 - OHL to be Removed
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 18/01/2025, 11:25
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 264373, Y 840384, AOD 60.13 m
Distance to the nearest tower: 547 m
Direction of view: 134°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.14b
VP14 Torbreck Stone Circle (SM3098; S13)
Operational Phase (90° Photowire)**

VP14 Torbreck Stone Circle (SM3098; S13)
View from the monument looking southeast.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV) Realignment and Crossing
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV) Realignment and Crossings
 - OHL to be Removed
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 18/01/2025, 11:25
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 264373, Y 840384, AOD 60.13 m
Distance to the nearest tower: 547 m
Direction of view: 134°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.14c
VP14 Torbreck Stone Circle (SM3098; S13)
Operational Phase (90° Year of Opening Photomontage)**