


VP22: Cairnton Stone Circle (SM11; S43)
Views from the stone circle to the southeast.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV Realignment and Crossing)
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,10:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 358589, Y 844672, AOD 169.48 m
Distance to the nearest tower: 13214 m
Direction of view: 137°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.22a
VP22: Cairnton Stone Circle (SM11; S43)
Existing View**

VP22: Cairnton Stone Circle (SM11; S43)
Views from the stone circle to the southeast.



Operational Phase (90° Photowire)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV Realignment and Crossing)
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
 - 90° Field of View
 - Vertical Limit of Deviation

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,10:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 358589, Y 844672, AOD 169.48 m
Distance to the nearest tower: 13214 m
Direction of view: 137°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.22b
VP22: Cairnton Stone Circle (SM11; S43)
Operational Phase (90° Photowire)**

VP22: Cairnton Stone Circle (SM11; S43)
Views from the stone circle to the southeast.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV Realignment and Crossing)
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,10:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° Horizontal Field of View: 90°
Viewpoint location: X 358589, Y 844672, AOD 169.48 m
Distance to the nearest tower: 13214 m
Direction of view: 137°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**


Beaully to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.22c
VP22: Cairnton Stone Circle (SM11; S43)
Operational Phase (90° Year of Opening Photomontage)

VP22: Cairnton Stone Circle (SM11; S43)
Views from the stone circle to the southwest.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV Realignment and Crossing)
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,10:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° Horizontal Field of View: 90°
Viewpoint location: X 358589, Y 844672, AOD 169.48 m
Distance to the nearest tower: 13214 m
Direction of view: 227°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**


Beaulay to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.22d
VP22: Cairnton Stone Circle (SM11; S43)
Existing View

VP22: Cairnton Stone Circle (SM11; S43)
Views from the stone circle to the southwest.



Operational Phase (90° Photowire)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV Realignment and Crossing)
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
 - 90° Field of View
 - Vertical Limit of Deviation

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025, 10:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° Horizontal Field of View: 90°
Viewpoint location: X 358589, Y 844672, AOD 169.48 m
Distance to the nearest tower: 13214 m
Direction of view: 227°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**


Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.22e
VP22: Cairnton Stone Circle (SM11; S43)
Operational Phase (90° Photowire)

VP22: Cairnton Stone Circle (SM11; S43)
Views from the stone circle to the southwest.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV Realignment and Crossing)
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,10:57
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 358589, Y 844672, AOD 169.48 m
Distance to the nearest tower: 13214 m
Direction of view: 227°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.22f
VP22: Cairnton Stone Circle (SM11; S43)
Operational Phase (90° Year of Opening Photomontage)**