


VP25 Raich Farm Stone Circle (SM42; S46)

Views looking east from the monument.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV) Realignment and Crossing
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV) Realignment and Crossings
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,13:28
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 361881, Y 843651, AOD 158.81 m
Distance to the nearest tower: 16634 m
Direction of view: 115°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.25a
VP25 Raich Farm Stone Circle (SM42; S46)
Existing View**

VP25 Raich Farm Stone Circle (SM42; S46)


Views looking east from the monument.



Operational Phase (90° Photowire)

----- Vertical Limit of Deviation

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV) Realignment and Crossing
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV) Realignment and Crossings
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,13:28
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 361881, Y 843651, AOD 158.81 m
Distance to the nearest tower: 16634 m
Direction of view: 115°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.25b
VP25 Raich Farm Stone Circle (SM42; S46)
Operational Phase (90° Photowire)**


VP25 Raich Farm Stone Circle (SM42; S46)

Views looking east from the monument.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV) Realignment and Crossing
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV) Realignment and Crossings
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,13:28
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 361881, Y 843651, AOD 158.81 m
Distance to the nearest tower: 16634 m
Direction of view: 115°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.25c
VP25 Raich Farm Stone Circle (SM42; S46)
Operational Phase (90° Year of Opening Photomontage)**


VP25 Raich Farm Stone Circle (SM42; S46)

Views looking southwest from the monument.



Existing View

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV Realignment and Crossing)
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
 - 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,13:28
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 361881, Y 843651, AOD 158.81 m
Distance to the nearest tower: 16634 m
Direction of view: 205°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.25d
VP25 Raich Farm Stone Circle (SM42; S46)
Existing View**

VP25 Raich Farm Stone Circle (SM42; S46)
Views looking southwest from the monument.



Operational Phase (90° Photowire) ----- Vertical Limit of Deviation

Location Plan

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**



Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025, 13:28
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 361881, Y 843651, AOD 158.81 m
Distance to the nearest tower: 16634 m
Direction of view: 205°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.25e
VP25 Raich Farm Stone Circle (SM42; S46)
Operational Phase (90° Photowire)**

VP25 Raich Farm Stone Circle (SM42; S46)
Views looking southwest from the monument.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed Tower - Existing OHL Works (275 kV) Realignment and Crossing
 - Proposed Tower - Temporary
 - Proposed OHL Alignment - 400 kV
 - Temporary OHL Diversion
 - Proposed Alignment - Existing OHL Works (275 kV) Realignment and Crossings
 - ▲ 90° Field of View

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,13:28
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 361881, Y 843651, AOD 158.81 m
Distance to the nearest tower: 16634 m
Direction of view: 205°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.25f
VP25 Raich Farm Stone Circle (SM42; S46)
Operational Phase (90° Year of Opening Photomontage)**