


VP27 Mains of Hatton Stone Circle (SM30; S49)

Views from the monument looking northwest towards North Pitglassie Stone Circle.



Existing View

Location Plan



For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,14:14
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 369929, Y 842528, AOD 163.83 m
Distance to the nearest tower: 2187 m
Direction of view: 300°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.27a
VP27 Mains of Hatton Stone Circle (SM30; S49)
Existing View**

VP27 Mains of Hatton Stone Circle (SM30; S49)


Views from the monument looking northwest towards North Pitglassie Stone Circle.



Operational Phase (90° Photowire)

----- Vertical Limit of Deviation

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - Yellow shaded area: 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025, 14:14
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 369929, Y 842528, AOD 163.83 m
Distance to the nearest tower: 2187 m
Direction of view: 300°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.27b
VP27 Mains of Hatton Stone Circle (SM30; S49)
Operational Phase (90° Photowire)**


VP27 Mains of Hatton Stone Circle (SM30; S49)

Views from the monument looking northwest towards North Pitglassie Stone Circle.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025,14:14
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 369929, Y 842528, AOD 163.83 m
Distance to the nearest tower: 2187 m
Direction of view: 300°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.27c
VP27 Mains of Hatton Stone Circle (SM30; S49)
Operational Phase (90° Year of Opening Photomontage)**


VP27 Mains of Hatton Stone Circle (SM30; S49)

Views from the monument looking northeast towards Corrydown Stone Circle.



Existing View

Location Plan



Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025, 14:14
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 18.6° **Horizontal Field of View:** 90°
Viewpoint location: X 369929, Y 842528, AOD 163.83 m
Distance to the nearest tower: 2187 m
Direction of view: 30°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beaully to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.27d
VP27 Mains of Hatton Stone Circle (SM30; S49)
Existing View**

VP27 Mains of Hatton Stone Circle (SM30; S49)


Views from the monument looking northeast towards Corrydown Stone Circle.



Operational Phase (90° Photowire)

----- Vertical Limit of Deviation

Location Plan



- Key**
- Proposed Tower - 400 kV
 - Proposed OHL Alignment - 400 kV
 - Yellow shaded area: 90° Field of View

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025, 14:14
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 369929, Y 842528, AOD 163.83 m
Distance to the nearest tower: 2187 m
Direction of view: 30°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.27e
VP27 Mains of Hatton Stone Circle (SM30; S49)
Operational Phase (90° Photowire)**


VP27 Mains of Hatton Stone Circle (SM30; S49)

Views from the monument looking northeast towards Corrydown Stone Circle.



Operational Phase (90° Year of Opening Photomontage)

Location Plan



Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A3
Date and time of photography: 16/01/2025, 14:14
Camera & lens: Sony ILCE-7M4, 50 mm

Vertical Field of View: 27.3° **Horizontal Field of View:** 90°
Viewpoint location: X 369929, Y 842528, AOD 163.83 m
Distance to the nearest tower: 2187 m
Direction of view: 30°
Height of camera above ground: 1.5 m

NOTES:
This image provides landscape and visual context only View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.
This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

For viewpoint locations refer to **Volume 3: Figure 11.4 Cultural Heritage Viewpoint Locations.**

**Beauly to Blackhillock to New Deer to Peterhead
400 kV OHL Project
Visualisation 11.27f
VP27 Mains of Hatton Stone Circle (SM30; S49)
Operational Phase (90° Year of Opening Photomontage)**