




## Legend

Limit of Deviation (LoD)

250m buffer from the LoD

### Potential GWDTE Habitat Parcels

#### Groundwater Indicator Score

0

1 - 2

3 - 4

6 - 7


#### Groundwater Indicators

Break in Slope

Fault Line

Springs

100m Springs Buffer




Scale 1:2,500,000  
Reproduced by permission of Ordnance Survey. Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445. Contains public sector information licensed under the Open Government Licence v3.0. SSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey

Project: Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Title: Figure 10.7.4 - Potential GWDTE and Groundwater Indicators  
Page 11 of 20


Drawn by: MAL Date: 16/09/2025

Drawing: B2P-WSP-DA-70092380-130



## Legend

- Limit of Deviation (LoD)
- 250m buffer from the LoD
- Potential GWDTE Habitat Parcels**
- Groundwater Indicator Score**
  - 0
  - 1 - 2
- Groundwater Indicators**
  - Fault Line




Reproduced by permission of Ordnance Survey, Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445. Contains public sector information licensed under the Open Government Licence v3.0. SSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey

Project: Beauy to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Title: Figure 10.7.4 - Potential GWDTE and Groundwater Indicators  
Page 12 of 20

Drawn by: MAL Date: 16/09/2025

Drawing: B2P-WSP-DA-70092380-130



### Legend

- Limit of Deviation (LoD)
- 250m buffer from the LoD

### Potential GWDTE Habitat Parcels

#### Groundwater Indicator Score

- 0
- 1 - 2
- 3 - 4
- 6 - 7

#### Groundwater Indicators

- Break in Slope
- Fault Line
- Springs
- 100m Springs Buffer

Scale 1:2,500,000

Reproduced by permission of Ordnance Survey. Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445. Contains public sector information licensed under the Open Government Licence v3.0. SSSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey


Project: Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Title: Figure 10.7.4 - Potential GWDTE and Groundwater Indicators  
Page 13 of 20

Drawn by: MAL Date: 16/09/2025

Drawing: B2P-WSP-DA-70092380-130





### Legend

- Limit of Deviation (LoD)
- 250m buffer from the LoD

### Potential GWDTE Habitat Parcels

#### Groundwater Indicator Score

- 0
- 1 - 2

#### Groundwater Indicators

- Break in Slope
- Fault Line
- Springs
- 100m Springs Buffer

Scale 1:2,500,000

Reproduced by permission of Ordnance Survey, Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445. Contains public sector information licensed under the Open Government Licence v3.0. SSSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey

|           |                                                                             |       |            |
|-----------|-----------------------------------------------------------------------------|-------|------------|
| Project:  | Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project          |       |            |
| Title:    | Figure 10.7.4 - Potential GWDTE and Groundwater Indicators<br>Page 15 of 20 |       |            |
| Drawn by: | MAL                                                                         | Date: | 16/09/2025 |
| Drawing:  | B2P-WSP-DA-70092380-130                                                     |       |            |