




Legend

- Limit of Deviation (LoD)
- 250m buffer from the LoD

Potential GWDTE Habitat Parcels

Surface Water Indicator Score

- 0
- 1
- 2

Surface Water Indicators

- Peat (based on Carbon and Peatland Class 1 or 2)
- Floodplain
- Slope 10 degrees or above
- Surface Watercourse

Scale 1:2,500,000


Reproduced by permission of Ordnance Survey. Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445. Contains OS data © Crown copyright and database right 2021. Contains public sector information licensed under the Open Government Licence v3.0. SSSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey

Project: Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Title: Figure 10.7.5 - Potential GWDTE and Surface Water Indicators
Page 4 of 20

Drawn by: MAL Date: 16/09/2025

Drawing: B2P-WSP-DA-70092380-131



Legend

- Limit of Deviation (LoD)
- 250m buffer from the LoD

Potential GWDTE Habitat Parcels

Surface Water Indicator Score

- 0
- 1
- 2
- 3

Surface Water Indicators

- Peat (based on Carbon and Peatland Class 1 or 2)
- Floodplain
- Slope 10 degrees or above
- Surface Watercourse

Scale 1:2,500,000


Reproduced by permission of Ordnance Survey. Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445. Contains OS data © Crown copyright and database right 2021. Contains public sector information licensed under the Open Government Licence v3.0. SSSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey

Project: Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Title: Figure 10.7.5 - Potential GWDTE and Surface Water Indicators
Page 5 of 20

Drawn by: MAL Date: 16/09/2025

Drawing: B2P-WSP-DA-70092380-131



Legend

Limit of Deviation (LoD)

250m buffer from the LoD

Potential GWDTE Habitat Parcels

Surface Water Indicator Score

0

1

2

Surface Water Indicators

Peat (based on Carbon and Peatland Class 1 or 2)

Floodplain

Slope 10 degrees or above

Surface Watercourse

Scale 1:2,500,000


Reproduced by permission of Ordnance Survey. Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445. Contains OS data © Crown copyright and database right 2021. Contains public sector information licensed under the Open Government Licence v3.0. SSSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey

Project: Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Title: Figure 10.7.5 - Potential GWDTE and Surface Water Indicators
Page 6 of 20

Drawn by: MAL Date: 16/09/2025

Drawing: B2P-WSP-DA-70092380-131



Legend

- Limit of Deviation (LoD)
- 250m buffer from the LoD


Potential GWDTE Habitat Parcels

Surface Water Indicator Score

- 0
- 1
- 2
- 3

Surface Water Indicators

- Peat (based on Carbon and Peatland Class 1 or 2)
- Floodplain
- Slope 10 degrees or above
- Surface Watercourse



Reproduced by permission of Ordnance Survey. Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445. Contains OS data © Crown copyright and database right 2021. Contains public sector information licensed under the Open Government Licence v3.0. SSSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey

Project: Beauy to Blackhillock to New Deer to Peterhead 400 kV OHL Project

Title: Figure 10.7.5 - Potential GWDTE and Surface Water Indicators
Page 7 of 20

Drawn by: MAL Date: 16/09/2025

Drawing: B2P-WSP-DA-70092380-131