




Legend

- Existing OHL
- Existing Tower
- Limit of Deviation

Development for which Section 37 Consent is Sought

- Proposed OHL Alignment - 400 kV
- Proposed Tower - 400 kV
- Proposed Tower - Kellas Alternative Alignment

Ancillary Development

- Proposed Conductor Pulling Area (EPZ)
- Temporary Working Areas
- Proposed New Access (Temporary/Permanent)
- Existing Access Upgrade
- Proposed Bellmouth - Temporary
- Proposed Bellmouth - Upgrade

SEPA Indicative Flood Risk Mapping

High Likelihood: A flood event is likely to occur in the defined area on average once in every ten years (1:10). Or a 10% chance of happening in any one year

Medium likelihood: A flood event is likely to occur in the defined area on average once in every two hundred years (1:200). Or a 0.5% chance of happening in any one year.

Low likelihood: A flood event is likely to occur in the defined area on average once in every thousand years (1:1000). Or a 0.1% chance of happening in any one year.

Scale 1:2,500,000

Reproduced by permission of Ordnance Survey, Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445. Contains public sector information licensed under the Open Government Licence v3.0. SSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey

Project: Beauly to Blackhillock to New Deer to Peterhead 400kV OHL Project

Title: Figure 10.8.2 - Surface Water Flood Risk
Page 11 of 26

Drawn by: MAL Date: 14/08/2025

Drawing: B2P-WSP-DA-70092380-147

