Scottish & Southern Electricity Networks

TRANSMISSION

Scale @ A3: 1:25,000

0 0.25 0.5 1 km

Legend

- Existing OHL
- Existing Tower
- Limit of Deviation

Development for which Section 37 Consent is Sought

- Proposed OHL Alignment - 400 kV
- Proposed Tower - 400 kV

Ancillary Development

- Tower to be Removed
- OHL to be Removed
- Proposed Conductor Pulling Area (EPZ)
- Temporary Working Areas

Proposed Access Tracks

- Proposed New Access (Temporary/Permanent)
- Proposed Access – ATV or Temporary Trackway
- Existing Access Upgrade
- Proposed Bellmouth - Permanent
- Proposed Bellmouth - Temporary
- Proposed Bellmouth - Upgrade

SEPA Indicative Flood Risk Mapping

- Watercourses
- High Likelihood: A flood event is likely to occur in the defined area on average once in every ten years (1:10). Or a 10% chance of happening in any one year
- Medium Likelihood: A flood event is likely to occur in the defined area on average once in every two hundred years (1:200). Or a 0.5% chance of happening in any one year.
- Low Likelihood: A flood event is likely to occur in the defined area on average once in every thousand years (1:1000). Or a 0.1% chance of happening in any one year.

Historic Flood Records (THC and AC)

- Fluvial



Project: Beauly to Blackhillock to New Deer to Peterhead 400kV OHL Project

Title: Figure 10.8.1 - Fluvial Flood Risk
Page 1 of 26

Drawn by: MAL Date: 14/08/2025

Drawing: B2P-WSP-DA-70092380-146

Scottish & Southern Electricity Networks
TRANSMISSION

Legend

- Existing OHL
- Existing Tower
- Limit of Deviation

Development for which Section 37 Consent is Sought

- Proposed OHL Alignment - 400 kV
- Proposed Tower - 400 kV

Ancillary Development

- Tower to be Removed
- OHL to be Removed
- Proposed Conductor Pulling Area (EPZ)
- Temporary Working Areas

Proposed Access Tracks

- Proposed New Access (Temporary/Permanent)
- Proposed Access – ATV or Temporary Trackway
- Existing Access Upgrade
- Proposed Bellmouth - Access Only / ATV
- Proposed Bellmouth - Permanent
- Proposed Bellmouth - Temporary
- Proposed Bellmouth - Upgrade

SEPA Indicative Flood Risk Mapping

- Watercourses
- High Likelihood: A flood event is likely to occur in the defined area on average once in every ten years (1:10). Or a 10% chance of happening in any one year
- Medium Likelihood: A flood event is likely to occur in the defined area on average once in every two hundred years (1:200). Or a 0.5% chance of happening in any one year.
- Low Likelihood: A flood event is likely to occur in the defined area on average once in every thousand years (1:1000). Or a 0.1% chance of happening in any one year.

Historic Flood Records (THC and AC)

- Fluvial

Scale @ A3: 1:25,000
0 0.25 0.5 1 km



Project:	Beauly to Blackhillock to New Deer to Peterhead 400kV OHL Project
Title:	Figure 10.8.1 - Fluvial Flood Risk Page 2 of 26
Drawn by:	MAL
Date:	14/08/2025
Drawing:	B2P-WSP-DA-70092380-146

Scottish & Southern Electricity Networks

TRANSMISSION

Legend

- Existing OHL
- Existing Tower
- Limit of Deviation

Development for which Section 37 Consent is Sought

- Proposed OHL Alignment - 400 kV
- Proposed Tower - 400 kV

Ancillary Development

- Tower to be Removed
- OHL to be Removed
- Proposed Conductor Pulling Area (EPZ)
- Temporary Working Areas

Proposed Access Tracks

- Proposed New Access (Temporary/Permanent)
- Proposed Access – ATV or Temporary Trackway
- Existing Access Upgrade
- Proposed Bellmouth - Access Only / ATV
- Proposed Bellmouth - Permanent
- Proposed Bellmouth - Temporary
- Proposed Bellmouth - Upgrade

SEPA Indicative Flood Risk Mapping

- Watercourses
- High Likelihood: A flood event is likely to occur in the defined area on average once in every ten years (1:10). Or a 10% chance of happening in any one year
- Medium Likelihood: A flood event is likely to occur in the defined area on average once in every two hundred years (1:200). Or a 0.5% chance of happening in any one year.
- Low Likelihood: A flood event is likely to occur in the defined area on average once in every thousand years (1:1000). Or a 0.1% chance of happening in any one year.



Scale 1:2,500,000

Scale @ A3: 1:25,000

0 0.25 0.5 1 km

Project:	Beauly to Blackhillock to New Deer to Peterhead 400kV OHL Project
Title:	Figure 10.8.1 - Fluvial Flood Risk Page 3 of 26
Drawn by:	MAL
Date:	14/08/2025
Drawing:	B2P-WSP-DA-70092380-146

Scottish & Southern Electricity Networks
TRANSMISSION

Scale @ A3: 1:25,000
0 0.25 0.5 1 km

Legend

- Existing OHL
- Existing Tower
- Limit of Deviation

Development for which Section 37 Consent is Sought

- Proposed OHL Alignment - 400 kV
- Temporary OHL Diversion
- Proposed Alignment - Existing OHL Works (275 kV Realignment and Crossings)
- Proposed Tower - 400 kV
- Proposed Tower - Existing OHL Works (275 kV Realignment and Crossing
- Proposed Tower - Temporary

Ancillary Development

- Tower to be Removed
- OHL to be Removed
- Cable to be Removed
- Proposed Conductor Pulling Area (EPZ)
- Temporary Working Areas

Proposed Access Tracks

- Proposed New Access (Temporary/Permanent)
- Proposed Access – ATV or Temporary Trackway
- Existing Access Upgrade
- Proposed Bellmouth - Access Only / ATV
- Proposed Bellmouth - Temporary
- Proposed Bellmouth - Upgrade

SEPA Indicative Flood Risk Mapping

- Watercourses
- High Likelihood: A flood event is likely to occur in the defined area on average once in every ten years (1:10). Or a 10% chance of happening in any one year
- Medium Likelihood: A flood event is likely to occur in the defined area on average once in every two hundred years (1:200). Or a 0.5% chance of happening in any one year.
- Low Likelihood: A flood event is likely to occur in the defined area on average once in every thousand years (1:1000). Or a 0.1% chance of happening in any one year.



Scale 1:2,500,000

Project: Beauly to Blackhillock to New Deer to Peterhead 400kV OHL Project

Title: Figure 10.8.1 - Fluvial Flood Risk
Page 4 of 26

Drawn by: MAL Date: 14/08/2025

Drawing: B2P-WSP-DA-70092380-146

Scottish & Southern Electricity Networks
TRANSMISSION

68 69 70 71 72 73 74

42 41 40 39 38 37

Scale @ A3: 1:25,000
0 0.25 0.5 1 km

Legend

- Existing OHL
- Existing Tower
- Limit of Deviation

Development for which Section 37 Consent is Sought

- Proposed OHL Alignment - 400 kV
- Proposed Tower - 400 kV

Ancillary Development

- Proposed Conductor Pulling Area (EPZ)
- Temporary Working Areas

Proposed Access Tracks

- Proposed New Access (Temporary/Permanent)
- Proposed Access – ATV or Temporary Trackway
- Existing Access Upgrade
- Proposed Bellmouth - Permanent
- Proposed Bellmouth - Temporary
- Proposed Bellmouth - Upgrade

SEPA Indicative Flood Risk Mapping

- Watercourses
- High Likelihood: A flood event is likely to occur in the defined area on average once in every ten years (1:10). Or a 10% chance of happening in any one year
- Medium Likelihood: A flood event is likely to occur in the defined area on average once in every two hundred years (1:200). Or a 0.5% chance of happening in any one year.
- Low Likelihood: A flood event is likely to occur in the defined area on average once in every thousand years (1:1000). Or a 0.1% chance of happening in any one year.



Project:	Beauly to Blackhillock to New Deer to Peterhead 400kV OHL Project
Title:	Figure 10.8.1 - Fluvial Flood Risk Page 5 of 26
Drawn by:	MAL
Date:	14/08/2025
Drawing:	B2P-WSP-DA-70092380-146

Scottish & Southern Electricity Networks
TRANSMISSION

Legend

- Existing OHL
- Existing Tower
- Limit of Deviation

Development for which Section 37 Consent is Sought

- Proposed OHL Alignment - 400 kV
- Proposed Tower - 400 kV

Ancillary Development

- Proposed Conductor Pulling Area (EPZ)
- Temporary Working Areas

Proposed Access Tracks

- Proposed New Access (Temporary/Permanent)
- Proposed Access – ATV or Temporary Trackway
- Existing Access Upgrade
- Proposed Bellmouth - Upgrade

SEPA Indicative Flood Risk Mapping

- Watercourses
- High Likelihood: A flood event is likely to occur in the defined area on average once in every ten years (1:10). Or a 10% chance of happening in any one year
- Medium Likelihood: A flood event is likely to occur in the defined area on average once in every two hundred years (1:200). Or a 0.5% chance of happening in any one year.
- Low Likelihood: A flood event is likely to occur in the defined area on average once in every thousand years (1:1000). Or a 0.1% chance of happening in any one year.



Scale @ A3: 1:25,000
0 0.25 0.5 1 km

Project:	Beauly to Blackhillock to New Deer to Peterhead 400kV OHL Project
Title:	Figure 10.8.1 - Fluvial Flood Risk Page 6 of 26
Drawn by:	MAL
Date:	14/08/2025
Drawing:	B2P-WSP-DA-70092380-146