View from northeast of ring cairn showing both the existing 275 kV and proposed 400 kV line.



Proposed OHL Alignment - Operational Phase Year 1 Photomontage

## **Location Plan**



# Key

Proposed Tower - 400 kV

Proposed OHL Alignment - 400 kV

90° Field of View


Viewpoint type: Representative Viewpoint Visualisation Type: Type 3 Projection: Cylindrical Enlargement Factor: 100% A3

Date and time of photography: 17/06/2024, 11:50 Camera & lens: Sony ILCE-7M4, 50mm


Vertical Field of View: 39.6° Horizontal Field of View: 90° Viewpoint Location: X 272689, Y 841169, AOD 193.28 m Distance to nearest tower: 168 m

Direction of view: 64°

Height of camera above ground: 1.5 m







**Proposed OHL Alignment Photomontage and Mitigation Photowire** 



# Key

Proposed Tower - 400 kV

Proposed OHL Alignment - 400 kV

90° Field of View

Viewpoint type: Representative Viewpoint Visualisation Type: Type 3 Projection: Cylindrical Enlargement Factor: 100% A3

Date and time of photography: 17/06/2024, 11:50 Camera & lens: Sony ILCE-7M4, 50mm


Vertical Field of View: 39.6° Horizontal Field of View: 90° Viewpoint Location: X 272689, Y 841169, AOD 193.28 m Distance to nearest tower: 168 m

Distance to nearest tower: 168 n Direction of view: 64°

Height of camera above ground: 1.5 m

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project Potential Undergrounding of the Existing OHL Figure 11.4.2b Mitigation Visualisation from Mains of Daviot Ring Cairn Proposed OHL Alignment Photomontage and and Mitigation Photowire





**Proposed OHL Alignment and Mitigation Photomontage** 



# Key

Proposed Tower - 400 kV

Proposed OHL Alignment - 400 kV

90° Field of View

Viewpoint type: Representative Viewpoint Visualisation Type: Type 3 Projection: Cylindrical Enlargement Factor: 100% A3

Date and time of photography: 17/06/2024, 11:50 Camera & lens: Sony ILCE-7M4, 50mm Vertical Field of View: 39.6° Horizontal Field of View: 90° Viewpoint Location: X 272689, Y 841169, AOD 193.28 m Distance to nearest tower: 168 m

Distance to nearest tower: 168 m Direction of view: 64°


Height of camera above ground: 1.5 m

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project Potential Undergrounding of the Existing OHL Figure 11.4.2c Mitigation Visualisation from Mains of Daviot Ring Cairn Proposed OHL Alignment and Mitigation Photomontage





Proposed OHL Alignment - Operational Phase Year 1 Photomontage



# Key

Proposed Tower - 400 kV

Proposed OHL Alignment - 400 kV

90° Field of View

Viewpoint type: Representative Viewpoint Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% A3


Date and time of photography: 17/06/2024, 11:50 Camera & lens: Sony ILCE-7M4, 50mm **Vertical Field of View:** 39.6° Horizontal Field of View: 90° **Viewpoint Location:** X 272689, Y 841169, AOD 193.28 m

Distance to nearest tower: 168 m Direction of view: 244°

Height of camera above ground: 1.5 m

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project Potential Undergrounding of the Existing OHL Figure 11.4.2d Mitigation Visualisation from Mains of Daviot Ring Cairn Proposed OHL Alignment - Operational Phase Year 1 Photomontage





**Proposed OHL Alignment Photomontage and Mitigation Photowire** 



Proposed Tower - 400 kV

Proposed OHL Alignment - 400 kV

90° Field of View

Viewpoint type: Representative Viewpoint Visualisation Type: Type 3 Projection: Cylindrical Enlargement Factor: 100% A3

Date and time of photography: 17/06/2024, 11:50 Camera & lens: Sony ILCE-7M4, 50mm

Vertical Field of View: 39.6° Horizontal Field of View: 90° Viewpoint Location: X 272689, Y 841169, AOD 193.28 m Distance to nearest tower: 168 m

Direction of view: 64°


Height of camera above ground: 1.5 m

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project Potential Undergrounding of the Existing OHL Figure 11.4.2e Mitigation Visualisation from Mains of Daviot Ring Cairn Proposed OHL Alignment Photomontage and Mitigation Photowire





**Proposed OHL Alignment and Mitigation Photomontage** 



Viewpoint type: Representative Viewpoint Visualisation Type: Type 3 Projection: Cylindrical Enlargement Factor: 100% A3

Date and time of photography: 17/06/2024, 11:50 Camera & lens: Sony ILCE-7M4, 50mm Vertical Field of View: 39.6° Horizontal Field of View: 90° Viewpoint Location: X 272689, Y 841169, AOD 193.28 m Distance to nearest tower: 168 m

Distance to nearest tower: 168 m Direction of view: 64°

Height of camera above ground: 1.5 m

Beauly to Blackhillock to New Deer to Peterhead 400 kV OHL Project Potential Undergrounding of the Existing OHL Figure 11.4.2f Mitigation Visualisation from Mains of Daviot Ring Cairn Proposed OHL Alignment and Mitigation Photomontage

