





NOTE: Peat depths are based on an interpolated peat surface, based on individual peat probe results taken across the site (Figure 3). The results are indicative only and should not be relied upon for detailed design or construction. Peat Interpolation method used: Inverse Distance Weighting (IDW) using a variable search radius with a maximum search distance of 50m.

Permanent Layout

- Proposed Development Site
- Substation Platform
- Substation Platform Earthworks
- Peat Cell Storage Area
- Access Track
- Access Track Earthworks
- Permanent SUDs Basin
- Borrow Pit
- External Peat Cell
- Peat Cell

- Temporary Drainage
- Temporary Settlement Lagoon
- Platform Peat Cell Ramp Earthworks
- Temporary Platform Compound 1
- Temporary Platform Compound 2

- Proposed Development Site
- Permanent OHL Section Spans
- Temporary OHL Section Spans
- OHL Site Compound
- Tower Working Area

0.00 - 0.50

0.50 - 1.00

1.00 - 1.50

1.50 - 2.00

2.00 - 2.50

2.50 - 3.00


3.00 - 3.50

3.50 - 4.00

4.00 - 5.00

5.00 +

Area of No Peat Probing Data Available within 50m - Peat depths assumed




Contains public sector information licensed under the Open Government Licence v3.0.
 Reproduced by permission of Ordnance Survey on behalf of HMSO. Crown copyright and
 database right 2025 all rights reserved. Ordnance Survey Licence number 0100022432.
**SSEN Transmission take no responsibility for the release or accuracy of latest
 version Basemaps from Ordnance Survey**

Project No: LT000521
Project: Bingally 400kV Substation Upgrade


Title:
Peat Depth Interpolation Plan
Page 1 of 5

Drawn by: JBARR	Date: 31/10/2025
Drawing: Figure 4a	



Legend

- Proposed Development Site
- Permanent Layout**
 - Access Track
 - Access Track Earthworks
 - Borrow Pit
- Peat Depth Interpolation (m)**
 - 0.00 - 0.50
 - 0.50 - 1.00
 - 1.00 - 1.50
 - 1.50 - 2.00
 - 2.00 - 2.50
 - 2.50 - 3.00
 - 3.00 - 3.50
 - 3.50 - 4.00
 - 4.00 - 5.00
 - 5.00 +
- Area of No Peat Probing Data Available within 50m - Peat depths assumed



Contains public sector information licensed under the Open Government Licence v3.0.
Reproduced by permission of Ordnance Survey on behalf of HMSO. Crown copyright and
database right 2025 all rights reserved. Ordnance Survey Licence number 0100022432.
**SSEN Transmission take no responsibility for the release or accuracy of latest
version Basemaps from Ordnance Survey**


Project No: LT000521
Project: Bingly 400kV Substation Upgrade

Title:
Peat Depth Interpolation Plan
Page 2 of 5

Drawn by: JBARR Date: 31/10/2025

Drawing: Figure 4b

NOTE:
Peat depths are based on an interpolated peat surface, based on individual peat probe results taken across the site (Figure 3). The results are indicative only and should not be relied upon for detailed design or construction. Peat Interpolation method used: Inverse Distance Weighting (IDW) using a variable search radius with a maximum search distance of 50m.



Legend

Proposed Development Site

Permanent Layout

Access Track

Access Track Earthworks

Borrow Pit

Peat Depth Interpolation (m)

0.00 - 0.50

0.50 - 1.00

1.00 - 1.50

1.50 - 2.00

2.00 - 2.50

2.50 - 3.00

3.00 - 3.50

3.50 - 4.00

4.00 - 5.00

5.00 +

Area of No Peat Probing Data Available within 50m - Peat depths assumed

Contains public sector information licensed under the Open Government Licence v3.0. Reproduced by permission of Ordnance Survey on behalf of HMSO. Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number 0100022432. **SSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey**

Project No: LT000521


Project: Bingly 400kV Substation Upgrade

Title: Peat Depth Interpolation Plan
Page 3 of 5

Drawn by: JBARR Date: 31/10/2025


Drawing: Figure 4c

NOTE:
Peat depths are based on an interpolated peat surface, based on individual peat probe results taken across the site (Figure 3). The results are indicative only and should not be relied upon for detailed design or construction. Peat Interpolation method used: Inverse Distance Weighting (IDW) using a variable search radius with a maximum search distance of 50m.



Legend

- Proposed Development Site
- Permanent Layout
 - Access Track
 - Access Track Earthworks
- Peat Depth Interpolation (m)
 - 0.00 - 0.50
 - 0.50 - 1.00
 - 1.00 - 1.50
 - 1.50 - 2.00
 - 2.00 - 2.50
 - 2.50 - 3.00
 - 3.00 - 3.50
 - 3.50 - 4.00
 - 4.00 - 5.00
 - 5.00 +
- Area of No Peat Probing Data Available within 50m - Peat depths assumed



Contains public sector information licensed under the Open Government Licence v3.0.
Reproduced by permission of Ordnance Survey on behalf of HMSO. Crown copyright and
database right 2025 all rights reserved. Ordnance Survey Licence number 0100022432.
**SSEN Transmission take no responsibility for the release or accuracy of latest
version Basemaps from Ordnance Survey**


Project No: LT000521
Project: Bingly 400kV Substation Upgrade

Title:
Peat Depth Interpolation Plan
Page 4 of 5

Drawn by: JBARR Date: 31/10/2025


Drawing: Figure 4d

NOTE:
Peat depths are based on an interpolated peat surface, based on individual peat probe results taken across the site (Figure 3). The results are indicative only and should not be relied upon for detailed design or construction. Peat Interpolation method used: Inverse Distance Weighting (IDW) using a variable search radius with a maximum search distance of 50m.



Legend

- Proposed Development Site
- Permanent Layout**
 - Access Track
 - Access Track Earthworks
 - Borrow Pit
- Temporary Layout**
 - Northern Temporary Compound
 - Northern Temporary Compound Access Track
- Peat Depth Interpolation (m)**
 - 0.00 - 0.50
 - 0.50 - 1.00
 - 1.00 - 1.50
 - 1.50 - 2.00
 - 2.00 - 2.50
 - 2.50 - 3.00
 - 3.00 - 3.50
 - 3.50 - 4.00
 - 4.00 - 5.00
 - 5.00 +
 - Area of No Peat Probing Data Available within 50m - Peat depths assumed



Contains public sector information licensed under the Open Government Licence v3.0. Reproduced by permission of Ordnance Survey on behalf of HMSO. Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number 0100022432. **SSEN Transmission take no responsibility for the release or accuracy of latest version Basemaps from Ordnance Survey**

Project No: LT000521
Project: Bingly 400kV Substation Upgrade

Title:
Peat Depth Interpolation Plan
Page 5 of 5

Drawn by: JBARR
Date: 31/10/2025

Drawing: Figure 4e

NOTE:
Peat depths are based on an interpolated peat surface, based on individual peat probe results taken across the site (Figure 3). The results are indicative only and should not be relied upon for detailed design or construction. Peat Interpolation method used: Inverse Distance Weighting (IDW) using a variable search radius with a maximum search distance of 50m.