

Harris to Stornoway 132 kV Overhead Line Replacement
Figures 6.13 - 6.23

Figure 6.13 VP07 : Viewpoint (Loch Seaforth)

Figure 6.14 VP08 : Bogha Glas Car Park

Figure 6.15 VP09 : Aline Community Woodland (car park)

Figure 6.16 VP10 : Bonnie Prince Charlie Monument (Arivruaich)

Figure 6.17 VP11 : Balallan Post Office

Figure 6.18 VP12 : Laxay

Figure 6.19 VP13 : Luirbost (village Green)

Figure 6.20 VP14 : Luirbost (west)

Figure 6.21 VP15 : Cnoc na Croich

Figure 6.22 VP16 : Junction of B897 and A859

Figure 6.23 VP17 : Pairc Land Raiders Cairn



Baseline View

Figure 6.13a
VP07: Viewpoint (Loch Seaforth)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 120521, 912489
Eye Level: 50.2 m AOD
Direction of view: S
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:53





Baseline View



OS reference: 120521, 912489
Eye Level: 50.2 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:53





Baseline View


Figure 6.13c
VP07: Viewpoint (Loch Seaforth)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 120521, 912489
Eye Level: 50.2 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:53





Wireline View


Figure 6.13d
 VP07: Viewpoint (Loch Seaforth)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 120521, 912489
 Eye Level: 50.2 m AOD
 Direction of view: S
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:53






Wireline View



OS reference: 120521, 912489
 Eye Level: 50.2 m AOD
 Direction of view: W
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:53





Wireline View

Figure 6.13f
 VP07: Viewpoint (Loch Seaforth)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 120521, 912489
 Eye Level: 50.2 m AOD
 Direction of view: N
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:53





Construction View

Figure 6.13g
VP07: Viewpoint (Loch Seaforth)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 120521, 912489
Eye Level: 50.2 m AOD
Direction of view: S
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:53





Construction View



OS reference: 120521, 912489
Eye Level: 50.2 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:53





Construction View

Figure 6.13i
VP07: Viewpoint (Loch Seaforth)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 120521, 912489
Eye Level: 50.2 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:53





Operational View

Figure 6.13j
VP07: Viewpoint (Loch Seaforth)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 120521, 912489
Eye Level: 50.2 m AOD
Direction of view: S
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:53





Operational View



OS reference: 120521, 912489
Eye Level: 50.2 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:53





Operational View

Figure 6.131
VP07: Viewpoint (Loch Seaforth)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 120521, 912489
Eye Level: 50.2 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:53





Baseline View

Figure 6.14a
VP08: Bogha Glas Car Park
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: S
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Baseline View



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Baseline View

Figure 6.14c
VP08: Bogha Glas Car Park


Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Wireline View

Figure 6.14d
VP08: Bogha Glas Car Park


Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 118593, 911532
 Eye Level: 17.5 m AOD
 Direction of view: S
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 11:05






Wireline View



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Wireline View

Figure 6.14f
 VP08: Bogha Glas Car Park
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 118593, 911532
 Eye Level: 17.5 m AOD
 Direction of view: N
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 11:05





Construction View

Figure 6.14g
VP08: Bogha Glas Car Park
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: S
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Construction View



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Construction View

Figure 6.14i
VP08: Bogha Glas Car Park
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Operational View

Figure 6.14j
VP08: Bogha Glas Car Park
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: S
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Operational View



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Operational View

Figure 6.14I
VP08: Bogha Glas Car Park
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 118593, 911532
Eye Level: 17.5 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 11:05





Baseline View

Figure 6.15a
VP09: Aline Community Woodland (car park)

Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 121726, 915266
Eye Level: 22.4 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:40






Baseline View



OS reference: 121726, 915266
Eye Level: 22.4 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:40





Wireline View

Figure 6.15c
VP09: Aline Community Woodland (car park)


Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 121726, 915266
 Eye Level: 22.4 m AOD
 Direction of view: SW
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:40





Wireline View



OS reference: 121726, 915266
Eye Level: 22.4 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:40





Construction View

Figure 6.15e
VP09: Aline Community Woodland (car park)

Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 121726, 915266
Eye Level: 22.4 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:40





Construction View



OS reference: 121726, 915266
Eye Level: 22.4 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:40





Operational View

Figure 6.15g
VP09: Aline Community Woodland (car park)

Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 121726, 915266
Eye Level: 22.4 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:40





Operational View



OS reference: 121726, 915266
Eye Level: 22.4 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:40





Baseline View

Figure 6.16a
VP10: Bonnie Prince Charlie Monument (Arivruaich)

Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 125073, 917650
Eye Level: 32.3 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:32





Baseline View



OS reference: 125073, 917650
Eye Level: 32.3 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:32






Wireline View
Figure 6.16c
VP10: Bonnie Prince Charlie Monument (Arivruaich)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 125073, 917650
Eye Level: 32.3 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:32





Wireline View



OS reference: 125073, 917650
Eye Level: 32.3 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:32



Proposed Development



Baseline View with Annotation

Figure 6.16e
VP10: Bonnie Prince Charlie Monument (Arivruaich)

Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 125073, 917650
Eye Level: 32.3 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:32





Proposed Development

Baseline View with Annotation



OS reference: 125073, 917650
 Eye Level: 32.3 m AOD
 Direction of view: NW
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:32





Baseline View

Figure 6.16a
VP11: Balallan Post Office
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 127672, 920494
Eye Level: 36.6 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:10






Baseline View



OS reference: 127672, 920494
Eye Level: 36.6 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:10





Wireline View


Figure 6.16c
 VP11: Balallan Post Office
 Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 127672, 920494
 Eye Level: 36.6 m AOD
 Direction of view: W
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:10





Wireline View



OS reference: 127672, 920494
 Eye Level: 36.6 m AOD
 Direction of view: N
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:10





Construction View

Figure 6.16e
VP11: Balallan Post Office
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 127672, 920494
Eye Level: 36.6 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:10





Construction View



OS reference: 127672, 920494
Eye Level: 36.6 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:10





Operational View

Figure 6.16g
VP11: Balallan Post Office
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 127672, 920494
Eye Level: 36.6 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:10





Operational View



OS reference: 127672, 920494
Eye Level: 36.6 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:10





Baseline View

Figure 6.18a
VP12: Laxay

Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 133010, 922142
Eye Level: 34.9 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:00






Baseline View



OS reference: 133010, 922142
Eye Level: 34.9 m AOD
Direction of view: NE
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:00





Wireline View


Figure 6.18c
 VP12: Laxay
 Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 133010, 922142
 Eye Level: 34.9 m AOD
 Direction of view: NW
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:00





Wireline View



OS reference: 133010, 922142
 Eye Level: 34.9 m AOD
 Direction of view: NE
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:00



Proposed Development



Baseline View with Annotation
Figure 6.18e
VP12: Laxay
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 133010, 922142
Eye Level: 34.9 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:00





Proposed Development

Baseline View with Annotation



OS reference: 133010, 922142
Eye Level: 34.9 m AOD
Direction of view: NE
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:00





Baseline View

Figure 6.19a
VP13: Luirbost (Village Green)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 135453, 927321
Eye Level: 69.1 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:40






Baseline View



OS reference: 135453, 927321
 Eye Level: 69.1 m AOD
 Direction of view: NW
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/08/2022 15:40





Wireline View


Figure 6.19c
 VP13: Luirbost (Village Green)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 135453, 927321
 Eye Level: 69.1 m AOD
 Direction of view: SW
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/08/2022 15:40





Wireline View



OS reference: 135453, 927321
 Eye Level: 69.1 m AOD
 Direction of view: NW
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/08/2022 15:40





Construction View

Figure 6.19e
VP13: Luirbost (Village Green)

Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 135453, 927321
Eye Level: 69.1 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:40





Construction View



OS reference: 135453, 927321
Eye Level: 69.1 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:40





Operational View

Figure 6.19g
VP13: Luirbost (Village Green)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 135453, 927321
Eye Level: 69.1 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:40





Operational View



OS reference: 135453, 927321
Eye Level: 69.1 m AOD
Direction of view: NW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:40





Baseline View

Figure 6.20a
VP14: Luirbost (West)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 134617, 927451
Eye Level: 61.7 m AOD
Direction of view: NE
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:55





Baseline View



OS reference: 134617, 927451
Eye Level: 61.7 m AOD
Direction of view: SE
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:55





Wireline View


Figure 6.20c
VP14: Luirbost (West)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 134617, 927451
Eye Level: 61.7 m AOD
Direction of view: NE
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:55





Wireline View




OS reference: 134617, 927451
 Eye Level: 61.7 m AOD
 Direction of view: SE
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/08/2022 15:55



Proposed Development



Baseline View with Annotation

Figure 6.20e
VP14: Luirbost (West)
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 134617, 927451
Eye Level: 61.7 m AOD
Direction of view: NE
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:55



Proposed Development



Baseline View with Annotation



OS reference: 134617, 927451
Eye Level: 61.7 m AOD
Direction of view: SE
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:55






Baseline View
Figure 6.21a
VP15: Cnoc na Croich
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 141694, 932349
Eye Level: 60.8 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 14:45





Wireline View

Figure 6.21b
 VP15: Cnoc na Croich
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 141694, 932349
 Eye Level: 60.8 m AOD
 Direction of view: SW
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/08/2022 14:45





Construction View

Figure 6.21c
VP15: Cnoc na Croich
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 141694, 932349
Eye Level: 60.8 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 14:45





Operational View

Figure 6.21d
VP15: Cnoc na Croich
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 141694, 932349
Eye Level: 60.8 m AOD
Direction of view: SW
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 14:45





Baseline View

Figure 6.22a
VP16: Junction of B897 and A859
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 138569, 930592
Eye Level: 73.7 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:27






Baseline View



OS reference: 138569, 930592
Eye Level: 73.7 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:27





Wireline View


Figure 6.22c
 VP16: Junction of B897 and A859
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 138569, 930592
 Eye Level: 73.7 m AOD
 Direction of view: W
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/08/2022 15:27





Wireline View



OS reference: 138569, 930592
 Eye Level: 73.7 m AOD
 Direction of view: N
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/08/2022 15:27



Proposed Development



Baseline View with Annotation

Figure 6.22e
VP16: Junction of B897 and A859

Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 138569, 930592
Eye Level: 73.7 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 01/08/2022 15:27





Baseline View

Figure 6.23a
VP17: Pairc Land Raiders Cairn
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 126058, 919536
Eye Level: 22.7 m AOD
Direction of view: S
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:22





Baseline View



OS reference: 126058, 919536
Eye Level: 22.7 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:22





Baseline View


Figure 6.23c
VP17: Pairc Land Raiders Cairn
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 126058, 919536
Eye Level: 22.7 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:22





Wireline View


Figure 6.23d
 VP17: Paic Land Raiders Cairn
 Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 126058, 919536
 Eye Level: 22.7 m AOD
 Direction of view: S
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:22






Wireline View



OS reference: 126058, 919536
 Eye Level: 22.7 m AOD
 Direction of view: W
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:22





Wireline View
Figure 6.23f
 VP17: Pairc Land Raiders Cairn
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 126058, 919536
 Eye Level: 22.7 m AOD
 Direction of view: N
 Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 02/08/2022 10:22





Construction View

Figure 6.23g
VP17: Pairc Land Raiders Cairn
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 126058, 919536
Eye Level: 22.7 m AOD
Direction of view: S
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:22





Construction View



OS reference: 126058, 919536
Eye Level: 22.7 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:22





Construction View

Figure 6.23i
VP17: Pairc Land Raiders Cairn
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 126058, 919536
Eye Level: 22.7 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:22





Operational View

Figure 6.23j
VP17: Pairc Land Raiders Cairn
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 126058, 919536
Eye Level: 22.7 m AOD
Direction of view: S
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:22





Operational View



OS reference: 126058, 919536
Eye Level: 22.7 m AOD
Direction of view: W
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:22





Operational View
Figure 6.231
VP17: Pairc Land Raiders Cairn
Harris to Stornoway 132 kV Overhead Line Replacement



OS reference: 126058, 919536
Eye Level: 22.7 m AOD
Direction of view: N
Horizontal field of view: (90° cylindrical projection)

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 02/08/2022 10:22

