


15 Geology 1:50,000 scale - Availability



— Site Outline
Search buffers in metres (m)

□ Geological map tile

15.1 50k Availability

Records within 500m

2

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on [page 92](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	Full	Full	No coverage	SC056e_Kirriemuir_v4
2	On site	No coverage	Full	Full	No coverage	SC057_Forfar_and_Montrose_v4

This data is sourced from the British Geological Survey.



Contact us with any questions at:

info@groundsure.com

01273 257 755

Date: 4 September 2025

Geology 1:50,000 scale - Artificial and made ground

15.2 Artificial and made ground (50k)

Records within 500m

0

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.

15.3 Artificial ground permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
- Landslip (50k)
- Superficial geology (50k)
Please see table for more details.

15.4 Superficial geology (50k)

Records within 500m

18

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on [page 94](#) >

ID	Location	LEX Code	Description	Rock description
1	On site	LDE-XCZS	LACUSTRINE DEPOSITS	CLAY, SILT AND SAND
2	On site	LDE-XCZS	LACUSTRINE DEPOSITS	CLAY, SILT AND SAND
3	On site	GFDU-XVSZ	GLACIOFLUVIAL DEPOSITS	GRAVEL, SAND AND SILT
4	On site	GFDU-XVSZ	GLACIOFLUVIAL DEPOSITS	GRAVEL, SAND AND SILT



Contact us with any questions at:

info@groundsure.com

01273 257 755

Date: 4 September 2025

ID	Location	LEX Code	Description	Rock description
5	On site	GFDU-XVSZ	GLACIOFLUVIAL DEPOSITS	GRAVEL, SAND AND SILT
6	On site	GFDU-XVSZ	GLACIOFLUVIAL DEPOSITS	GRAVEL, SAND AND SILT
7	On site	ALV-XCZSV	ALLUVIUM	CLAY, SILT, SAND AND GRAVEL
8	On site	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
9	On site	GFDU-XVSZ	GLACIOFLUVIAL DEPOSITS	GRAVEL, SAND AND SILT
10	On site	ALV-XCZSV	ALLUVIUM	CLAY, SILT, SAND AND GRAVEL
11	On site	ALV-XCZSV	ALLUVIUM	CLAY, SILT, SAND AND GRAVEL
12	On site	GFDU-XVSZ	GLACIOFLUVIAL DEPOSITS	GRAVEL, SAND AND SILT
13	On site	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
14	96m S	GFDU-XVSZ	GLACIOFLUVIAL DEPOSITS	GRAVEL, SAND AND SILT
15	101m NW	GFDU-XVSZ	GLACIOFLUVIAL DEPOSITS	GRAVEL, SAND AND SILT
16	357m S	LDE-XCZS	LACUSTRINE DEPOSITS	CLAY, SILT AND SAND
17	358m NW	GFDU-XVSZ	GLACIOFLUVIAL DEPOSITS	GRAVEL, SAND AND SILT
18	486m W	PEAT-P	PEAT	PEAT

This data is sourced from the British Geological Survey.

15.5 Superficial permeability (50k)

Records within 50m

17

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	High	Very Low
On site	Intergranular	High	Very Low
On site	Intergranular	High	Very Low
On site	Intergranular	High	Very Low
On site	Intergranular	Moderate	Very Low



Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	Very High	Moderate
On site	Intergranular	Very High	Moderate
On site	Intergranular	Very High	Moderate
On site	Intergranular	Very High	Moderate
On site	Mixed	High	Low
On site	Mixed	High	Low
On site	Mixed	High	Low
On site	Mixed	High	Low
On site	Intergranular	High	Very Low
On site	Mixed	High	Low
On site	Intergranular	High	Very Low
On site	Mixed	High	Low

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m

0

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Bedrock



- Site Outline
- Search buffers in metres (m)
- Bedrock faults and other linear features (50k)
- Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m

9

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 97](#) >

ID	Location	LEX Code	Description	Rock age
1	On site	SCN-SDST	SCONE SANDSTONE FORMATION - SANDSTONE	-
2	On site	SCN-SDST	SCONE SANDSTONE FORMATION - SANDSTONE	-
3	On site	SCN-SDST	SCONE SANDSTONE FORMATION - SANDSTONE	-
4	On site	CXF-MDST	CROMLIX MUDSTONE FORMATION - MUDSTONE	EMSIAN



ID	Location	LEX Code	Description	Rock age
5	On site	CXF-MDST	CROMLIX MUDSTONE FORMATION - MUDSTONE	EMSIAN
6	On site	SCN-SDST	SCONE SANDSTONE FORMATION - SANDSTONE	-
10	186m SE	SCN-SDST	SCONE SANDSTONE FORMATION - SANDSTONE	-
12	277m SE	CSTD-MCQGB	CENTRAL SCOTLAND LATE CARBONIFEROUS THOLEIITIC DYKE SWARM - QUARTZ-MICROGABBRO	-
13	283m NW	CXF-MDST	CROMLIX MUDSTONE FORMATION - MUDSTONE	EMSIAN

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m	6
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Fracture	High	High
On site	Fracture	High	High
On site	Fracture	High	High
On site	Fracture	High	High
On site	Fracture	Low	Low
On site	Fracture	Low	Low

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m	4
----------------------------	----------

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 97 >](#)

ID	Location	Category	Description
7	On site	FAULT	Fault, inferred, displacement unknown





ID	Location	Category	Description
8	On site	FAULT	Fault, inferred, displacement unknown
9	On site	FAULT	Fault, inferred, displacement unknown
11	186m SE	FAULT	Fault, inferred, displacement unknown

This data is sourced from the British Geological Survey.



16 Boreholes



16.1 BGS Boreholes

Records within 250m

1

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on [page 100](#) >

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	On site	341854 751691	REDFORD, FORFAR (WATER BORE)	50.0	N	12841030 ↗

This data is sourced from the British Geological Survey.



Contact us with any questions at:



info@groundsure.com ↗

01273 257 755

Date: 4 September 2025



17 Natural ground subsidence - Shrink swell clays



17.1 Shrink swell clays

Records within 50m

3

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on [page 101](#) >

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.
On site	Very low	Ground conditions predominantly low plasticity.
On site	Low	Ground conditions predominantly medium plasticity.



This data is sourced from the British Geological Survey.




Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Date: 4 September 2025

Natural ground subsidence - Running sands



— Site Outline
Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.2 Running sands

Records within 50m

2

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on [page 103](#) >



Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

Location	Hazard rating	Details
On site	Low	Running sand conditions may be present. Constraints may apply to land uses involving excavation or the addition or removal of water.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Compressible deposits



17.3 Compressible deposits

Records within 50m

2

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on [page 105 >](#)

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.
On site	Moderate	Compressibility and uneven settlement hazards are probably present. Land use should consider specifically the compressibility and variability of the site.

This data is sourced from the British Geological Survey.





Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Date: 4 September 2025

Natural ground subsidence - Collapsible deposits



17.4 Collapsible deposits

Records within 50m

2



The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on [page 107 >](#)

Location	Hazard rating	Details
On site	Negligible	Deposits with potential to collapse when loaded and saturated are believed not to be present.
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.

Natural ground subsidence - Landslides



17.5 Landslides

Records within 50m

10

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.

Features are displayed on the Natural ground subsidence - Landslides map on [page 108](#) >

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.




Location	Hazard rating	Details
On site	Low	Slope instability problems may be present or anticipated. Site investigation should consider specifically the slope stability of the site.
On site	Moderate	Slope instability problems are probably present or have occurred in the past. Land use should consider specifically the stability of the site.
11m NW	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.
16m W	Low	Slope instability problems may be present or anticipated. Site investigation should consider specifically the slope stability of the site.
22m E	Moderate	Slope instability problems are probably present or have occurred in the past. Land use should consider specifically the stability of the site.
22m W	Moderate	Slope instability problems are probably present or have occurred in the past. Land use should consider specifically the stability of the site.
22m W	Moderate	Slope instability problems are probably present or have occurred in the past. Land use should consider specifically the stability of the site.
32m NW	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.
34m W	Low	Slope instability problems may be present or anticipated. Site investigation should consider specifically the slope stability of the site.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Ground dissolution of soluble rocks



17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on [page 110](#) >

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

This data is sourced from the British Geological Survey.




Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Date: 4 September 2025

18 Mining and ground workings



18.1 BritPits

Records within 500m

14

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

Features are displayed on the Mining and ground workings map on [page 112 >](#)

ID	Location	Details	Description
A	On site	Name: Padanaram Address: Padanaram, FORFAR, Angus Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
B	On site	Name: Loups Gravel Pit Address: Tannadice, BRECHIN, Angus Commodity: Sand & Gravel Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
H	15m NW	Name: King's Seat Address: Kingsbridge, KIRRIEMUIR, Angus Commodity: Sand & Gravel Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
I	70m SE	Name: Boggie Gravel Pit Address: Noranside, BRECHIN, Angus Commodity: Sand & Gravel Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.



ID	Location	Details	Description
L	152m SE	Name: Wellford Gravel Pit Address: Wellford, Tannadice, FORFAR, Angus Commodity: Sand & Gravel Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
M	189m NW	Name: Lochty Gravel Pit Address: Lochty, BRECHIN, Angus Commodity: Sand & Gravel Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
O	209m NW	Name: Woodside Gravel Pit Address: FORFAR, Angus Commodity: Sand & Gravel Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
N	210m W	Name: King's Seat Gravel Pit Address: FORFAR, Angus Commodity: Sand & Gravel Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.



ID	Location	Details	Description
T	294m E	Name: Broom Farm Address: Tannadice, BRECHIN, Angus Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
W	325m NW	Name: Balmadity Gravel Pit Address: Mains of Balhall, BRECHIN, Angus Commodity: Sand & Gravel Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
Y	361m NW	Name: Meikle Coull Address: Memus, FORFAR, Angus Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
AC	411m SE	Name: Tannadice Address: Tannadice, FORFAR, Angus Commodity: Igneous & Metamorphic Rock Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.



ID	Location	Details	Description
AD	418m SE	Name: Wester Balgilly Address: Tannadice, FORFAR, Angus Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
AA	458m NW	Name: Noranpark Gravel Pit Address: Noranside, BRECHIN, Angus Commodity: Sand & Gravel Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.

This data is sourced from the British Geological Survey.

18.2 Surface ground workings

Records within 250m

63

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining and ground workings map on [page 112](#) >

ID	Location	Land Use	Year of mapping	Mapping scale
1	On site	Cuttings	1955	1:10560
2	On site	Unspecified Pit	1861	1:10560
A	On site	Unspecified Quarry	1990	1:10000
A	On site	Unspecified Old Quarry	1955	1:10560
A	On site	Unspecified Quarry	1969	1:10560
A	On site	Unspecified Old Quarry	1927	1:10560
A	On site	Unspecified Old Quarry	1900	1:10560
A	On site	Unspecified Quarry	1861	1:10560



ID	Location	Land Use	Year of mapping	Mapping scale
B	On site	Gravel Pit	1927	1:10560
B	On site	Gravel Pit	1900	1:10560
C	On site	Cuttings	1955	1:10560
C	On site	Cuttings	1981	1:10000
C	On site	Cuttings	1927	1:10560
C	On site	Cuttings	1901	1:10560
D	On site	Pond	1972	1:10000
D	On site	Water Body	1955	1:10560
D	On site	Water Body	1927	1:10560
D	On site	Water Body	1901	1:10560
D	On site	Water Body	1863	1:10560
E	On site	Water Body	1955	1:10560
E	On site	Water Body	1927	1:10560
E	On site	Water Body	1901	1:10560
E	On site	Water Body	1863	1:10560
F	On site	Water Body	1955	1:10560
F	On site	Water Body	1927	1:10560
F	On site	Water Body	1901	1:10560
F	On site	Water Body	1863	1:10560
G	On site	Pond	1927	1:10560
G	On site	Pond	1901	1:10560
H	On site	Unspecified Quarry	1927	1:10560
H	On site	Unspecified Old Quarry	1901	1:10560
H	On site	Unspecified Disused Pit	1981	1:10000
H	5m NW	Unspecified Quarry	1861	1:10560
H	11m NW	Unspecified Quarry	1955	1:10560
I	44m SE	Refuse Pit	1863	1:10560
I	47m SE	Unspecified Pit	1927	1:10560



ID	Location	Land Use	Year of mapping	Mapping scale
I	47m SE	Old Gravel Pit	1901	1:10560
J	58m N	Pond	1927	1:10560
J	58m N	Pond	1900	1:10560
10	72m SE	Water Body	1982	1:10000
K	91m NE	Gravel Pit	1955	1:10560
K	94m NE	Gravel Pit	1927	1:10560
L	122m SE	Gravel Pit	1900	1:10560
L	127m SE	Unspecified Pit	1971	1:10000
L	139m SE	Gravel Pit	1927	1:10560
M	162m NW	Gravel Pit	1901	1:10560
M	180m NW	Unspecified Pit	1863	1:10560
N	188m W	Gravel Pit	1901	1:10560
O	198m NW	Gravel Pit	1901	1:10560
11	202m W	Pond	1861	1:10560
12	212m SE	Filter Bed	1982	1:10000
13	225m SE	Water Bodies	1861	1:10560
14	229m SE	Cuttings	1861	1:10560
15	229m SE	Water Body	1863	1:10560
P	241m N	Water Body	1927	1:10560
P	241m N	Water Body	1901	1:10560
P	241m N	Pond	1863	1:10560
Q	246m W	Burial Ground	1990	1:10000
Q	246m W	Burial Ground	1969	1:10560
R	247m SE	Cuttings	1955	1:10560
P	248m N	Water Body	1955	1:10560
S	248m SE	Cuttings	1927	1:10560
S	248m SE	Cuttings	1900	1:10560

This is data is sourced from Ordnance Survey/Groundsure.



Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Date: 4 September 2025

18.3 Underground workings

Records within 1000m

0

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

This is data is sourced from Ordnance Survey/Groundsure.

18.4 Underground mining extents

Records within 500m

0

This data identifies underground mine workings that could present a potential risk, including adits and seam workings. These features have been identified from BGS Geological mapping and mine plans sourced from the BGS and various collections and sources.

This data is sourced from Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m

0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m

10

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

Features are displayed on the Mining and ground workings map on [page 112](#) >

ID	Location	Name	Commodity	Class	Likelihood
3	On site	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.



ID	Location	Name	Commodity	Class	Likelihood
4	On site	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
5	On site	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
6	On site	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
7	On site	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
8	On site	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
9	On site	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
23	361m SE	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
33	754m W	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
39	876m W	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.

This data is sourced from the British Geological Survey.



18.7 JPB mining areas

Records on site

0

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.8 The Coal Authority non-coal mining

Records within 500m

0

This data provides an indication of the potential zone of influence of recorded underground non-coal mining workings. Any and all analysis and interpretation of Coal Authority Data in this report is made by Groundsure, and is in no way supported, endorsed or authorised by the Coal Authority. The use of the data is restricted to the terms and provisions contained in this report. Data reproduced in this report may be the copyright of the Coal Authority and permission should be sought from Groundsure prior to any re-use.

This data is sourced from The Coal Authority.

18.9 Researched mining

Records within 500m

0

This data indicates areas of potential mining identified from alternative or archival sources, including; BGS Geological paper maps, Lidar data, aerial photographs (from World War II onwards), archaeological data services, websites, Tithe maps, and various text/plans from collected books and reports. Some of this data is approximate and Groundsure have interpreted the resultant risk area and, where possible, specific areas of risk have been captured.

This data is sourced from Groundsure.

18.10 Mining record office plans

Records within 500m

0

This dataset is representative of Mining Record Office and/or plan extents held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.



18.11 BGS mine plans

Records within 500m

0

This dataset is representative of BGS mine plans held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.12 Coal mining

Records on site

0

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.

18.13 Brine areas

Records on site

0

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.14 Gypsum areas

Records on site

0

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.15 Tin mining

Records on site

0

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.



18.16 Clay mining

Records on site

0

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).



19 Ground cavities and sinkholes

19.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

19.2 Mining cavities

Records within 1000m

0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.

19.3 Reported recent incidents

Records within 500m

0

This data identifies sinkhole information gathered from media reports and Groundsure's own records. This data goes back to 2014 and includes relative accuracy ratings for each event and links to the original data sources. The data is updated on a regular basis and should not be considered a comprehensive catalogue of all sinkhole events. The absence of data in this database does not mean a sinkhole definitely has not occurred during this time.

This data is sourced from Groundsure.

19.4 Historical incidents

Records within 500m

0

This dataset comprises an extract of 1:10,560, 1:10,000, 1:2,500 and 1:1,250 scale historical Ordnance Survey maps held by Groundsure, dating back to the 1840s. It shows shakeholes, deneholes and other 'holes' as noted on these maps. Dene holes are medieval chalk extraction pits, usually comprising a narrow shaft with a number of chambers at the base of the shaft. Shakeholes are an alternative name for suffusion sinkholes, most commonly found in the limestone landscapes of North Yorkshire but also extensively noted around the Brecon Beacons National Park.



Not all 'holes' noted on Ordnance Survey mapping will necessarily be present within this dataset.



This data is sourced from Groundsure.



20 Radon



20.1 Radon

Records on site

2

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on [page 126 >](#)

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None



Location	Estimated properties affected	Radon Protection Measures required
On site	Between 1% and 3%	Basic

This data is sourced from the British Geological Survey and UK Health Security Agency.



Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
5m SE	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
5m SE	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
12m W	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg



Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
12m W	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
12m W	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
14m NW	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
19m N	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
24m NW	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
26m NW	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
26m NW	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
27m SE	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	60 - 90 mg/kg	15 - 30 mg/kg
36m W	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
42m S	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
44m SE	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
44m SE	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	120 - 180 mg/kg	15 - 30 mg/kg
45m N	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg
47m SE	15 mg/kg	-	100 mg/kg	60 mg/kg	No data	90 - 120 mg/kg	15 - 30 mg/kg

This data is sourced from the British Geological Survey.

21.2 BGS Estimated Urban Soil Chemistry

Records within 50m

0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.

21.3 BGS Measured Urban Soil Chemistry

Records within 50m



0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.



22 Railway infrastructure and projects



22.1 Underground railways (London)

Records within 250m

0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

22.2 Underground railways (Non-London)

Records within 250m

0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.



This data is sourced from publicly available information by Groundsure.

22.3 Railway tunnels

Records within 250m

0

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

22.4 Historical railway and tunnel features

Records within 250m

6

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

Features are displayed on the Railway infrastructure and projects map on [page 136 >](#)

Location	Land Use	Year of mapping	Mapping scale
On site	Railway Sidings	1923	2500
On site	Railway Sidings	1927	10560
On site	Railway Sidings	1955	10560
112m SE	Railway Sidings	1955	10560
204m SE	Railway Sidings	1902	2500
204m SE	Railway Sidings	1923	2500

This data is sourced from Ordnance Survey/Groundsure.

22.5 Royal Mail tunnels

Records within 250m

0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.

This data is sourced from Groundsure/the Postal Museum.



22.6 Historical railways

Records within 250m

10

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

Features are displayed on the Railway infrastructure and projects map on [page 136 >](#)

Location	Description
On site	Abandoned
On site	Abandoned
On site	Abandoned
On site	Historical OSM
On site	Historical OSM
On site	Razed
On site	Historical OSM
On site	Abandoned
163m SE	Historical OSM
175m SE	Razed

This data is sourced from OpenStreetMap.

22.7 Railways

Records within 250m

0

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

22.8 Crossrail 2

Records within 500m

0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.



22.9 HS2

Records within 500m

0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 Ltd.



Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference> ↗.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: www.groundsure.com/terms-and-conditions-april-2023/ ↗.





Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_20
Grid Ref: 352608, 761986

Map Name: County Series


Map date: 1864

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1864
Revised 1864
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1864
Revised 1864
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com



© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf





Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_20
Grid Ref: 352608, 761986

Map Name: County Series


Map date: 1902

Scale: 1:2,500


Printed at: 1:2,500



Surveyed 1902
Revised 1902
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1902
Revised 1902
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com



© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_20
Grid Ref: 352608, 761986

Map Name: County Series


Map date: 1924

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1924
 Revised 1924
 Edition N/A
 Copyright N/A
 Levelled N/A



Surveyed 1924
 Revised 1924
 Edition N/A
 Copyright N/A
 Levelled N/A



Produced by
 Groundsure Insights
 T: 08444 159000
 E: info@groundsure.com
 W: www.groundsure.com

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_20
Grid Ref: 352608, 761986

Map Name: National Grid

Map date: 1968-1969


Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1967
Revised 1967
Edition N/A
Copyright 1968
Levelled 1956

Surveyed 1967
Revised 1967
Edition N/A
Copyright 1969
Levelled 1956



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_20
Grid Ref: 352608, 761986

Map Name: National Grid

Map date: 1969

Scale: 1:2,500

Printed at: 1:2,500



Surveyed N/A
Revised N/A
Edition N/A
Copyright 1969
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com



© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf





Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_20
Grid Ref: 352608, 761986

Map Name: National Grid

Map date: 1995

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1995
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Surveyed 1995
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com




© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf





Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_21
Grid Ref: 352608, 762612

Map Name: County Series


Map date: 1864

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1864
 Revised 1864
 Edition N/A
 Copyright N/A
 Levelled N/A



Produced by
 Groundsure Insights
 T: 08444 159000
 E: info@groundsure.com
 W: www.groundsure.com

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_21
Grid Ref: 352608, 762612

Map Name: County Series



Map date: 1902

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1902
Revised 1902
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_21
Grid Ref: 352608, 762612

Map Name: County Series


Map date: 1924

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com




© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf





Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_21
Grid Ref: 352608, 762612

Map Name: National Grid

Map date: 1968

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1967
 Revised 1967
 Edition N/A
 Copyright 1968
 Levelled 1956



Produced by
 Groundsure Insights
 T: 08444 159000
 E: info@groundsure.com
 W: www.groundsure.com

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf



Site Details:

Section B

Client Ref: P110439UK001
Report Ref: WSP-O2X-EBT-IC1-GAE_LS_20_21
Grid Ref: 352608, 762612

Map Name: National Grid

Map date: 1995

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1995
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com



© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 08 September 2025

Map legend available at:
www.groundsure.com/sites/default/files/groundsure_legend.pdf

