

**Volume 5: Appendix 8.2.22 – Woodland Report:
Rickarton Estate**

Contents:

1.1	Introduction	2
1.2	Purpose of this Woodland Report	2
1.3	Woodland Property	3
1.4	Development Requirements	3
1.5	Woodland Characteristics	4
1.6	Windthrow Risk Impact	6
1.7	Woodland Management Impact	7
1.8	Mitigation Opportunities	7
1.9	Woodland Removal Impact	7
1.10	Compensatory Planting	8

List of Figures

Figure 8.1.22 - Landowner Boundaries

Figure 8.2.22 – Proposed Felling Requirements

1. WOODLAND REPORT: RICKARTON ESTATE

1.1 Introduction

- 1.1.1 This Woodland Report has been prepared by Scottish Hydro Electric Transmission plc (the Applicant) who, operating and known as Scottish and Southern Electricity Networks Transmission (SSEN Transmission), own, operate and develop the high voltage electricity transmission system in the north of Scotland and remote islands.
- 1.1.2 This Woodland Report will accompany an application for Consent under Section 37 of the *Electricity Act 1989*¹ (as amended) and Section 57(2) of the *Town and Country Planning (Scotland) Act 1997* to construct and operate approximately 105.2 kilometres (km) of new double circuit 400 kilovolts (kV) overhead transmission line (OHL) between Kintore and Tealing (hereafter referred to as the 'Proposed Development'). A full description of the Proposed Development and its ancillary works is set out within **Volume 1, Chapter 3: Project Description** of this EIAR.

1.2 Purpose of this Woodland Report

- 1.2.1 As part of the Environmental Impact Assessment (EIA) process, it was identified that the OHL construction and the access tracks required to construct the Proposed Development would cross a number of woodland areas within private or state-owned landholdings.
- 1.2.2 This Woodland Report provides a conceptual assessment of the woodland areas that are affected by the Proposed Development, including the requirement of woodland removal and management recommendations to mitigate the impact of the woodland removal.
- 1.2.3 This Woodland Report relates to land at Rickarton Estate and the relevant landholding property boundary is presented in **Figure 8.1.22: Landowner Boundaries**.
- 1.2.4 Field surveys of the woodland areas have been undertaken and have been used to determine the various woodland characteristics in order to identify the woodland removal required and recommended. This Woodland Report also sets out the area quantity (in hectares (ha)) to be compensatory planted to ensure no net loss of woodland is achieved as required by The Scottish Government's Policy on Control of Woodland Removal².

Requirement and Objectives of the Report

- 1.2.5 This Woodland Report details the works required to the woodland, including the felling and any restocking, due to the construction and operation of the Proposed Development.
- 1.2.6 The objectives of this Woodland Report are to:
- provide an assessment of the woodland areas that are affected by the Proposed Development, including the requirement for woodland removal and management recommendations to mitigate the impact of the woodland removal; and
 - describe any mitigation measures proposed to address likely impacts relating to loss of woodland and windthrow risk and to meet The Scottish Government's Policy on Control of Woodland Removal by identifying the required quantity for compensatory planting.

Limitations and assumptions

- 1.2.7 All data included within this Woodland Report has been gathered from field surveys or desk-based assessments, which includes analysis of nationally held datasets, up to date aerial imagery and field measurements and data collection.

¹ UK Government, 1989. *Electricity Act 1989*. [Online] Available at: <https://www.legislation.gov.uk/ukpga/1989/29/contents>

² Forestry Commission Scotland, 2009. *Scottish Government's Control of woodland Removal Policy* [Online] Available at: <https://www.forestry.gov.scot/publications/285-the-scottish-government-s-policy-on-control-of-woodland-removal>

- 1.2.8 Baseline data was derived from Scotland's environmental web³ and Scottish Forestry map viewer⁴. The data sources identified in **paragraph 8.4.6 of Volume 2, Chapter 8: Forestry** were also used to inform this Woodland Report.
- 1.2.9 Forests (or woodlands) comprise the land, of at least 0.5 ha (UKFS: V5 2023) under areas of trees with a canopy cover of at least 20%, or having the potential to achieve this, including the integral open space, as well as any felled areas awaiting replanting and are identified on the National Forest Inventory (NFI). The term 'forest' and 'forestry' for the purpose of this report is used to refer to areas that are typically coniferous that are managed for commercial timber production. The term 'wood' and 'woodlands' is used to refer to areas that are typically broadleaved and deciduous and not principally managed for timber production.
- 1.2.10 Woodland structure and age for the purpose of this Woodland Report have been categorised into an age class matrix:
- Young – young trees, generally less than 5 years old;
 - Immature – trees between approximately 6-15 years old;
 - Pole Stage – trees between 16 – 30 years old, primarily conifer;
 - Mature – trees considered to be of felling age, 31 –50 years and over; and
 - Established – established range of age classes with mature trees and an understory of younger trees.
- 1.2.11 In addition, to simplify the reader's understanding, a species matrix has been derived to categorise the species along the length of the Proposed Development:
- Felled – trees which have been felled and are awaiting restocking;
 - Mixed Broadleaves – broadleaf trees containing a range of species including native trees such as Oak or Birch, may also contain non-native trees such as Sycamore or Chestnut;
 - Mixed Woodland – a diverse mix of conifer and broadleaf trees with non-native species present;
 - Native Mixed Woodland – mixed woodland containing native broadleaf species such as Oak or Birch and including elements of Scots Pine;
 - Conifer – Conifer species; Sitka spruce, Norway spruce, Larch, Firs or Pines; and
 - Scrub/Regen – areas of unmanaged land with low density, self-seeded trees. A mixture of species with non-native conifer and broadleaf trees present.

1.3 Woodland Property

- 1.3.1 Rickarton Estate (hereinafter referred to as the property) is situated northwest of Stonehaven and is under private ownership. The property is comprised mainly of scrub species including gorse, immature willow and broom. Whilst woodland exists on the property, the area subject to development contains no mature woodland planned for removal.

1.4 Development Requirements

400 kV Overhead Line

- 1.4.1 The Study Area for this assessment is based on the required Operational Corridor (OC) (see **paragraphs 3.8.21 to 3.8.22 in Volume 1, Chapter 3: Project Description**). The Applicant defines the OC as the area in which it has rights to remove woodland for the purposes of the safe construction, resilience and continued maintenance of OHLs, or protection of electrical plant as required by the *Electricity Safety, Quality and Continuity Regulations (ESQCR) 2002 regulations* and the *Electricity Act 1989*. The OC is defined with reference to the distance at which a tree could fall and cause damage to the OHL, resulting in a supply outage. As a result, the final OC width would be based on the safety distance required to allow for a mature tree falling towards the OHL at the mid-point on an OHL span between two Towers, taking account of topography and tree height at maturity. Standard falling distance for a mature conifer tree is considered to be a minimum

³ Scottish Forestry Land Information Search URL: https://map.environment.gov.scot/LIS_Agri/Agri.html

⁴ Scottish Forestry Map Viewer URL:

<https://scottishforestry.maps.arcgis.com/apps/webappviewer/index.html?id=0d6125cfe892439ab0e5d0b74d9acc18>

of 30 m. Where the OC passes through areas of native broadleaved woodland, it is noted that the width of woodland may be reduced, due to the general lower height and characteristics of the tree species present and as will be detailed in the Woodland Retention Plan.

- 1.4.2 The 400 kV OHL standard tower dimensions for the Proposed Development have a width of 11.2 m at the widest part (crossarm) of the tower ie from outside conductor to outside conductor, in addition to this the safety vicinity zone from each conductor is a 5.3 m radius around the conductor.
- 1.4.3 The OHL infrastructure and minimum safety clearance distance is therefore 90 m (45 m either side of the OHL centreline) and this has been utilised to calculate the area of the OC. In some cases, such as angle towers the requirement may be slightly in excess of this distance, however the average minimum distance has been used in this assessment.

Access Track Route Design

- 1.4.4 Access track requirements to facilitate tower construction exceeds outwith OC. Towers N83 to N86 on RE will be accessed from the existing track then via individual, new, permanent tracks feeding each tower respectively. The existing track is to be upgraded. Scrub clearance will be required for the access track works.
- 1.4.5 Sections of new access track (see **Figure 8.2.22: Proposed Felling Requirements**) are required to be built as part of the construction work scope, to service Towers N83 to N86. The new access track build route is located within and outwith the 90 m wide OC and will connect with the existing upgraded track which connects with the public (Slug) road.

1.5 Woodland Characteristics

- 1.5.1 The property is situated to the north of the public (Slug) road and northwest of Stonehaven. This area will be impacted by the development project from Tower N83 to N86.
- 1.5.2 The woodland type impacted by the development project is an area of predominantly scrub consisting of gorse, broom and willow. This is an area of predominantly young scrub and trees with no mature or establishing woodland within the development area. Ground conditions are variable on mostly blanket peat and peaty-gleyed podzols.
- 1.5.3 A desk-based study of the woodland areas was conducted, utilising web-based data provided by Scottish Forestry³ and referencing the Scottish Government's Ancient Woodland Inventory, to identify current woodland environmental designations and classifications.
- 1.5.4 The Scottish Forestry Map Viewer⁴ provides spatial data on the Native Woodland Survey of Scotland⁵ and classifies the woodland types into four categories:
 - Native woodland⁶;
 - Nearly-native woodland⁷;
 - Open land habitat⁸; and
 - Plantations on Ancient Woodland Sites (PAWS)⁹.
- 1.5.5 Desk-based study of the woodland area, using both the Ancient Woodland Inventory and the Native Woodland Survey of Scotland, indicates that there are no designations for either at the property.

⁵ Scottish Forestry Native Woodland Survey of Scotland: Glossary of Terms; URL: <https://www.forestry.gov.scot/publications/75-native-woodland-survey-of-scotland-glossary-of-terms/viewdocument/75>

⁶ Native Woodland – woods where the canopy cover is composed mainly of native species (ie over 50%)

⁷ Nearly Native Woodland - where native species make up between 40% and 50% of the canopy. These are woods that could have potential to be converted into native woodlands by altering their species mix.

⁸ Open Land Habitat – areas with <20% canopy cover of trees and shrubs adjoining a native woodland.

⁹ PAWS - Plantations on Ancient Woodland Sites. These are surveyed in the NWSS where they are recorded in the Scottish ancient woodland inventory (SAWI). These woodlands appear to have originated through natural regeneration sometime before the mid-19th century, but were later converted to planted woods.

Plate 1: Looking north towards Tower N85



- 1.5.6 **Plate 1** shows the variable wood/scrub condition looking north along the existing track, towards Tower N85. Scrub species such as willow, gorse and broom are present with larger areas of bracken and heather throughout.

Plate 2: Looking north from tower N83

- 1.5.7 The total area of scrub clearance proposed is 4.12 ha. The clearance of these areas is subject to landowner agreement and by method of Scottish Forestry approval or Long-Term Forest Plan formal amendment.¹⁰

1.6 Windthrow Risk Impact

- 1.6.1 The ground conditions are variable on mostly blanket peat and peaty-gleyed podzols. The site has a cool, sheltered and moist climate. The soils are 'fresh' moisture status and 'very poor' nutrient status.
- 1.6.2 An assessment was undertaken of the risk of windblow to areas of woodland adjacent to the OC which would be exposed due to the tree clearance required for the OC. This assessment is based on the professional judgement of the forestry surveyor with consideration being given to the soil and moisture regime, the topography, tree species, top height, exposure, altitude and aspect in relation to the prevailing wind direction and any previous management regimes from

¹⁰ This felling is not included within the scope of the proposed development (for the purpose of the application for consent under S37 of the *Electricity Act 1989*). This additional 'management felling' would be subject to a requirement for separate felling licence approval from Scottish Forestry

either, observations at a site level or via an approved management plan. Reference is also made to Forest GALES¹¹ 2.5 Forest Research decision support system. Felling outwith the OC to a windfirm boundary is termed Management Felling and is presented within **Figure 8.2.22: Proposed Felling Requirements**.

- 1.6.3 The site affected by the Proposed Development has a 'Detailed Aspect Method of Scoring' (DAMS)¹² windthrow hazard class score of 11, classified as 'sheltered'. The DAMS score at Rickarton however will not be relevant for the work as there is no woodland marked for clearance. Furthermore, no impact of windthrow risk will be created by the removal of the scrub areas within the OHL OC and access track Corridors.

1.7 Woodland Management Impact

- 1.7.1 The OHL alignment will create additional challenges for the future management of the forest as it dissects existing management coupes and introduces an electrical hazard.
- 1.7.2 The proposed OHL furthermore introduces an electrical hazard, but the constraint associated with the electrical hazard will be reduced by regular maintenance of the OC which will avoid the incidences of "Red Zone" trees (reference FISA 804 "Electricity at Work: Forestry").¹³

1.8 Mitigation Opportunities

- 1.8.1 Prior to the construction phase broadleaf areas will be assessed for further selective felling to identify if greater tree retention can be achieved. This will be dependent on the requirements of the development project and in particular the safety of OHL wiring operations.
- 1.8.2 The Applicant will be using a process of 'managed resilience', which will seek to retain naturally regenerated broadleaved trees and shrubs as close as possible to the line to keep as much tree cover as possible.
- 1.8.3 The OC woodland removal area is required for the construction and functioning of the new OHL infrastructure. Reference to **Section 1.10: Compensatory Planting**, will fully mitigate the OC woodland removal area by replanting the area of woodland removed.
- 1.8.4 No Management Felling has been proposed.

1.9 Woodland Removal Impact

- 1.9.1 Woodland removal area calculations are approximate and have been rounded up to reflect the worst case scenario for removal. Woodland felling will be reduced as much as possible through mitigation.

Table 1: Woodland Removal for Infrastructure

Item	Woodland Type	Area
Scrub/regen clearance	Scrub/regen	4.28 ha

Table 2: Compensatory Planting

Item	Woodland Type	Area
Compensatory Planting Area		0 ha

¹¹ Forest Research (2025). Available at: <http://www.forestdss.org.uk/geoforestdss/> The Detailed Aspect Method of Scoring (DAMS) is a system used to assess wind exposure in forestry and land management. It provides a numerical score that quantifies the level of exposure a site experiences based on factors such as elevation, topography, and aspect (the direction a slope faces). The DAMS score helps foresters predict wind risk, which is crucial for understanding tree stability, growth potential, and the likelihood of windthrow (trees being uprooted or broken by wind). The scoring system ranges from 0 to 24, with higher scores indicating more exposure to wind.

¹² Detailed Aspect method of Scoring (DAMS) Ref. Forest Research, "Forest Gales software programme" and Forestry Commission Leaflet 85 "Windthrow Hazard Classification"

¹³ As specified by the 'Red Zone' set out in paragraph 41 of the Forest Industry Safety Accord (FISA) Safety Guide 804 Electricity at Work: Forestry (2020) FISA 804: <https://ukfisa.com/>

Table 3: Woodland Removal Impact of Infrastructure

Item	Woodland Type	Area
Total Loss of Woodland Area	N/A	0 ha
Total Compensatory Planting Area	N/A	0 ha
Total Net Loss of Woodland Area		0.0 ha

Table 4: Woodland Removal for Management Felling

Item	Woodland Type	Area
Management Felling		0.0 ha
Replanting/Restocking		0.0 ha
Net Loss of Woodland Area		0.0 ha

Note- Felling and restocking approval is via Scottish Forestry Felling Permission application process or Long-Term Forest Plan application or amendment process. This is to be sought by the landowner on whose land the management felling takes place, who is also responsible for all associated restocking operations.

1.10 Compensatory Planting

- 1.10.1 Compensatory planting to achieve the area quantity (hectares) of woodland removal, referenced above will be provided for the OHL and access track OC area and will be in accordance with the Scottish Government's Control of Woodland Removal Policy (CoWRP) of no net loss of woodland.
- 1.10.2 Compensatory planting will be detailed within **Volume 5, Appendix 8.1: Compensatory Planting Management Strategy**.
- 1.10.3 Areas of tree felling required to facilitate construction (where necessary) outside of the OC, temporary access tracks, holding out positions and EPZ (Equi-potential zones) and areas felled to a windfarm boundary will be replanted on site. Replanting of these sites will follow the conditions set out in the Scottish Forestry approved felling permission (where required) and will be the responsibility of the landowner.

356

Blackburn Bridge

MS

Craigneil

802

399

N86

N85


N84

N83

79

90

90



Ordnance Survey data © Crown copyright and database right 2025. OS AC0000813445

Figure 8.1.22
Landowner Boundaries

- Landowner Boundaries
- Proposed Tower - 400kV
(with tower number)
- Proposed OHL Alignment
- 400kV
- 90m Operational Corridor
- Access_Route
- ACCESS - EXISTING
UPGRADE
- ACCESS - NEW STONE
PERM
- Proposed Conductor Pulling
Area (EPZ)

**Proposed Felling
requirements**

- OC
- Scrub

Woodland Type

- BL
- CON/BL



Reproduced by permission of Ordnance Survey on behalf of HMSO.
Crown copyright and database right 2025 all rights reserved.
Ordnance Survey Licence number AC0000813445

Project No:


Project:

Title:

Drawn by:

Date: 18/07/2025

Drawing:



**Figure 8.2.22 Proposed
felling requirements**

- Proposed Tower - 400kV
(with tower number)
- Proposed OHL Alignment
- 400kV
- 90m Operational Corridor
- Access_Route
- ACCESS - EXISTING
UPGRADE
- ACCESS - NEW STONE
PERM
- Proposed Conductor Pulling
Area (EPZ)

**Proposed Felling
requirements**

- OC
- Scrub

Woodland Type

- BL
- CON/BL



Reproduced by permission of Ordnance Survey on behalf of HMSO.
Crown copyright and database right 2025 all rights reserved.
Ordnance Survey Licence number AC0000813445

Project No:

Project:

Title:

Drawn by:

Date: 18/07/2025

Drawing: