

Volume 5: Appendix 8.2.4 – Woodland Report: Loch of Park

Contents:

1.1	Introduction	2
1.2	Purpose of this Woodland Report	2
1.3	Requirement and Objectives of the Report	2
1.4	Woodland Property	3
1.5	Development Requirements	3
1.6	Woodland Characteristics	4
1.7	Windthrow Risk Impact	8
1.8	Woodland Management Impact	8
1.9	Mitigation Opportunities	8
1.10	Woodland Removal Impact	8
1.11	Compensatory Planting	9

Figures

Figure 8.1.4 - Landowner Boundaries

Figure 8.2.4 – Proposed Felling Requirements

1. WOODLAND REPORT: LOCH OF PARK

1.1 Introduction

- 1.1.1 This Woodland Report has been prepared by Scottish Hydro Electric Transmission plc (the Applicant) who, operating and known as Scottish and Southern Electricity Networks Transmission (SSEN Transmission), own, operate and develop the high voltage electricity transmission system in the north of Scotland and remote islands.
- 1.1.2 This Woodland Report will accompany an application for Consent under Section 37 of the *Electricity Act 1989*¹ (as amended) and Section 57(2) of the *Town and Country Planning (Scotland) Act 1997* to construct and operate approximately 105.2 kilometres (km) of new double circuit 400 kilovolts (kV) overhead transmission line (OHL) between Kintore and Tealing (hereafter referred to as the 'Proposed Development'). A full description of the Proposed Development and its ancillary works is set out within **Volume 1, Chapter 3: Project Description** of this EIAR.

1.2 Purpose of this Woodland Report

- 1.2.1 As part of the Environmental Impact Assessment (EIA) process, it was identified that the OHL construction and the access tracks required to construct the Proposed Development would cross a number of woodland areas within private or state-owned landholdings.
- 1.2.2 This Woodland Report provides a conceptual assessment of the woodland areas that are affected by the Proposed Development, including the requirement of woodland removal and management recommendations to mitigate the impact of the woodland removal.
- 1.2.3 This Woodland Report relates to land at Loch of Park and the relevant landholding property boundary is presented in **Figure 8.1.4: Landowner Boundaries**.
- 1.2.4 Field surveys of the woodland areas have been undertaken and have been used to determine the various woodland characteristics in order to identify the woodland removal required and recommended. This Woodland Report also sets out the area quantity (in hectares (ha)) to be compensatory planted to ensure no net loss of woodland is achieved as required by The Scottish Government's Policy on Control of Woodland Removal².

1.3 Requirement and Objectives of the Report

- 1.3.1 This Woodland Report details the works required to the woodland, including the felling and any restocking, due to the construction and operation of the Proposed Development.
- 1.3.2 The objectives of this Woodland Report are to:
- provide an assessment of the woodland areas that are affected by the Proposed Development, including the requirement for woodland removal and management recommendations to mitigate the impact of the woodland removal; and
 - describe any mitigation measures proposed to address likely impacts relating to loss of woodland and windthrow risk and to meet The Scottish Government's Policy on Control of Woodland Removal by identifying the required quantity for compensatory planting.

Limitations and assumptions

- 1.3.3 All data included within this Woodland Report has been gathered from field surveys or desk-based assessments, which includes analysis of nationally held datasets, up to date aerial imagery and field measurements and data collection.

¹ UK Government, 1989. *Electricity Act 1989*. [Online] Available at: <https://www.legislation.gov.uk/ukpga/1989/29/contents>

² Forestry Commission Scotland, 2009. *Scottish Government's Control of woodland Removal Policy* [Online] Available at: <https://www.forestry.gov.scot/publications/285-the-scottish-government-s-policy-on-control-of-woodland-removal>

- 1.3.4 Baseline data was derived from Scotland’s environmental web³ and Scottish Forestry map viewer⁴. The data sources identified in **paragraph 8.4.6 of Volume 2, Chapter 8: Forestry** were also used to inform this Woodland Report.
- 1.3.5 Forests (or woodlands) comprise the land, of at least 0.5 ha (UKFS: V5 2023) under areas of trees with a canopy cover of at least 20%, or having the potential to achieve this, including the integral open space, as well as any felled areas awaiting replanting and are identified on the National Forest Inventory (NFI). The term ‘forest’ and ‘forestry’ for the purpose of this report is used to refer to areas that are typically coniferous that are managed for commercial timber production. The term ‘wood’ and ‘woodlands’ is used to refer to areas that are typically broadleaved and deciduous and not principally managed for timber production.
- 1.3.6 Woodland structure and age for the purpose of this Woodland Report have been categorised into an age class matrix:
- Young – young trees, generally less than 5 years old;
 - Immature – trees between approximately 6-15 years old;
 - Pole Stage – trees between 16 – 30 years old, primarily conifer;
 - Mature – trees considered to be of felling age, 31 –50 years and over; and
 - Established – established range of age classes with mature trees and an understory of younger trees.
- 1.3.7 In addition, to simplify the reader’s understanding, a species matrix has been derived to categorise the species along the length of the Proposed Development:
- Felled – trees which have been felled and are awaiting restocking;
 - Mixed Broadleaves – broadleaf trees containing a range of species including native trees such as Oak or Birch, may also contain non-native trees such as Sycamore or Chestnut;
 - Mixed Woodland – a diverse mix of conifer and broadleaf trees with non-native species present;
 - Native Mixed Woodland – mixed woodland containing native broadleaf species such as Oak or Birch and including elements of Scots Pine;
 - Conifer – Conifer species; Sitka spruce, Norway spruce, Larch, Firs or Pines; and
 - Scrub/Regen – areas of unmanaged land with low density, self-seeded trees. A mixture of species with non-native conifer and broadleaf trees present.

1.4 Woodland Property

- 1.4.1 Loch of Park woodlands (hereinafter referred to as the property) is a private woodland (NGR NO773988) that lies approximately 1 mile to the West of the village of Drumoak, as shown on **Figure 8.1.4: Landowner Boundaries**. The entire woodland property extends to approximately 56.7 ha and is a privately owned woodland. The area is bounded to the west by woodland areas and to the east by agricultural fields. The majority of the woodland property for Loch of Park is covered by Loch of Park Site of Special Scientific Interest (SSSI) designated for Wet woodland and Basin Fen. These woodlands are covered by a Long-Term Forest Plan (LTFP), reference 15FGS00294, which expires in 2026 and has been approved by Scottish Forestry (SF).

1.5 Development Requirements

400kV Overhead Line

- 1.5.1 The Study Area for this assessment is based on the required Operational Corridor (OC) (see **paragraphs 3.8.21 to 3.8.22 in Volume 1, Chapter 3: Project Description**). The Applicant defines the OC as the area in which it has rights to remove woodland for the purposes of the safe construction, resilience and continued maintenance of OHLs, or protection of electrical plant as required by the *Electricity Safety, Quality and Continuity Regulations (ESQCR) 2002 regulations* and the *Electricity Act 1989*. The OC is defined with reference to the distance at which a tree could fall and cause damage to the OHL, resulting in a supply outage. As a result, the final OC width would be based on the safety distance required to allow for a mature tree falling towards the OHL at the mid-point

³ Scottish Forestry Land Information Search URL: https://map.environment.gov.scot/LIS_Agri/Agri.html

⁴ Scottish Forestry Map Viewer URL: <https://scottishforestry.maps.arcgis.com/apps/webappviewer/index.html?id=0d6125cfe892439ab0e5d0b74d9acc18>

on an OHL span between two Towers, taking account of topography and tree height at maturity. Standard falling distance for a mature conifer tree is considered to be a minimum of 30 m. Where the OC passes through areas of native broadleaved woodland, it is noted that the width of woodland may be reduced, due to the general lower height and characteristics of the tree species present and as will be detailed in the Woodland Retention Plan.

- 1.5.2 The 400 kV OHL standard tower dimensions for the Proposed Development have a width of 11.2 m at the widest part (crossarm) of the tower ie from outside conductor to outside conductor, in addition to this the safety vicinity zone from each conductor is a 5.3 m radius around the conductor.
- 1.5.3 The OHL infrastructure and minimum safety clearance distance is therefore 90 m (45 m either side of the OHL centreline) and this has been utilised to calculate the area of the OC. In some cases, such as angle towers the requirement may be slightly in excess of this distance, however the average minimum distance has been used in this assessment.

Access Track Route Design

- 1.5.4 Access track requirements to facilitate tower construction does not encroach into the woodlands. Access to Tower N55 will require the existing access from Coupars Road to be upgraded with a temporary stone track constructed from the existing track to the tower location. Access to Tower N54 will require the construction of a temporary stone track. No tree felling will be required for the access track works.

1.6 Woodland Characteristics

The property is situated approximately 1 mile to the west of the village of Drumoak. The connected woodland to the west of the OC extends to 56.7 ha and has been designated as a SSSI (see **Volume 3, Figure 11.2.4: Designated Sites within 10 km, 5 km and 2 km of the Proposed Development**) for Wet woodland and Basin Fen and is dominated by willow alder woodland.

- 1.6.1 The eastern fringes of the woodland that fall within the OC are not within the SSSI and are similar in composition, being wet woodland dominated by alder, willow and downy birch with sporadic examples of Hazel and Scots pine present.
- 1.6.2 The SSSI woodland will not be directly impacted by the OC, due to the tree heights noted along the OC boundary (alder, willow and birch from 6.9 m to 14.2 m), therefore the OC along this section can be reduced to 32 m on the Western edge of the OC between towers N56 and N53.
- 1.6.3 The woodlands are considered to be established, with a diverse range of age classes across the OC. Maximum top heights recorded were between 6.9 m – 18 m with some younger trees self-seeded in the understory. An area of mature beech trees around 22.9 m in height are present adjacent to the metalled road to the property at Westhill and are situated within the OC approximately 50 m Southwest of Tower N54 (see **Plate 5**).
- 1.6.4 A desk-based study of the woodland areas was conducted, utilising web-based data provided by Scottish Forestry³ and referencing the Scottish Government's Ancient Woodland Inventory, to identify current woodland environmental designations and classifications.
- 1.6.5 The Scottish Forestry Map Viewer⁴ provides spatial data on the Native Woodland Survey of Scotland⁵ and classifies the woodland types into four categories:
- Native woodland⁶;
 - Nearly-native woodland⁷;
 - Open land habitat⁸; and

⁵ Scottish Forestry Native Woodland Survey of Scotland: Glossary of Terms; URL: <https://www.forestry.gov.scot/publications/75-native-woodland-survey-of-scotland-glossary-of-terms/viewdocument/75>

⁶ Native Woodland – woods where the canopy cover is composed mainly of native species (ie over 50%)

⁷ Nearly Native Woodland - where native species make up between 40% and 50% of the canopy. These are woods that could have potential to be converted into native woodlands by altering their species mix.

⁸ Open Land Habitat – areas with <20% canopy cover of trees and shrubs adjoining a native woodland.

- Plantations on Ancient Woodland Sites (PAWS)⁹.

1.6.6 Desk-based study of the woodland area, using both the Ancient Woodland Inventory and the Native Woodland Survey of Scotland, indicates that there are no designations for either at the property.

1.6.7 Plates 2, 3, 4 and 5 show the variable woodland condition impacted by the OHL OC between Tower locations N56 and N54. As can be seen from the plates and observations made during the site survey there is no indication that felling operations have been undertaken.

1.6.8 Desk-based study of the woodland area, using both the Ancient Woodland Inventory and the Native Woodland Survey of Scotland, has identified small areas of Native Woodland as detailed in **Table 1: Woodland type affected by the Proposed Development**.

Table 1: Woodland type affected by the Proposed

Woodland	Ancient semi-natural native broadleaved woodland (ASNW) 1a	Ancient semi-natural native broadleaved woodland (ASNW) 2a	Long Established of Plantation Origin (LEPO) (1b – 1750)	Long Established of Plantation Origin (LEPO) (2b – 1860) -	Other Woodlands (Roy)	Native broadleaved woodland	Total classified woodland area
Loch of Park	-	-	-	-	-	0.72 ha	0.72 ha

*- Rounding errors may occur

Plate 1: Photograph locations



⁹ PAWS - Plantations on Ancient Woodland Sites. These are surveyed in the NWSS where they are recorded in the Scottish ancient woodland inventory (SAWI). These woodlands appear to have originated through natural regeneration sometime before the mid-19th century, but were later converted to planted woods.

Plate 2: Looking North along OC towards tower N55



Plate 3: Looking north along the OC towards tower N54.



Plate 4: Looking north along the OC towards area of willow in the centre of the OC.



Plate 5: Looking West from the OC towards mature beech Southwest of Tower N54



1.7 Windthrow Risk Impact

- 1.7.1 An assessment was undertaken of the risk of windblow to areas of woodland adjacent to the OC which would be exposed due to the tree clearance required for the OC. This assessment is based on the professional judgement of the forestry surveyor with consideration being given to the soil and moisture regime, the topography, tree species, top height, exposure, altitude and aspect in relation to the prevailing wind direction and any previous management regimes from either, observations at a site level or via an approved management plan. Reference is also made to Forest GALES¹⁰ 2.5 Forest Research decision support system. Felling outwith the OC to a windfirm boundary is termed Management Felling and is presented within **Figure 8.2.4: Proposed Felling Requirements**.
- 1.7.2 The woodland site affected by the Proposed Development has a 'Detailed Aspect Method of Scoring' (DAMS)¹¹ windthrow hazard class score of 11 and is classified as sheltered with a low risk of windblow occurring. The site lies on undulating low-lying ground dominated by mineral alluvial and peaty alluvial soils culminating in wet to very wet ground conditions.
- 1.7.3 A minimal impact of windthrow has therefore been assessed for the native and broadleaved woodland areas, due to their location, aspect, tree height and structure, therefore no management felling is deemed to be required.

1.8 Woodland Management Impact

- 1.8.1 The OHL alignment is likely to have minimal impact for the future management. SSSI management of the woodland indicate that only felling to prevent encroachment upon the fen will be required along with the control of scrub to prevent the development of fen into woodland. The constraint associated with the electrical hazard will be reduced by regular maintenance of the OC, which will avoid the incidences of "Red Zone" trees¹².
- 1.8.2 The Proposed Development will permanently remove existing established native woodland from the OC.

1.9 Mitigation Opportunities

- 1.9.1 A reduced OC width of 32 m has been assessed for the areas of native woodland along the Western OC boundary and immediately adjacent to the Loch of Park SSSI.
- 1.9.2 The OC woodland removal area is required for the construction and functioning of the new OHL infrastructure. Reference to **Section 1.10: Compensatory Planting**, will fully mitigate the OC woodland removal area by replanting the area quantity (hectares) of woodland removed.
- 1.9.3 The management felling areas will be replanted by the landowner, in-line with the Scottish Forestry felling licence regulations of the area felled must be replanted.

1.10 Woodland Removal Impact

- 1.10.1 Woodland removal area calculations are approximate and have been rounded up to reflect the worst case scenario for removal, woodland felling will be reduced as much as possible through mitigation.

Table 2: Woodland Removal for Infrastructure

Item	Woodland Type	Area
Infrastructure Felling	Mixed Woodland	0.44 ha
	Mixed broadleaves	0.66 ha

¹⁰ Forest Research (2025). Available at: <http://www.forestdss.org.uk/geoforestdss/>. The Detailed Aspect Method of Scoring (DAMS) is a system used to assess wind exposure in forestry and land management. It provides a numerical score that quantifies the level of exposure a site experiences based on factors such as elevation, topography, and aspect (the direction a slope faces). The DAMS score helps foresters predict wind risk, which is crucial for understanding tree stability, growth potential, and the likelihood of windthrow (trees being uprooted or broken by wind). The scoring system ranges from 0 to 24, with higher scores indicating more exposure to wind.

¹¹ Detailed Aspect method of Scoring (DAMS) Ref. Forest Research, "Forest Gales software programme" and Forestry Commission Leaflet 85 "Windthrow Hazard Classification"

¹² As specified by the 'Red Zone' set out in paragraph 41 of the Forest Industry Safety Accord (FISA) Safety Guide 804 Electricity at Work: Forestry (2020) <https://ukfisa.com/>

Table 3: Compensatory Planting

Item	Woodland Type	Area
Compensatory Planting Area	Native mixed woodland	1.09 ha

Table 4: Woodland Removal Impact of Infrastructure

Item	Woodland Type	Area
Total Loss of Woodland Area	Mixed Woodland / broadleaves	1.09 ha
Total Compensatory Planting Area	Native mixed woodland	1.09 ha
Total Net Loss of Woodland Area		0.00 ha

Table 5: Woodland Removal for Management Felling

Item	Woodland Type	Area
Management Felling		0.00 ha
Replanting/Restocking		0.00 ha
Net Loss of Woodland Area		0.00 ha
Note. Felling approval is via Scottish Forestry Felling Licence application process or Long-Term Forest Plan application or amendment process.		

1.11 Compensatory Planting

- 1.11.1 Compensatory planting to achieve the area quantity (hectares) of woodland removal, referenced above will be provided for the OHL and access track OC area and will be in accordance with the Scottish Government's Policy on Control of Woodland Removal of no net loss of woodland.
- 1.11.2 Compensatory planting will be detailed within **Volume 5, Appendix 8.1: Compensatory Planting Management Strategy**.
- 1.11.3 Areas of tree felling required to facilitate construction (where necessary) outside of the OC, temporary access tracks, holding out positions and EPZ (Equi-potential zones) and areas felled to a windfirm boundary will be replanted on site. Replanting of these sites will follow the conditions set out in the Scottish Forestry approved felling permission (where required) and will be the responsibility of the landowner.




Figure 8.2.4 Proposed felling requirements

- Proposed Tower - 400kV (with tower number)
- Proposed OHL Alignment - 400kV
- 90m Operational Corridor

Ancient Woodland Inventory

- Long-Established (of plantation origin)
- SSSI_SCOTLAND
- ACCESS - EXISTING UPGRADE
- ACCESS - NEW STONE TEMP
- Proposed Conductor Pulling Area (EPZ)

Proposed Felling requirements

- OC
- MF

Woodland Type

- BL
- CON
- Felled Conifer



Reproduced by permission of Ordnance Survey on behalf of HMSO. Crown copyright and database right 2025 all rights reserved. Ordnance Survey Licence number AC0000813445

Project No:
Project:

Title:

Drawn by: Date: 17/07/2025

Drawing:

