




Figure 8.34a Viewpoint 9: View looking south from Torgormack near Broallan
Existing View

Alignment information correct as of 22.12.2024



Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A1
Date and time of photography: 5/3/2024,16:10
Camera & lens: Sony ILCE-7M4, 50mm

Vertical Field of View: 39.6° Horizontal Field of View: 90°
Viewpoint location: X 248406, Y 845531, AOD 179m
Distance (in m) to proposed development and direction of view: 2273 m, 181°
Height of camera above ground: 1.5m

NOTES:
This image provides landscape and visual context only
View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

This image is an existing view to support a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

Fanellan 400kV Substation & Converter Station
Viewpoint 9: View looking south from
Torgormack near Broallan


Existing View





Figure 8.34b Viewpoint 9: View looking south from Torgormack near Broallan
Operational View (Photowire: Fanellan 400kV Substation & Converter Station & SSEN Cumulative
Terminal Towers)

Alignment information correct as of 22.12.2024



- Key:**
- Fanellan 400kV Substation & Converter Station
 - Proposed Beauly to Peterhead 400 kV Overhead Line (BBNP)
 - Proposed Spittal to Beauly 400 kV Overhead Line (SLBB)
 - Proposed Beauly to Denny 400 kV Overhead Line Permanent Diversion and Permanent Tie-ins (to the Proposed Development)

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A1
Date and time of photography: 5/3/2024,16:10
Camera & lens: Sony ILCE-7M4, 50mm

Vertical Field of View: 39.6° Horizontal Field of View: 90°
Viewpoint location: X 248406, Y 845531, AOD 179m
Distance (in m) to proposed development and direction of view: 2273 m, 181°
Height of camera above ground: 1.5m

NOTES:
This image provides landscape and visual context only
View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

This image is a Type 3 photowire and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


Fanellan 400kV Substation & Converter Station
Viewpoint 9: View looking south from Torgormack near Broallan
Operational View
(Photowire: Fanellan 400kV Substation & Converter Station & SSEN Cumulative Terminal Towers)





Figure 8.34c Viewpoint 9: View looking south from Torgormack near Broallan
Operational View (Photowire: SSEN Cumulative Overhead Line Schemes Only)

Alignment information correct as of 22.12.2024



- Key:**
- Fanellan 400kV Substation & Converter Station
 - Proposed Beauly to Peterhead 400 kV Overhead Line (BBNP)
 - Proposed Spittal to Beauly 400 kV Overhead Line (SLBB)
 - Proposed Beauly to Denny 400 kV Overhead Line Permanent Diversion and Permanent Tie-ins (to the Proposed Development)

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A1
Date and time of photography: 5/3/2024,16:10
Camera & lens: Sony ILCE-7M4, 50mm

Vertical Field of View: 39.6° Horizontal Field of View: 90°
Viewpoint location: X 248406, Y 845531, AOD 179m
Distance (in m) to proposed development and direction of view: 2273 m, 181°
Height of camera above ground: 1.5m

NOTES:
This image provides landscape and visual context only
View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

This image is a Type 3 photowire and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


Fanellan 400kV Substation & Converter Station
Viewpoint 9: View looking south from Torgormack near Broallan
Operational View
(Photowire: SSEN Cumulative Overhead Line Schemes Only)





Figure 8.34d Viewpoint 9: View looking south from Torgormack near Broallan
Operational View (Photomontage: Fanellan 400kV Substation & Converter Station & SSEN Cumulative
Terminal Towers - Year 0)

Alignment information correct as of 22.12.2024



- Key:**
- Fanellan 400kV Substation & Converter Station
 - Proposed Beauly to Peterhead 400 kV Overhead Line (BBNP)
 - Proposed Spittal to Beauly 400 kV Overhead Line (SLBB)
 - Proposed Beauly to Denny 400 kV Overhead Line Permanent
 - Diversion and Permanent Tie-ins (to the Proposed Development)

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A1
Date and time of photography: 5/3/2024,16:10
Camera & lens: Sony ILCE-7M4, 50mm

Vertical Field of View: 39.6° Horizontal Field of View: 90°
Viewpoint location: X 248406, Y 845531, AOD 179m
Distance (in m) to proposed development and
direction of view: 2273 m, 181°
Height of camera above ground: 1.5m

NOTES:
This image provides landscape and visual context only
View flat at a comfortable arm's length. If viewing on screen enlarge
to full screen to gain an overview, enlarge to 100% to have a
reasonable impression of the size of the development in the view.

This image is a Type 3 photomontage and has
been produced in accordance with Landscape
Institute Technical Guidance Note 06/19.


Fanellan 400kV Substation & Converter Station
Viewpoint 9: View looking south from
Torgormack near Broallan
Operational View
(Photomontage: Fanellan 400kV Substation & Converter
Station & SSEN Cumulative Terminal Towers - Year 0)





Figure 8.34e Viewpoint 9: View looking south from Torgormack near Broallan
Operational View (Photomontage: SSEN Cumulative Overhead Line Schemes Only - Year 0)

Alignment information correct as of 22.12.2024



- Key:**
- Fanellan 400kV Substation & Converter Station
 - Proposed Beauly to Peterhead 400 kV Overhead Line (BBNP)
 - Proposed Spittal to Beauly 400 kV Overhead Line (SLBB)
 - Proposed Beauly to Denny 400 kV Overhead Line Permanent
 - Diversion and Permanent Tie-ins (to the Proposed Development)

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A1
Date and time of photography: 5/3/2024,16:10
Camera & lens: Sony ILCE-7M4, 50mm

Vertical Field of View: 39.6° Horizontal Field of View: 90°
Viewpoint location: X 248406, Y 845531, AOD 179m
Distance (in m) to proposed development and direction of view: 2273 m, 181°
Height of camera above ground: 1.5m

NOTES:
This image provides landscape and visual context only
View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

This image is a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.


Fanellan 400kV Substation & Converter Station
Viewpoint 9: View looking south from Torgormack near Broallan
Operational View
(Photomontage: SSEN Cumulative Overhead Line Schemes Only - Year 0)





Figure 8.34f Viewpoint 9: View looking south from Torgormack near Broallan
Operational View (Photomontage: Fanellan 400kV Substation & Converter Station & SSEN Cumulative
Terminal Towers - Year 15)

Alignment information correct as of 22.12.2024



- Key:**
- Fanellan 400kV Substation & Converter Station
 - Proposed Beauly to Peterhead 400 kV Overhead Line (BBNP)
 - Proposed Spittal to Beauly 400 kV Overhead Line (SLBB)
 - Proposed Beauly to Denny 400 kV Overhead Line Permanent
 - Diversion and Permanent Tie-ins (to the Proposed Development)

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A1
Date and time of photography: 5/3/2024,16:10
Camera & lens: Sony ILCE-7M4, 50mm

Vertical Field of View: 39.6° Horizontal Field of View: 90°
Viewpoint location: X 248406, Y 845531, AOD 179m
Distance (in m) to proposed development and
direction of view: 2273 m, 181°
Height of camera above ground: 1.5m

NOTES:
This image provides landscape and visual context only
View flat at a comfortable arm's length. If viewing on screen enlarge
to full screen to gain an overview, enlarge to 100% to have a
reasonable impression of the size of the development in the view.

This image is a Type 3 photomontage and has
been produced in accordance with Landscape
Institute Technical Guidance Note 06/19.


Fanellan 400kV Substation & Converter Station
Viewpoint 9: View looking south from
Torgormack near Broallan
Operational View
(Photomontage: Fanellan 400kV Substation & Converter
Station & SSEN Cumulative Terminal Towers - Year 15)





Figure 8.34g Viewpoint 9: View looking south from Torgormack near Broallan
Operational View (Photomontage: SSEN Cumulative Overhead Line Schemes Only - Year 15)

Alignment information correct as of 22.12.2024



- Key:**
- Fanellan 400kV Substation & Converter Station
 - Proposed Beauly to Peterhead 400 kV Overhead Line (BBNP)
 - Proposed Spittal to Beauly 400 kV Overhead Line (SLBB)
 - Proposed Beauly to Denny 400 kV Overhead Line Permanent
 - Diversion and Permanent Tie-ins (to the Proposed Development)

Visualisation Type: Type 3
Projection: Cylindrical
Enlargement Factor: 100% @ A1
Date and time of photography: 5/3/2024,16:10
Camera & lens: Sony ILCE-7M4, 50mm

Vertical Field of View: 39.6° Horizontal Field of View: 90°
Viewpoint location: X 248406, Y 845531, AOD 179m
Distance (in m) to proposed development and direction of view: 2273 m, 181°
Height of camera above ground: 1.5m

NOTES:
This image provides landscape and visual context only
View flat at a comfortable arm's length. If viewing on screen enlarge to full screen to gain an overview, enlarge to 100% to have a reasonable impression of the size of the development in the view.

This image is a Type 3 photomontage and has been produced in accordance with Landscape Institute Technical Guidance Note 06/19.

Fanellan 400kV Substation & Converter Station
Viewpoint 9: View looking south from Torgormack near Broallan
Operational View
(Photomontage: SSEN Cumulative Overhead Line Schemes Only - Year 15)





Alignment information correct as of 22.12.2024

Fanellan 400kV Substation & Converter Station
Figure 8.34-h Viewpoint 9: View looking south from Torgormack near Broallan
 Operational View (Photowire: Fanellan 400kV Substation & Converter Station & SSEN Cumulative Terminal Towers) - 50mm

Viewpoint Location: X 248406, Y 845531 AOD: 179m
 Distance to Development and Direction of view: 2273m, 181°
 Date: 05/03/2024

*The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes.
 The printed image is representative of the Proposed Development, but is not representative of scale or distance.*

Camera: Sony ILCE-7M4
 Lens: 50mm
 Height of camera above the ground: 1.5m



TRANSMISSION



Fanellan 400kV Substation & Converter Station
Figure 8.34-i Viewpoint 9: View looking south from Torgormack near Broallan
 Operational View (Photowire: SSEN Cumulative Overhead Line Schemes Only) - 50mm

Viewpoint Location: X 248406, Y 845531 AOD: 179m
 Distance to Development and Direction of view: 2273m, 181°
 Date: 05/03/2024

*The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes.
 The printed image is representative of the Proposed Development, but is not representative of scale or distance.*

Camera: Sony ILCE-7M4
 Lens: 50mm
 Height of camera above the ground: 1.5m

Alignment information correct as of 22.12.2024



TRANSMISSION



Alignment information correct as of 22.12.2024

Fanellan 400kV Substation & Converter Station
Figure 8.34-j Viewpoint 9: View looking south from Torgormack near Broallan
 Operational View (Photomontage: Fanellan 400kV Substation & Converter
 Station & SSEN Cumulative Terminal Towers - Year 0) - 50mm

Viewpoint Location: X 248406, Y 845531 AOD: 179m
 Distance to Development and Direction of view: 2273m, 181°
 Date: 05/03/2024

Camera: Sony ILCE-7M4
 Lens: 50mm
 Height of camera above the ground: 1.5m

*The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes.
 The printed image is representative of the Proposed Development, but is not representative of scale or distance.*



TRANSMISSION



Alignment information correct as of 22.12.2024

Fanellan 400kV Substation & Converter Station
Figure 8.34-k Viewpoint 9: View looking south from Torgormack near Broallan
 Operational View (Photomontage: SSEN Cumulative Overhead Line
 Schemes Only - Year 0) - 50mm

Viewpoint Location: X 248406, Y 845531 AOD: 179m
 Distance to Development and Direction of view: 2273m, 181°
 Date: 05/03/2024

Camera: Sony ILCE-7M4
 Lens: 50mm
 Height of camera above the ground: 1.5m

*The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes.
 The printed image is representative of the Proposed Development, but is not representative of scale or distance.*



TRANSMISSION



Alignment information correct as of 22.12.2024

Fanellan 400kV Substation & Converter Station
Figure 8.34-I Viewpoint 9: View looking south from Torgormack near Broallan
 Operational View (Photomontage: Fanellan 400kV Substation & Converter Station & SSEN Cumulative Terminal Towers - Year 15) - 50mm

Viewpoint Location: X 248406, Y 845531 AOD: 179m
 Distance to Development and Direction of view: 2273m, 181°
 Date: 05/03/2024

Camera: Sony ILCE-7M4
 Lens: 50mm
 Height of camera above the ground: 1.5m

*The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes.
 The printed image is representative of the Proposed Development, but is not representative of scale or distance.*



TRANSMISSION



Alignment information correct as of 22.12.2024

Fanellan 400kV Substation & Converter Station
Figure 8.34-m Viewpoint 9: View looking south from Torgormack near Broallan
 Operational View (Photomontage: SSEN Cumulative Overhead Line
 Schemes Only - Year 15) - 50mm

Viewpoint Location: X 248406, Y 845531 AOD: 179m
 Distance to Development and Direction of view: 2273m, 181°
 Date: 05/03/2024

*The image should be viewed at a comfortable arm's length (approximately 500mm) and viewed normally with both eyes.
 The printed image is representative of the Proposed Development, but is not representative of scale or distance.*

Camera: Sony ILCE-7M4
 Lens: 50mm
 Height of camera above the ground: 1.5m



TRANSMISSION