



EXISTING 'THURSO (A9)' DIRECTIONAL SIGN POST AND PLATE TO BE REMOVED. SIGN PLATE TO BE RE-INSTALLED ON NEW PASSIVELY SAFE POST IN DEFLECTION ISLAND. SEE INSERT FOR DETAILS.

MILLBANK ROUNDABOUT

EXISTING 'NORTH KESSOCK / CHARLESTON' DIRECTIONAL SIGN POSTS AND PLATE TO BE REMOVED. SIGN PLATE TO BE RE-INSTALLED ON NEW POSTS IN DEFLECTION ISLAND. SEE INSERT FOR DETAILS.

MILLBANK ROUNDABOUT TO NORTH KESSOCK PUBLIC ROAD IMPROVEMENTS

1 : 250

CHARLESTOWN TO NORTHBOUND A9

EXISTING PLAIN FACED BOLLARD AND DIAGRAM 610 BOLLARD TO BE UNBOLTED FROM FOUNDATION AND SET ASIDE UNTIL ABNORMAL LOADS HAVE PASSED. BOLLARDS SHALL THEN BE RE-FITTED TO FOUNDATION CRADLE.

EXISTING 2NR. LIGHTING COLUMNS TO BE REMOVED AND SET ASIDE UNTIL ABNORMAL LOAD HAS PASSED. LIGHTING COLUMN TO BE RE-INSTALLED AT EXISTING POSITION WITH NEW FOUNDATION AND ELECTRICAL CONNECTION.

EXISTING LIT PLAIN FACED BOLLARD AND LIT DIAGRAM 610 BOLLARD TO BE UNBOLTED FROM FOUNDATION AND SET ASIDE UNTIL ABNORMAL LOADS HAVE PASSED. BOLLARDS SHALL THEN BE RE-FITTED TO FOUNDATION LIGHTING UNIT.

EXISTING NORTHBOUND TRAFFIC SIGNAL POLE WITH DEMAND UNIT AND DETECTION EQUIPMENT REMOVED AND SET ASIDE FOR RE-INSTALLATION. TEMPORARY PEDESTRIAN CROSSING UNIT PROVIDED UNTIL RE-INSTALLATION OF SIGNAL POLE TAKES PLACE.

1 : 250

12.5m

NOTES

- DO NOT SCALE FROM THIS DRAWING MANUALLY OR ELECTRONICALLY.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT PROJECT INFORMATION.
- ALL DATUM LEVELS ARE IN METRES AND DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
- WHERE ANY ELECTRIFIED EQUIPMENT IS PROPOSED TO BE MODIFIED, THE SUPPLY SHALL BE ISOLATED PRIOR TO UNDERTAKING ANY MODIFICATION WORK.
- WHERE ANY ROADSIDE FURNITURE IS PROPOSED TO BE MODIFIED, THE AREA SHALL BE SCANNED FOR UNDERGROUND UTILITIES OR PRIVATE INFRASTRUCTURE.
- ALL CONCRETE USED TO FORM NEW TRAFFIC SIGN FOUNDATIONS IN AUGURED EXCAVATIONS SHALL BE ST2 TO SHW TABLE 26/1.

KEY TO DRAWING

- ABNORMAL LOAD ROUTE DIRECTION
- LIGHTING COLUMN TO BE REMOVED AND REINSTATED
- TRAFFIC BOLLARD TO BE REMOVED AND REINSTATED
- TRAFFIC SIGNAL TO BE REMOVED AND RE-INSTATED
- TRAFFIC SIGN TO BE REMOVED AND REINSTATED

P03	13/08/2024	FINAL ISSUE	RL	NG	CB
P02	18/04/2024	DRAWING NUMBER UPDATED	RL	NG	CB
P01	08/04/2024	FIRST ISSUE	RL	NG	CB
Rev	Date	Amendment Details	Dr'n	Chk'	App'

This drawing should not be relied on or used in circumstances other than those for which it was originally prepared and for which Sweco UK Limited was commissioned. Sweco UK Limited accepts no responsibility for this drawing to any party other than the person by whom it was commissioned. Any party which breaches the provisions of this disclaimer shall indemnify Sweco UK Limited for all loss or damage arising therefrom.
COPYRIGHT © Sweco 2022

2nd Floor, Quay 2
139 Fountainbridge
Edinburgh
EH3 9QG
Tel: +44 (0)131 550 6300
Web: www.sweco.co.uk

SWECO

Client

Scottish & Southern
Electricity Networks
TRANSMISSION

Project Title

FANELLAN
400kV SWITCHING STATION AND
HVDC CONVERTOR STATION

Drawing Title

PUBLIC ROAD IMPROVEMENTS
MILLBANK ROUNDABOUT
SHEET 1 OF 1

Purpose Of Issue

PRELIMINARY

Status	S5 FOR REVIEW AND ACCEPTANCE				
Drawn	RL	Designed	RL	Checked	NG
Sheet Size	A1	Scale	AS SHOWN	Sweco Ref	65209842
Drawing Number	LT459-SWE-XX-XX-D-H-0105				