

On the A87 through Strollamus, stop in a safe place and take great care when walking along the side of the road. The VL is located on the seaward side of the road at the entrance to a white house with a wood pole in the garden, opposite a white corrugated iron shed.

FIGURE V4B-2.2a VL2-2 Strollamus Drawing No. - 119026-D-EIA-V4B-2.2a Revision - 1.0.0 Date - 25/08/2022



Tripod Photo

Key

۲

- Proposed OHL Alignment
- ---- Proposed Underground Cable
- Proposed Steel Lattice Tower
- Proposed Sealing End Compound
- Visualisation Location (VL)



Figure V4B-2.2b - Visualisation Location 2-2: Strollamus

OS reference: 159270 E 827023 N Nearest proposed tower: 0.42km Ground level: 7.3m AOD Direction of view: 270° Camera: Sony ILCE 7RM3 Focal length: 50mm vertical (27°) x 28mm horizontal (65.5°) Camera height: 1.5m Date: 31/03/2022 Time: 12:36 Drawing No. - 119026-D-EIA-V4B-2.2B-C-1.0.0 Date - 01.08.2022

The images contained on this page and the following are not representative of scale and distance from the actual viewpoint and shows the proposed development in its wider landscape context only.

IMAGES FOR LANDSCAPE ASSESSMENT



IMAGE FOR VISUAL IMPACT ASSESSMENT



Figure V4B-2.2d - Visualisation Location 2-2: Strollamus When viewed at a comfortable arms length (approx. 500mm), this printed image is representative of our detailed central vision, but is not representative of scale and distance. OS reference: 159270 E 827023 N Nearest proposed tower: 0.42km Ground level: 7.3m AOD Direction of view: 270° Camera: Sony ILCE 7RM3 Focal length: 50mm Camera height: 1.5m Date: 31/03/2022 Time: 12:36 Drawing No. - 119026-D-EIA-V4B-2.2D-1.0.0 Date - 01.08.2022



OS reference: 159270 E 827023 N Nearest proposed tower: 0.42km Ground level: 7.3m AOD Direction of view: 270° Camera: Sony ILCE 7RM3 Focal length: 75mm Camera height: 1.5m Date: 31/03/2022 Time: 12:36 Drawing No. - 119026-D-EIA-V4B-2.2E-1.0.0 Date - 01.08.2022