






- Tower Location
- Temporary Access Track - Cut/Fill
- - - Temporary Access Track - Floating
- Permanent Access Track - Cut/Fill
- - - Permanent Access Track - Floating
- Yellow box Temporary Tower Compound Area
- Orange box Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section
 - Orange line Alignment Section A
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - - Above collision height risk
- Goose Roost Vantage Point Registrations
 - Yellow triangle Less than 5
 - Orange triangle 5 - 10
 - Purple triangle 11 - 25
 - Black triangle 26 - 50
 - Black triangle Greater than 50




SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG

Figure 9.7 - 1
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records





- Tower Location
- Temporary Access Track - Cut/Fill
- Temporary Access Track - Floating
- Temporary Access Track - EPZ
- Permanent Access Track - Cut/Fill
- Permanent Access Track - Floating
- Temporary Tower Compound Area
- Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section
 - Alignment Section A
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - Above collision height risk
- Goose Roost Vantage Point Registrations
 - △ Less than 5
 - ▲ 5 - 10
 - ▲ 11 - 25
 - ▲ 26 - 50
 - ▲ Greater than 50




SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG


Figure 9.7 - 2
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records



PROJECTION: British National Grid




- Tower Location
- Temporary Access Track - Cut/Fill
- Temporary Access Track - Floating
- Temporary Access Track - EPZ
- Permanent Access Track - Cut/Fill
- Permanent Access Track - Floating
- Yellow box Temporary Tower Compound Area
- Orange box Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section
 - Orange line Alignment Section A
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - - Above collision height risk
- Goose Roost Vantage Point Registrations
 - Yellow triangle Less than 5
 - Orange triangle 5 - 10
 - Red triangle 11 - 25
 - Purple triangle 26 - 50
 - Black triangle Greater than 50





SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG

Figure 9.7 - 6
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records

PROJECTION: British National Grid




- Tower Location
- Temporary Access Track - Cut/Fill
- - - Temporary Access Track - Floating
- Temporary Access Track - EPZ
- Permanent Access Track - Cut/Fill
- - - Permanent Access Track - Floating
- Yellow Square Temporary Tower Compound Area
- Orange Square Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section
- Green Line Alignment Section B
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - - - Above collision height risk
- Goose Roost Vantage Point Registrations
 - Yellow Triangle Less than 5
 - Orange Triangle 5 - 10
 - Red Triangle 11 - 25
 - Purple Triangle 26 - 50
 - Black Triangle Greater than 50





SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG

Figure 9.7 - 7
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records




- Tower Location
- Temporary Access Track - Cut/Fill
- Temporary Access Track - Floating
- Temporary Access Track - EPZ
- Permanent Access Track - Cut/Fill
- Permanent Access Track - Floating
- Yellow Square Temporary Tower Compound Area
- Orange Square Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section
- Green Line Alignment Section B
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - Above collision height risk
- Goose Roost Vantage Point Registrations
 - Yellow Triangle Less than 5
 - Orange Triangle 5 - 10
 - Purple Triangle 11 - 25
 - Dark Purple Triangle 26 - 50
 - Black Triangle Greater than 50





SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG

Figure 9.7 - 9
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records



- Tower Location
- Temporary Access Track - Cut/Fill
- Temporary Access Track - Floating
- Temporary Access Track - EPZ
- Permanent Access Track - Cut/Fill
- Permanent Access Track - Floating
- Temporary Tower Compound Area
- Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section
- Alignment Section B
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - Above collision height risk
- Goose Roost Vantage Point Registrations
 - △ Less than 5
 - ▲ 5 - 10
 - ▲ 11 - 25
 - ▲ 26 - 50
 - ▲ Greater than 50




SCALE: See Scale Bar
SIZE: A3
PROJECT: 0720281
DATE: 11/08/2025



VERSION: A02
DRAWN: MW
CHECKED: PW
APPROVED: KG

Figure 9.7 - 10
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records





- Tower Location
- Temporary Access Track - Cut/Fill
- Temporary Access Track - Floating
- Temporary Access Track - EPZ
- Permanent Access Track - Cut/Fill
- Permanent Access Track - Floating
- Yellow Square Temporary Tower Compound Area
- Orange Square Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section
 - Green Line Alignment Section B
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - Above collision height risk
- Goose Roost Vantage Point Registrations
 - Yellow Triangle Less than 5
 - Orange Triangle 5 - 10
 - Red Triangle 11 - 25
 - Purple Triangle 26 - 50
 - Black Triangle Greater than 50



SCALE: See Scale Bar
SIZE: A3
PROJECT: 0720281
DATE: 11/08/2025



VERSION: A02
DRAWN: MW
CHECKED: PW
APPROVED: KG

Figure 9.7 - 11
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records






- Tower Location
- Special Arrangement
- Temporary Access Track - Cut/Fill
- ... Temporary Access Track - Floating
- Temporary Access Track - EPZ
- Permanent Access Track - Cut/Fill
- ... Permanent Access Track - Floating
- Yellow box Temporary Tower Compound Area
- Orange box Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section B
- Alignment Section B
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - - Above collision height risk
- Goose Roost Vantage Point Registrations
 - Yellow triangle Less than 5
 - Orange triangle 5 - 10
 - Red triangle 11 - 25
 - Purple triangle 26 - 50
 - Black triangle Greater than 50





SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG

Figure 9.7 - 12
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records

PROJECTION: British National Grid







- Tower Location
- Alignment Section Break
- Special Arrangement
- Temporary Access Track - Cut/Fill
- Temporary Access Track - Floating
- Temporary Access Track - EPZ
- Permanent Access Track - Cut/Fill
- Permanent Access Track - Floating
- Temporary Tower Compound Area
- Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section
 - Alignment Section B
 - Alignment Section C
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - - Above collision height risk
- Goose Roost Vantage Point Registrations
 - △ Less than 5
 - ▲ 5 - 10
 - ▲ 11 - 25
 - ▲ 26 - 50
 - ▲ Greater than 50



SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG

Figure 9.7 - 13
Spittal - Loch Buidhe - Beauly 400 kV OHL Connection
Goose Roost Survey - Waterfowl and Wader Records



SCALE: See Scale Bar

SIZE: A3

PROJECT: 0720281

DATE: 11/08/2025

VERSION: A02


DRAWN: MW

CHECKED: PW



APPROVED: KG

Figure 9.7 - 14
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records






- Tower Location
- Special Arrangement
- ... Temporary Access Track - Floating
- Temporary Access Track - Cut/Fill
- - - Temporary Access Track - Trackway Panel
- Permanent Access Track - Cut/Fill
- ... Permanent Access Track - Floating
- Yellow box Temporary Tower Compound Area
- Orange box Equipotential Zones (EPZ) (Pulling Position)
- Alignment Section
- Alignment Section C
- Goose Species
 - CU: Curlew
 - GD: Goosander
 - GJ: Greylag Goose
 - GN: Goldeneye
 - MS: Mute Swan
 - OC: Oystercatcher
 - PG: Pink-footed Goose
 - SU: Shelduck
 - T: Teal
 - TU: Tufted Duck
 - WS: Whooper Swan
- Height Band
 - - - Below collision height risk
 - At collision height risk (partly or fully)
 - - Above collision height risk
- Goose Roost Vantage Point Registrations
 - Yellow triangle Less than 5
 - Orange triangle 5 - 10
 - Red triangle 11 - 25
 - Purple triangle 26 - 50
 - Black triangle Greater than 50



SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG

Figure 9.7 - 15
Spittal - Loch Buidhe - Beaulieu 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records



○ Tower Location

Temporary Access Track - Floating

Temporary Access Track - Cut/Fill

Permanent Access Track - Cut/Fill

Permanent Access Track - Floating

Temporary Tower Compound Area

Equipotential Zones (EPZ) (Pulling Position)

Alignment Section

Alignment Section C

Goose Species



- CU: Curlew
- GD: Goosander
- GJ: Greylag Goose
- GN: Goldeneye
- MS: Mute Swan
- OC: Oystercatcher
- PG: Pink-footed Goose
- SU: Shelduck
- T: Teal
- TU: Tufted Duck
- WS: Whooper Swan

Height Band

- - - Below collision height risk
- At collision height risk (partly or fully)
- - Above collision height risk


Goose Roost Vantage Point Registrations

- △ Less than 5
- ▲ 5 - 10
- ▲ 11 - 25
- ▲ 26 - 50
- ▲ Greater than 50



SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG

Figure 9.7 - 16
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records



Tower Location

Temporary Access Track - Floating

Temporary Access Track - Cut/Fill

Permanent Access Track - Cut/Fill

Permanent Access Track - Floating

Temporary Tower Compound Area

Equipotential Zones (EPZ) (Pulling Position)

Alignment Section

Alignment Section D

Goose Species

CU: Curlew

GD: Goosander

GJ: Greylag Goose

GN: Goldeneye

MS: Mute Swan

OC: Oystercatcher

PG: Pink-footed Goose

SU: Shelduck

T.: Teal

TU: Tufted Duck

WS: Whooper Swan

Height Band

Below collision height risk

At collision height risk (partly or fully)

Above collision height risk

Goose Roost Vantage Point Registrations

Less than 5

5 - 10

11 - 25

26 - 50

Greater than 50

SCALE: See Scale Bar	VERSION: A02
SIZE: A3	DRAWN: MW
PROJECT: 0720281	CHECKED: PW
DATE: 11/08/2025	APPROVED: KG

Figure 9.7 - 17
Spittal - Loch Buidhe - Beauly 400 kV OHL
Connection
Goose Roost Survey - Waterfowl and Wader
Records

PROJECTION: British National Grid
© Landmark Information Group Limited and/or its Data Suppliers (All rights reserved 2010). Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community, Esri, USGS
Path: \\uksprdgisfs01\Data\London\Projects\0652629 - SSE Beauly to Loch Buidhe\Maps\0720281 - SLBB - Ornithology.aprx / 0720281 - SLBB - EIA - Ornithology - 9.7 Goose Roost Survey - A01 (10k)

