

Wireline Drawing - Proposed Development Shown In Red

Proposed Development Special Arrangements - Permanent diversion works required to existing 132 kV and 275 kV lines to enable the construction of the Proposed Development are shown in blue ----- Vertical Limit of Deviation: the maximum height of a tower above ground level

V4a Figure 7-49a Viewpoint 49: Inveroykel Culrain Road

Beauly to Spittal OHL





OS reference: Eye Level: Direction of view: Distance to Development: 256793 896426 15m AOD 113° Horizontal field of view: Principal distance:

0.55 km


(90° cylindrical projection) Camera: 812.5mm Lens:


Camera height:

Date and time:

Canon EOS R5 50mm (Canon AF 50mm f/1.2) 1.5m AGL 10/12/2024 10:45









OS reference:
Eye Level:
Direction of view:
Distance to Development:

256793 896426 15m AOD 113° 0.55 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5mm
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Camera: Lens: Camera height: Date and time:

Canon EOS R5 50mm (Canon AF 50mm f/1.2) 1.5m AGL 10/12/2024 10:45





V4a Figure 7-49cViewpoint 49: Inveroykel Culrain Road

Beauly to Spittal OHL