

Wireline Drawing - Proposed Development Shown In Red

Proposed Development Special Arrangements - Permanent diversion works required to existing 132 kV and 275 kV lines to enable the construction of the Proposed Development are shown in blue ------ Vertical Limit of Deviation: the maximum height of a tower above ground level

V4a Figure 7-84a Viewpoint 84: Achonochie Road (east of Marybank)

Beauly to Spittal OHL





OS reference: Eye Level: Direction of view: Distance to Development: Horizontal field of view: Principal distance:

247515 853801

27m AOD


265°


1.7 km

(90° cylindrical projection) Camera: 812.5mm

Canon EOS R5 50mm (Canon AF 50mm f/1.2) 1.5m AGL Camera height: 06/11/2024 15:10 Date and time:







OS reference: Eye Level: Direction of view: Distance to Development:

247515 853801 27m AOD 355° 1.7 km

Horizontal field of view: Principal distance:


(90° cylindrical projection) Camera: 812.5mm Lens:

Camera height: Date and time:

Canon EOS R5 50mm (Canon AF 50mm f/1.2) 1.5m AGL 06/11/2024 15:10









OS reference:
Eye Level:
Direction of view:
Distance to Development:

247515 853801 27m AOD 327° 1.7 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5mm
Paper size: 841 x 297 mm
Correct printed image size: 820 x 260 mm

Canon EOS R5 50mm (Canon AF 50mm f/1.2) 1.5m AGL 06/11/2024 15:10



