




Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Development Shown In Red  
Proposed Development Special Arrangements - Permanent diversion works required to existing 132 kV and 275 kV lines to enable the construction of the Proposed Development are shown in blue  
----- Vertical Limit of Deviation: the maximum height of a tower above ground level

**Figure: CHVP-02.1a**  
Cultural Heritage Viewpoint 02: Guidebest, stone circle

Beauly to Spittal OHL




OS reference: 315308 933138  
Eye Level: 76m AOD  
Direction of view: 257°  
Distance to Development: 0.865 km

Horizontal field of view: (90° cylindrical projection)  
Principal distance: 812.5mm

Camera:  
Lens:  
Camera height:  
Date and time:

Canon EOS R5  
50mm (Canon AF 50mm f/1.2)  
1.5m AGL  
31/01/2025 11:45









Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Development Shown In Red  
Proposed Development Special Arrangements - Permanent diversion works required to existing 132 kV and 275 kV lines to enable the construction of the Proposed Development are shown in blue  
----- Vertical Limit of Deviation: the maximum height of a tower above ground level



OS reference: 315308 933138  
Eye Level: 76m AOD  
Direction of view: 348°  
Distance to Development: 0.865 km


Horizontal field of view: (90° cylindrical projection)  
Principal distance: 812.5mm

Camera: Canon EOS R5  
Lens: 50mm (Canon AF 50mm f/1.2)  
Camera height: 1.5m AGL  
Date and time: 31/01/2025 11:45



**Figure: CHVP-02.1b**  
Cultural Heritage Viewpoint 02: Guidebest, stone circle  
**Beaulieu to Spittal OHL**





Wireline Drawing - Proposed Development Shown In Red  
Proposed Development Special Arrangements - Permanent diversion works required to existing 132 kV and 275 kV lines to enable the construction of the Proposed Development are shown in blue  
----- Vertical Limit of Deviation: the maximum height of a tower above ground level

View flat at a comfortable arm's length

**Figure: CHVP-02.1c**  
Cultural Heritage Viewpoint 02: Guidebest, stone circle



OS reference: 315308 933138  
Eye Level: 76m AOD  
Direction of view: 302°  
Distance to Development: 0.865 km

Horizontal field of view: 53.5° (planar projection)  
Principal distance: 812.5mm  
Paper size: 841 x 297 mm  
Correct printed image size: 820 x 260 mm

Camera: Canon EOS R5  
Lens: 50mm (Canon AF 50mm f/1.2)  
Camera height: 1.5m AGL  
Date and time: 31/01/2025 11:45





Photomontage

View flat at a comfortable arm's length

OS reference:	315308 933138	Horizontal field of view:	53.5° (planar projection)	Camera:	Canon EOS R5
Eye Level:	76m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	302°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	0.865 km	Correct printed image size:	820 x 260 mm	Date and time:	31/01/2025 11:45

