



Plate 132: View northwest from Achkinloch chambered cairn Asset 79/SM419 towards Proposed Development, overlooking Achkinloch stone setting Asset 40/SM420




Plate 133: View west from Achkinloch chambered cairn Asset 79/SM419 and Achkinloch stone setting Asset 40/SM420 towards Proposed Development



# Beauly to Loch Buidhe to Spittal 400Kv Overhead Line, Highland: Walkover Survey and Setting Sensitivity Assessment Appendix 5: Design Refinement and Mitigation Advice

*AOC Project Number: 27571*

*June 2025*



## Contents

Table 1: Early Design Refinement Advice to Reduce Potentially Significant Setting Impacts .....	4
Table 2: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.1 .....	5
Table 3: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.2 .....	10
Table 4: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.3 .....	14
Table 5: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.4 .....	17
Table 6: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.5 .....	25
Table 7: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section B1.1 .....	34
Table 8: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section B1.2 .....	42
Table 9: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section C1.1 .....	51
Table 10: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section C1.2 .....	54
Table 11: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section D1.1 .....	55
Table 12: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section D1.2 .....	60
Table 13: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section E1.1 .....	65
Table 14: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section E1.2 .....	68
Table 15: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section E1.3 .....	71
Table 16: Potential Broad Mitigation Recommendations – North Alignment.....	71
Table 17: Potential Broad Mitigation Recommendations – South Alignment .....	72

## Design Refinement and Mitigation Advice

This appendix details potential design refinement and mitigation advice for construction works in proximity to heritage assets recorded during the walkover survey and setting assessment undertaken by AOC Archaeology Group.

This advice pertains to the tower and access track infrastructure layout of November 2024, which is expected to change through design alteration and refinement by the time of the publication of the Environmental Impact Assessment (EIA) Report. It should be noted therefore that there will likely be changes to tower locations and numbers in the final infrastructure layout that will make the tower numbers referenced within this appendix inconsistent for a like-for-like comparison. The advice does not cover additional infrastructure such as construction of compound and laydown areas, cable tracks, drainage features, and so on, which will form part of the overall infrastructure layout but were not included within the November 2024 infrastructure layout.

This advice has been prepared for use by SSEN-T and their consultants during the EIA process to prepare mitigation strategies to support Chapter 12: Cultural Heritage of the EIA Report. The design refinement and mitigation recommendations presented within this appendix should therefore be used as a baseline to inform the final presented mitigation recommendations only and not implemented as-is from this document.

Table 1: Early Design Refinement Advice to Reduce Potentially Significant Setting Impacts

Asset No.	Asset Name and Designation No.	Design Refinement Advice
1	Buolacrabher, chambered cairn 1350m SSW of, SM5224	It is unlikely that micro-siting of towers would reduce the adverse impacts to such a degree that they could be downgraded to a non-significant level of effect. Movement of the alignment further south or further north would reduce the impacts on the significant intervisible relationship the asset shares with associated assets Asset 82/SM445 and Asset 54/SM425.
11	Dun Mor, fort, SM4979	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly further northeast or southwest, there could be significant minimisation of adverse effects.
14	Loedebest, chambered cairn 400m WNW of, SM5163	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly further east, there could be significant minimisation of adverse effects.
41	Cairn Liath, long cairn and round cairn, SM438	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly further east, there could be significant minimisation of adverse effects.
52	Caen, long cairn 530m NW of, Helmsdale, SM432	The topography of the area is such that localised micro-siting of towers within the Caen Burn glen area would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. It would need to be moved substantially further east to cross somewhere in the vicinity of the existing OHL to avoid significant impacts upon settings of this asset and its associated cairns.
63	Carrol, broch 600m SSW of, Loch Brora, SM1846	Adjusting the alignment in proximity to the non-designated Killin broch (Asset 121) to maintain intervisibility
69	Clach Mhic Mhios, standing stone, Glen Loth 4000m N of Lothbeg Bridge, SM1778	Sensitive siting of the alignment in the lower-lying ground to the east may help to minimise the visual impact the alignment would have on the stone, particularly if the towers can be kept below the ridgelines.
70	Caen, long cairn 460m NNW of, SM1771	The topography of the area is such that localised micro-siting of towers within the Caen Burn glen area would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. The Proposed Development would need to be moved substantially further east to cross somewhere in the vicinity of the existing OHL to avoid significant impacts upon settings of this asset and its associated cairns.
77	Caen, long cairn and round cairn 470m and 490m W of, SM1770	The topography of the area is such that localised micro-siting of towers within the Caen Burn glen area would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. It would need to be moved substantially further east to cross somewhere in the vicinity of the existing OHL to avoid significant effects upon settings of this asset and its associated cairns.
78	Caen Burn West, 935m WNW of Caen, SM13647	The topography of the area is such that localised micro-siting of towers within the Caen Burn glen area would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. It would need to be moved substantially further east to cross somewhere in the vicinity of the existing OHL to avoid significant effects upon settings of this asset and its associated cairns.
82	Buolacrabher, chambered cairn 1550m S of, SM445	It is unlikely that micro-siting of towers would reduce the adverse impacts to such a degree that they could be downgraded to a non-significant level of effect. Movement of the alignment further south or further north would reduce the impacts on the significant intervisible relationship the asset shares with associated assets Asset 6/SM5224 and Asset 54/SM425.
85	Balnacrae, chambered cairn 230m WSW of, SM2396	The topography of the area is such that localised micro-siting of towers would not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly north, so that it runs along the top of the north side of the strath, or just beyond this ridgeline, preserving the key views along the strath to the northeast and southwest, there could be significant minimisation of adverse effects.
9	Invershin Farm, settlement and burnt mound 500m E of, SM5497	The topography of the area is such that localised micro-siting of towers would not lessen the impacts to the kerb cairn part of this asset to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly north or south this could reduce the overall level of effect.
15	Loedebest, cairn 500m SSE of, SM5191	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level. If the alignment could be moved significantly further east, there could be significant minimisation of adverse effects.
20	Dun Garbhlaich, fort, Kilmorack, SM2422	The topography is such that unless the alignment were moved fairly far to the north, beyond the ridgeline presented in this view, or further south so that the alignment extends below within the strath, it is unlikely that micro-siting of towers would reduce the adverse impacts to such a degree that they could be downgraded to a non-significant level of effect.
31	Rinsary, homestead 500m WNW of, Berriedale, SM3473	None; the existing OHL restricts movement of the Proposed Development to the south, the topography limits the possibility to micro-site the nearby tower to facilitate the watercourse span, and the presence of more sensitive assets to the northwest prohibits movement further north.
35	Langwell Tulloch, broch 400m SE of Tural Rock, SM3441	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they would result in a non-significant level of effect. If the alignment could be moved significantly further east, there could be significant minimisation of adverse effects, but this increases the likelihood for significant effects on other assets.

Asset No.	Asset Name and Designation No.	Design Refinement Advice
40	Achkinloch, stone setting SW of, Loch Stemster, SM420	To minimise additional screening of the westward views, the Proposed Development towers should aim to be aligned with the extant OHL towers so that when viewed from the stone setting, they stand in front of the extant OHL towers to maintain the windows of visibility beyond.
43	Achorn, broch 200m NW of, SM511	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly further south beyond the south ridgeline, there could be significant minimisation of adverse effects.
48	Clais-Cairn, chambered cairn 550m SW of, SM424	The topography of the area is such that localised micro-siting of towers would likely not lessen the cumulative impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly further west, this could potentially minimise the impacts.
49	Upper Borgue, standing stone 410m SSE of, SM502	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly further southwest, this could potentially minimise the impacts.
50	Upper Borgue, broch, SM596	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly further southwest, different aspects of the broch's setting could be preserved and the impacts would potentially be minimised.
54	Bridge of Badnagie, chambered cairn 610m NNW of, SM425	It is unlikely that micro-siting of towers would reduce the adverse impacts to such a degree that they could be downgraded to a non-significant level of effect. Movement of the alignment further south or further north would reduce the impacts on the significant intervisible relationship the asset shares with associated assets Asset 6/SM5224 and Asset 82/SM445.
60	Invershin Farm, standing stone 220m ENE of, SM1791	The topography is such that unless the alignment were moved fairly far to the south, or to the north beyond the nearby farm buildings and trees, it is unlikely that micro-siting of towers would reduce the adverse impacts to such a degree that they could be downgraded to a non-significant level of effect.
61	East Kinnauld, fort 1000m NE of Eiden, SM1861	The topography is such that unless the alignment were moved fairly far to the east or west, it is unlikely that micro-siting of towers would reduce the adverse cumulative impacts to such a degree that they could be downgraded to a non-significant level of effect.
62	East Kinnauld School, broch NE of, SM1862	The topography is such that unless the alignment were moved fairly far to the east or west, it is unlikely that micro-siting of towers would reduce the adverse cumulative impacts to such a degree that they could be downgraded to a non-significant level of effect.
72	Turnal Rock, hut circle complex 250m NW of Langwell Tulloch broch, SM13631	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly further east, there could be significant minimisation of adverse effects, but this increases the likelihood for significant impacts on other assets.
76	Caen, hut circles and souterrain 982m, 1035m and 1083m NNW of, SM1841	The topography of the area is such that localised micro-siting of towers would likely not lessen the impacts to such a degree that they could be downgraded to a non-significant level of effect. If the alignment could be moved significantly further southeast, there could be significant minimisation of adverse effects.
79	Achkinloch, chambered cairn 755m SW of, Loch Stemster, SM419	To minimise additional screening of the westward views, the Proposed Development towers should aim to be aligned with the extant OHL towers so that when viewed from the cairn, they stand in front of the extant OHL towers to maintain the windows of visibility beyond.
81	Carradh nan Clach, two standing stones, SM1775	The topography and viewshed to the north is such that the Proposed Development would be visible at any distance within the glen, and visible spanning the view over the Glen Loth Burn; mitigation measures are unlikely to be effective unless the alignment is moved to the northwest side of Glen Loth where it would be on the periphery of the setting.
83	Carn na Buaile, fort 750m NNW of Comrie, Contin, SM11056	The alignment up and over the strath could be amended to align further northeast to extend up within a dip formed by the Allt an Torrain Bhaeanaich stream, and so be less obtrusive against the ridgeline.

Table 2: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.1

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Design No.	Significance	Advice
A1.1	683.1	Building, Langergill	Building	MHG49293	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1	683.2	Building, Langergill	Building	MHG49293	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Design No.	Significance	Advice
A1.1	692	Track, Crofts of Hillpark	Track	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1	155.1	Building, Langergill	Building	MHG19047	ND15SE 20.00	n/a	Low	Currently none asset-specific required due to distant location in relation to Tower 11 and access track location
A1.1	155.3	Building, Langergill	Building	MHG19047	ND15SE 20.00	n/a	Low	Currently none asset-specific required due to distant location in relation to Tower 11 and access track location
A1.1	155.2	Structure, Langergill	Structure	MHG19047	ND15SE 20.00	n/a	Low	Currently none asset-specific required due to distant location in relation to Tower 11 and access track location
A1.1	776	Settlement, Knockanruah	Farmstead	MHG19157	ND15NE 23	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1	206	Building, Langergill	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	684.1	Building, Crofts of Hillpark	Building	MHG19758	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	684.2	Structure, Crofts of Hillpark	Structure	MHG19758	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	780	Boundary dyke, Banniskirk	Dyke	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	691	Dyke, Crofts of Hillpark	Dyke	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	693	Sheepfold, Crofts of Hillpark	Sheepfold	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location
A1.1	777	Sheepfold, Knockanruah	Sheepfold	MHG33110	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; while infrastructure layout is not detailed, it appears likely this asset will be removed as part of the Proposed Development.
A1.1	1014.1	Building, Lady's Moss	Building	MHG19822	n/a	n/a	Low	Currently none asset-specific required due to distant location of North Towers 8 and 9 and access track.
A1.1	1014.2	Kale yard, Lady's Moss	Kale yard	MHG19822	n/a	n/a	Low	Currently none asset-specific required due to distant location of North Towers 8 and 9 and access track.
A1.1	1007	Boundary ditch, Achalone	Ditch	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1	155.7	Hollow, Langergill	Other	MHG19047	ND15SE 20.00	n/a	Low	Currently none asset-specific required due to distant location in relation to Tower 11/access track location.
A1.1	155.4	Structure, Langergill	Other	MHG19047	ND15SE 20.00	n/a	Low	Currently none asset-specific required due to distant location in relation to Tower 11/access track location.



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Design No.	Significance	Advice
A1.1	150.2	Structure, Loch of Toftingall	Farmstead	MHG18918	ND15SE 16.00	n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 18.
A1.1	150.1	Structure, Loch of Toftingall	Farmstead	MHG18918	ND15SE 16.00	n/a	Low	Archaeological monitoring during groundworks in the vicinity of the north end of access track to North Tower 18 and Asset 150.1 to investigate sub-surface potential for archaeological remains.
A1.1 (directly adjacent to access track corridor to section)	1008.1	Building, Achalone	Structure	MHG19155	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1008.2	Corn drying kiln, Achalone	Kiln	MHG19155	ND15NE 21	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1008.3	Building, Achalone	Structure	MHG19155	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1	610	Mound, Black Hillocks	Mound	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; microsite access track c10m south; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.1	687	Clearance cairn, Crofts of Hillpark	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1	688	Clearance cairn, Crofts of Hillpark	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1	779	Boundary dyke, Banniskirk	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	683.3	Enclosure, Langergill	Enclosure	MHG49293	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	778	Boundary ditch, Achalone	Boundary ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	685	Dyke, Crofts of Hillpark	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	686	Ditch, Crofts of Hillpark	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	689	Dyke, Crofts of Hillpark	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Design No.	Significance	Advice
A1.1	690	Ditch, Crofts of Hillpark	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 1 and 13 recommended given the density of assets and hospitable environment
A1.1	155.6	Enclosure, Langergill	Enclosure	MHG19047	ND15SE 20.00	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 11 and access track location.
A1.1	1009.2	Ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1	684.3	Well, Lady's Moss	Well	MHG19758	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1006	Culvert, Banniskirk	Other	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1012	Drainage ditch, Achalone	Other	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1003	Track, Achalone	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1004	Boundary ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1002	Boundary ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1005	Boundary ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1009.12	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1009.11	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1009.10	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track)	1009.9	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Design No.	Significance	Advice
corridor to section)								
A1.1 (in access track corridor to section)	1009.8	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1009.3	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1009.4	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1009.5	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1009.6	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1009.7	Drainage ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1008.2	Field system, Achalone	Ditch	MHG19155	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.1 (in access track corridor to section)	1009.1	Ditch, Achalone	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Table 3: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.2

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.2	616	Building, Achavanich	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas within the interior of the enclosure Asset 613 recommended
A1.2	614	Mound, Achavanich	Mound	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas within the interior of the enclosure Asset 613 recommended
A1.2	615	Mound, Achavanich	Mound	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas within the interior of the enclosure Asset 613 recommended
A1.2	663	Structure, Crofts of Benachielt	Structure	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; microsite access track between Assets 663 and 665 while maintaining a 10m buffer; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	665	Shieling, Crofts of Benachielt	Shieling	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; microsite access track to run between Assets 664 and 665 while maintaining a minimum 10m buffer; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	671	Shieling, Sithean Mor	Shieling	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c10m west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	670	Hut circle, Sithean Mor	Hut circle	n/a	n/a	n/a	Low	Currently none specific required due to distant location of North Tower 45 and access track
A1.2	676	Hut circle, Hill of Rangag	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	682	Structure, Burn of Tacher	Structure	n/a	n/a	n/a	Low	Currently none specific required due to distant location of North Tower 36 and access track
A1.2	608.3	Farmstead, Halsary	Enclosure	MHG53513	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.2	608.2	Farmstead, Halsary	Enclosure	MHG53513	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.2	608.1	Farmstead, Halsary	Farmstead	MHG53513	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.2	871.4	Building, Crofts of Benachielt	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	871.7	Kale yard, Crofts of Benachielt	Kale yard	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.2	871.6	Building, Crofts of Benachielt	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	664	Shieling, Crofts of Benachielt	Shieling	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; microsite access track between Assets 663 and 665 while maintaining a 10m buffer; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	672	Quarry, Sithean Mor	Quarry	n/a	n/a	n/a	Negligible	Currently none specific required due to distant location of North Tower 44 and access track
A1.2	666	Mound, Crofts of Benachielt	Mound	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; microsite access track c10m west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	675	Clearance cairn, Hill of Rangag	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none specific required due to distant location of North Tower 43 and access track
A1.2	677	Mound, Hill of Rangag	Mound	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	679	Peat cutting, Leavad	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.2	680	Peat cutting, Leavad	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.2	620	Peat cutting, Lochend	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.2	621	Peat cutting, Lochend	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.2	622	Peat cutting, Lochend	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.2	624	Peat cutting, Lochend	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.2	871.2	Clearance cairn, Crofts of Benachielt	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	871.3	Pen, Crofts of Benachielt	Pen	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	609	Ditch, Halsary Burn	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to nature of asset and location.
A1.2	613	Enclosure, Burn of Aultlachlevan	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas within the interior of the enclosure Asset 613 recommended
A1.2	612	Track, Achavanich	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								archaeological evaluation of groundworks areas within the interior of the enclosure Asset 613 recommended
A1.2	607	Quarry, Halsary	Quarry	MHG53515	n/a	n/a	Negligible	Currently none asset-specific required due to distant location and type
A1.2	611	Peat cutting, Achavanich	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location and type
A1.2	618	Ditch, Achavanich	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	623	Track, Lochend	Track	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.2	617	Dyke, Achavanich	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	619	Ditch, Achavanich	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	667	Ditch and bank, Crofts of Benachielt	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	668	Dyke, Achavanich	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	669	Hollow, Achavanich	Hollow	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.2	673	Dyke, Sithean Mor	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; microsite access track further east; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	674	Ditch and dyke, Hill of Rangag	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.2	678	Dyke, Burn of Badachraskach	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.2	681	Enclosure, Burn of Tacher	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas within the interior of the enclosure Asset 681 recommended
A1.2	871.1	Dyke, Crofts of Benachielt	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	667	Ditch and bank, Crofts of Benachielt	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of North Towers 57 and access track.
A1.2	871.8	Enclosure, Crofts of Benachielt	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m externally; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone or within the interior of the enclosure; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.2	658.6	Dyke, Crofts of Benachielt	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.2 (in access track corridor to section)	1010.1	Peat cutting, Allt an Fheòir	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.2 (in access track corridor to section)	1010.2	Peat cutting, Allt an Fheòir	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.2, A1.3	871.5	Track, Crofts of Benachielt	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Table 4: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.3

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.2, A1.3	871.5	Track, Crofts of Benachielt	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	628.1	Building, Braehungie	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	631	Building, Braehungie	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	658.2	Building, Crofts of Benachielt	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c10m west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.3	648	Hut circle, Crofts of Benachielt	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	649	Hut circle, Crofts of Benachielt	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	653	Hut circle, Crofts of Benachielt	Hut circle	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location
A1.3	655	Building, Crofts of Benachielt	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; microsite access track between crofts Asset 661 and edge of dyke Asset 656; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	660	Structure, Crofts of Benachielt	Structure	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location
A1.3	658.3	Building, Crofts of Benachielt	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track further west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	658.4	Structure, Crofts of Benachielt	Structure	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track further west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	661.1	Structure, Crofts of Benachielt	Structure	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track further west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	661.2	Building, Crofts of Benachielt	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track further west; targeted evaluation of building if micrositing track is not possible; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	650.2	Building, Crofts of Benachielt	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track further east; targeted evaluation of building if micrositing track is not possible; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	644	Clearance cairn, Braehungie	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.3	646	Clearance cairn, Braehungie	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none specific required due to distant location of North Tower 62 and access track
A1.3	647	Clearance cairn, Braehungie	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none specific required due to distant location of North Tower 62 and access track
A1.3	659	Clearance cairn, Crofts of Benachielt	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.3	662	Clearance cairn, Crofts of Benachielt	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.3	650.4	Clearance cairn, Crofts of Benachielt	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 57 to 61 recommended given the density of assets and hospitable environment
A1.3	628.2	Dyke, Braehungie	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	630	Dyke, Braehungie	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	629	Dyke, Braehungie	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	630	Dyke, Braehungie	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.3	645	Ditch, Braehungie	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	650.1	Enclosure, Crofts of Benachielt	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; micro-site access track further east; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	656	Enclosure, Crofts of Benachielt	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; microsite access track between crofts Asset 661 and edge of dyke Asset 656; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	651	Dyke, Crofts of Benachielt	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	657	Enclosure, Crofts of Benachielt	Enclosure	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.3	658.1	Dyke, Crofts of Benachielt	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; microsite access track further west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	658.5	Dyke, Crofts of Benachielt	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; microsite access track further west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.3	661.3	Enclosure, Crofts of Benachielt	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; microsite access track further west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	650.5	Dyke, Crofts of Benachielt	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m microsite access track further east; targeted evaluation of dyke if microsite track is not possible; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	650.1	Enclosure, Crofts of Benachielt	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; microsite access track further west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	650.3	Enclosure, Crofts of Benachielt	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; microsite access track further east; targeted evaluation of building if microsite track is not possible; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	652	Wall, Crofts of Benachielt	Wall	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.3	654	Dyke, Crofts of Benachielt	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Table 5: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.4

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.4	44	Achorn Bridge, prehistoric and post medieval settlement 400m ENE of	Prehistoric settlement			SM512	High	Scheduled Monument Consent required for any ground works within SM area; demarcation and buffer zone of 5m to NE of SM area, between asset and existing track; archaeological monitoring during groundworks that fall within a surrounding 50m buffer zone.
A1.4	31	Rinsary, homestead 500m WNW of, Berriedale	Prehistoric settlement			SM3473	High	Scheduled Monument Consent required for any ground works within SM area; demarcation and buffer zone of 20m; archaeological monitoring during groundworks that fall within a surrounding 50m buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	35	Langwell Tulloch, broch 400m SE of Tural Rock	Broch			SM3341	High	Scheduled Monument Consent required for any ground works within SM area; demarcation and buffer zone of 5m to NE of SM area, between asset and existing track; archaeological monitoring during groundworks that fall within a surrounding 50m buffer zone.
A1.4	836	Possible cairn, Loedebest	Cairn	MHG13573	n/a	n/a	Medium	Demarcation and buffer zone of 20m; microsite access track c20m NW; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	818	Hut circle, Langwell	Hut circle	MHG819	ND02SE 21	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	771	Hut circle, Longall	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.4	759	Possible hut circle, Langwell	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	108.1	Hut circle, Ousdale Burn	Hut circle	MHG814	ND02SE 16	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 125 and 128 recommended given the density of assets and hospitable environment
A1.4	108.3	Possible hut circle, Ousdale Burn	Hut circle	MHG814; MHG39434	ND02SE 16	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 125 and 128 recommended given the density of assets and hospitable environment
A1.4	108.4	Hut circle, Ousdale Burn	Hut circle	MHG814	ND02SE 16	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 125 and 128 recommended given the density of assets and hospitable environment
A1.4	825	Corn drying kiln, Ousdale Burn	Kiln	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 125 and 128 recommended given the density of assets and hospitable environment
A1.4	625	Possible shieling, Rinsary	Shieling	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location of Tower 107; access track detail not given however; general archaeological evaluation of groundworks

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	635	Shieling, Braehungie	Shieling	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location of North Tower 64 and access track
A1.4	770	Shieling, Beinn nan Coireag	Shieling	n/a	n/a	n/a	Low	Currently none specific required due to distant location of North Tower 104 and access track
A1.4	781	Possible structure, Cnoc Reile	Structure	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track 10m NW; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	703.2	Building, Buoltach	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track 10m east; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	703.3	Building, Buoltach	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	706	Building, Buoltach	Building	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 69 and access track location
A1.4	707	Building, Buoltach	Building	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 69 and access track location
A1.4	722	Possible structure, Burn of Houstry	Structure	MHG13591	ND13SE 104	n/a	Low	Currently none asset-specific required due to distant location in relation to Tower 77 location
A1.4	724	Building, Burn of Houstry	Building	MHG13591	ND13SE 104	n/a	Low	Currently none asset-specific required due to distant location in relation to Tower 77 location
A1.4	723	Structure, Burn of Houstry	Structure	MHG13591	ND13SE 104	n/a	Low	Currently none asset-specific required due to distant location in relation to Tower 77 location
A1.4	752	Hut circle, Langwell	Hut circle	MHG2427	ND02SE 6	n/a	Low	Demarcation and buffer zone of 20m; targeted evaluation and archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	837.1	Building, Braehiller	Building	MHG13576	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 80 and Allt an Learanaich burn to the NE of Tower 81 recommended given the density of assets and hospitable environment
A1.4	751	Building, Langwell	Building	MHG28685	ND02SE 39	n/a	Low	Currently none asset-specific required due to distant location of North Tower 115 and access track; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	755	Building, Langwell	Building	MHG39806	n/a	n/a	Low	Currently none asset-specific required due to distant location of North Tower 114 and access track; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	704	Structure, Buoltach	Structure	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track west c10m if possible as the subterranean extent of the asset is unknown
A1.4	867	Cairn, Houstry Burn	Cairn	MHG28698		n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 78 and access track location.
A1.4	868	Hut circle, Houstry Burn	Hut circle	MHG28699		n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 78 and access track location.
A1.4	763	Souterrain, Rinsary	Souterrain	MHG2544	ND12SW 22	n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 110; access track details not known however; general archaeological



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	775	Spring, Longall	Spring	MHG13506	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	875	Possible Structure, Braehiller	Structure	MHG13579	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	876	Standing Stone, The Dogs	Standing stone	MHG32405		n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 98 and access track location.
A1.4	725	Cist and cairn, Braehiller	Cairn; cist	MHG13578	n/a	n/a	Low/Medium	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	809	Findspot, Upper Borgue	Findspot	n/a		n/a	Negligible	Walkover/inspection of stream course for further small finds; archaeological evaluation and/or monitoring during groundworks for Tower 96; archaeological evaluation and/or monitoring during groundwork for access tracks to North Tower 96 and North Tower 94 from Borgue farm road
A1.4	805	Quarry, Upper Borgue	Quarry	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	806	Clearance cairn, Upper Borgue	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	810	Possible peat stack, Upper Borgue	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	817	Borrow pit, Langwell	Quarry	MHG39431	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of Tower 114 and access track
A1.4	819.1	Clearance cairn, Langwell	Clearance cairn	MHG39438	ND02SE 21	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	819.3	Clearance cairn, Langwell	Clearance cairn	MHG39438	ND02SE 21	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	819.4	Clearance cairn, Langwell	Clearance cairn	MHG39438	ND02SE 21	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	816.2	Quarry, Langwell	Quarry	n/a	ND02SE 21	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	816.1	Quarry, Langwell	Quarry	n/a	ND02SE 21	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	819.2	Clearance cairn, Langwell	Clearance cairn	MHG39438	ND02SE 21	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.4	773	Peat cutting, Longall	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	774	Peat cutting, Longall	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	757	Peat cutting, Langwell	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	758	Quarry, Langwell	Quarry	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of Towers 113, 114 and access track
A1.4	761	Dyke, Langwell	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of Tower 112 and access track
A1.4	760	Quarry, Langwell	Quarry	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	762	Earthwork, Langwell	Earthwork	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	766	Clearance cairn, Rinsary	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	108.5	Clearance cairn, Ousdale Burn	Clearance cairn	MHG814	ND02SE 16	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 125 and 128 recommended given the density of assets and hospitable environment
A1.4	750	Peat cutting, Creagan Cosach	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	826	Peat Cutting. Allt Braigh nam Meur	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	769	Peat cutting, Beinn nan Coireag	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	767	Clearance cairn, Rinsary	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of Tower 107; access track detail not given however; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	627	Clearance cairn, Rinsary	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	634	Hollow, Braehungie	Hollow	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of North Tower 64 and access track
A1.4	636	Clearance cairn, Braehungie	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	637.1	Clearance cairn, Braehungie	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.4	637.2	Clearance cairn, Braehungie	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	638	Hollow, Braehungie	Hollow	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	768	Peat cutting, Beinn nan Coireag	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	829	Structure, Achorn	Structure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	703.1	Enclosure, Buoltach	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; microsite access track 10m east; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	708	Clearance cairn, Buoltach	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 69 and access track .
A1.4	709	Enclosure, Buoltach	Enclosure	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 69 and access track .
A1.4	711	Bridge, Buoltach	Bridge	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset (bridge in use)
A1.4	713	Enclosure, Braehungie	Enclosure	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 69 and access track location
A1.4	728	Bridge, Burn of Houstry	Structure	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to Tower 77 location
A1.4	840.2	Peat cutting, Creag Thoraraidh	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	842.2	Peat cutting, Caen Hill	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	842.1	Peat cutting, Lower Caen	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	824	Peat cutting, Ousdale Burn	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	754	Rig and furrow, Langwell	Rig and furrow	MHG28687	ND02SE 40	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 114 and access track location; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	764	Rig and furrow, Rinsary	Rig and furrow	MHG29210	ND12SW 73	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	807	Earthwork, Upper Borgue	Earthwork	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	808.3	Peat cutting, Upper Borgue	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	811	Peat cutting, Upper Borgue	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	833.2	Peat cutting, Bad Fearn	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.4	833.1	Peat cutting, Bad Fearn	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	716	Peat cutting, Cnoc na Snathaid	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	715	Peat cutting, Cnoc na Snathaid	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	866.1	Peat cutting, Burn of Houstry	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	866.2	Peat cutting, Burn of Houstry	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	866.4	Peat cutting, Burn of Houstry	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	866.3	Peat cutting, Burn of Houstry	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	808.1	Peat cutting, Upper Borgue	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	808.2	Peat cutting, Upper Borgue	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	108.6	Dyke, Ousdale Burn	Dyke	MHG814	ND02SE 16	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 125 and 128 recommended given the density of assets and hospitable environment
A1.4	108.2	Dyke, Ousdale Burn	Dyke	MHG814	ND02SE 16	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 125 and 128 recommended given the density of assets and hospitable environment
A1.4	626	Dyke, Rinsary	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 and 109 recommended given the density of assets and hospitable environment
A1.4	632.2	Ditch and bank, Braehungie	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.4	632.1	Ditch and bank, Braehungie	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.4	633	Dyke, Braehungie	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.4	632.4	Ditch and bank, Braehungie	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.4	632.3	Ditch and bank, Braehungie	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.4	632.5	Ditch and bank, Braehungie	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.4	639	Dyke, Braehungie	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	640	Quarry, Braehungie	Quarry	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	641	Ditch, Braehungie	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	643	Dyke, Braehungie	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	837.2	Dyke, Braehiller	Dyke	MHG13576	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 80 and Allt an Learanaich burn to the NE of Tower 81 recommended given the density of assets and hospitable environment
A1.4	828	Quarry, Achorn	Quarry	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; microsite access track further north/northwest; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.4	831	Dykes, Allt Tarsuinn	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.4	832	Bank and ditch, Bad Fearn	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; microsite access track further west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	834	Quarry, Bad Fearn	Quarry	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	835	Peat cutting, Loedebest Wood	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.4	830	Dyke, Achorn	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	831	Dykes, Allt Tarsuinn	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.4	699	Ditch, Buoltach	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	712	Bank, Braehungie	Bank	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	694	Track, Cnoc Reile	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	700	Dyke, Buoltach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	701	Track, Buoltach	Track	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.4	710	Dyke, Buoltach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	714	Track, Cnoc na Snathaid	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	717	Track, Cnoc na Snathaid	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	719	Ditch and bank, Burn of Houstry	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.4	720	Ditch and bank, Burn of Houstry	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.4	721	Dyke, Burn of Houstry	Dyke	MHG13591	ND13SE 104	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	726	Enclosure, Burn of Houstry	Enclosure	MHG13591	ND13SE 104	n/a	Negligible	Currently none asset-specific required due to distant location in relation to Tower 77 location.
A1.4	727	Enclosure, Burn of Houstry	Enclosure	MHG13591	ND13SE 104	n/a	Negligible	Currently none asset-specific required due to distant location in relation to Tower 77 location.
A1.4	841	Track, Creag Thoraraidh	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	753	Enclosure, Langwell	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; targeted evaluation and archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	756	Dyke, Langwell	Dyke	MHG39806	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	765	Enclosure, Rinsary	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	642	Dyke, Braehungie	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.4	837.2	Dyke, Braehiller	Dyke	MHG13576	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 80 and Allt an Learanaich burn to the NE of Tower 81 recommended given the density of assets and hospitable environment
A1.4	756	Dyke, Langwell	Dyke	MHG39806	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 107 to 116 recommended given the density of assets and hospitable environment
A1.4	772	Boundary stone, Longall	Boundary stone	MHG13507	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Towers 99 and access track location
A1.4	718	Cairn, Burn of Houstry	Cairn	MHG1155	ND13SE 28	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Towers 75 and 76 and their access track locations.

Table 6: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section A1.5

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.5	211.10	Structure, Uaigh Bheag	Structure	MHG54757	NC91SW 50.00	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c10m east; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	211.5	Corn drying kiln, Uaigh Bheag	Kiln	MHG54757	NC91SW 50.00	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	70	Caen, long cairn 460m NNW of	Long cairn			SM1771	High	Scheduled Monument Consent required for any ground works within SM area; demarcation and buffer zone of 50m; direct impacts unlikely considering distant locations of North Towers 146 and 147; access track details not known however; archaeological monitoring for groundworks within additional 20m buffer
A1.5	77	Caen, long cairn and round cairn 470m and 490m W of	Long cairn; round cairn; hut circle			SM1770	High	Scheduled Monument Consent required for any ground works within SM area; demarcation and buffer zone of 50m; direct impacts unlikely considering distant locations of North Tower 148 and access track location; archaeological monitoring for groundworks within additional 50m buffer
A1.5	428.3	Corn drying kiln, Uaigh Bheag	Kiln	MHG13174	NC91SW 54.00	n/a	Low	Currently none asset-specific required due to distant location to access track; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	428.4	Corn drying kiln, Uaigh Bheag	Kiln	MHG13174	NC91SW 54.00	n/a	Low	Currently none asset-specific required due to distant location to access track; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	211.4	Building, Uaigh Bheag	Building	MHG54757	NC91SW 50.00	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c10m east; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	435	Hut circle, Uaigh Bheag	Enclosure	MHG13174	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	119.4	Hut circle, Glen Sletdale	Hut circle	MHG10048	NC91SW 19.00	n/a	Low	Currently none asset-specific required due to distant location to access track; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	119.11	Hut circle, Glen Sletdale	Hut circle	MHG10048	NC91SW 19.00	n/a	Low	Currently none asset-specific required due to distant location to access track; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.5	118	Hut circle, Glen Sletdale	Hut circle	MHG10049	NC91SW 18.00	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	443.2	Corn-drying kiln, Coille Bad Mheasain	Kiln	MHG13173	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	119.2	Hut circle, Glen Sletdale	Hut circle	MHG10027	NC91SW 7.00	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	119.6	Hut circle, Glen Sletdale	Hut circle	MHG10048	NC91SW 19.00	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	966	Hut circle, Beinn na Meilich	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.5	802	Hut circle, Glen Sletdale	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes access track will utilise existing track to north); general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	854	Corn drying kiln, Lower Caen	Structure	n/a	ND01NW 117.00	n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 148 and access track location
A1.5	881	Hut Circle, Allt Sgealbach	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	892.1	Hut circle, Allt Sgealbach	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; recommend micro-siting access track to run west of assets along corridor to avoid direct impacts; if micro-siting not feasible, archaeological evaluation and archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	445	Hut circle, Gable burn	Hut circle	MHG9981	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	428.1	Building, Uaigh Bheag	Building	MHG13174	NC91SW 54.00	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.5	214.1	Building, Uaigh Bheag	Building	MHG13174	NC91SW 54.00	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	211.3	Building, Uaigh Bheag	Building	MHG54757	NC91SW 50.00	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset; any groundworks to the west of the asset likely to require evaluation and/or archaeological monitoring; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	443.1	Building, Coille Bad Mheasain	Building	MHG13173	n/a	n/a	Low	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	967	Earthwork, Oulmsdale Burn	Earthwork	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.5	820	Building, Sletdale Burn	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	844.1	Hut circle, Caen Hill	Hut circle	MHG10128	n/a	n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 146 and 147 locations.
A1.5	849	Sheepfold, Lower Caen	Sheepfold	n/a	ND01NW 117.00	n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 148 and access track location.
A1.5	850	Building, Lower Caen	Building	EHG6056 (No MON records)	n/a	n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 148 and access track location.
A1.5	857	Building, Lower Caen	Building	EHG6056 (No MON records)	n/a	n/a	Low	Currently none asset-specific required due to distant location in relation to North Tower 148 and access track location.
A1.5	963	(possible) Kerb cairn, Beinn na Meilich	Cairn	n/a	n/a	n/a	Low/Medium	Demarcation and buffer zone of 20m; microsite access track c10m to the south to avoid impacts; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.5	852	Marker post, Lower Caen	Other	n/a		n/a	Negligible	Currently none asset-specific required due to location in relation to North Tower 148 and access track location.
A1.5	212	Enclosure, Uaigh Bheag	Enclosure	n/a	NC91SW 51.00; NC91SW 52.00	n/a	Negligible	Demarcation and buffer zone of 10m; microsite access track c10m west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	428.5	Clearance cairn, Uaigh Bheag	Clearance cairn	MHG13174	NC91SW 54.00	n/a	Negligible	Currently none asset-specific required due to distant location to access track; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.5	440	Clearance cairn, Uaigh Bheag	Clearance cairn	MHG9934	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	211.1	Farmstead, Uaigh Bheag	Building	MHG54757	NC91SW 50.00	n/a	Negligible	Demarcation and buffer zone of 20m; microsite access track c10m east; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	211.9	Clearance cairn, Uaigh Bheag	Clearance cairn	MHG54757	NC91SW 50.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	434	Clearance cairn, Uaigh Bheag	Clearance cairn	MHG13174	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	436	Clearance cairn, Uaigh Bheag	Clearance cairn	MHG13174	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	437	Clearance cairn, Uaigh Bheag	Clearance cairn	MHG13174	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	439.1	Peat cutting, Uaigh Bheag	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to asset type; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	439.2	Peat cutting, Uaigh Bheag	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to asset type; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	444	Marker cairn, Coille Bad Mheasaina	Marker cairn	MHG13173	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	449	Borrow pit, Glen Sletdale	Borrow pit	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes any potential access track will utilise existing track to south); general archaeological evaluation of groundworks areas between North Tower 171



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	451	Borrow pit, Glen Sletdale	Borrow pit	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes any potential access track will utilise existing track to south); general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	119.1	Clearance cairn, Glen Sletdale	Clearance cairn	MHG10027	NC91SW 7.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	119.5	Clearance cairn, Glen Sletdale	Hut circle	MHG10048	NC91SW 19.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone assumes any potential access track will utilise existing track to south); general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	454	Clearance cairn, Glen Sletdale	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location to Towers 183 and 184 and access tracks; general archaeological evaluation between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	458	Clearance cairn, Allt nan Tullachan	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	965.3	Improved ground, Beinn na Meilich	Field system	MHG11533(?)	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.5	965.2	Mound, Beinn na Meilich	Mound	MHG11533(?)	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.5	964	Clearance cairn, Beinn na Meilich	Clearance cairn	MHG11533(?)	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
A1.5	801	Mound, Glen Sletdale	Mound	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes any potential access track will utilise existing track to north); general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	821	Mound, Badenahaulish	Mound	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.5	843	Possible platform, Caen Hill	Platform	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	851.2	Clearance cairn, Lower Caen	Clearance cairn	n/a	ND01NW 117.00	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 148 and access track location

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.5	851.1	Clearance cairn, Lower Caen	Clearance cairn	n/a	ND01NW 117.00	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 148 and access track location
A1.5	855	Storage pits, Lower Caen	Other	n/a	ND01NW 117.00	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 148 and access track location.
A1.5	892.3	Platform or clearance cairn, Allt Sgealbach	Platform	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m in case this is a structure; recommend micro-siting access track to run west of assets along corridor to avoid direct impacts; if micro-siting not feasible, archaeological evaluation and archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	504.3	Peat cutting, Asc na Greine	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.5	504.4	Peat cutting, Asc na Greine	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.5	504.5	Peat cutting, Asc na Greine	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.5	822	Peat cutting, Badenahaulish	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.5	968.1	Peat cutting, Eldrable Burn	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.5	968.2	Peat cutting, Eldrable Burn	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.5	878.1	Peat cutting, Eldrable Hill	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.5	878.2	Peat cutting, Eldrable Hill	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.5	877.1	Borrow pit, Eldrable Hill	Borrow pit	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.5	877.2	Borrow pit, Eldrable Hill	Borrow pit	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.5	970	Peat cutting, Lower Caen	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
A1.5	423	Track, Glen Loth	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	425	Dyke, Glen Loth	Dyke	MHG54757	NC91SW 50.00	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset; any groundworks to the west of the asset likely to require evaluation and/or archaeological monitoring; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	211.6	Dyke, Uaigh Bheag	Dyke	MHG54757	NC91SW 50.00	n/a	Negligible	Demarcation and buffer zone of 5m; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	211.7	Dyke, Uaigh Bheag	Dyke	MHG54757	NC91SW 50.00	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset; any groundworks to the west of the asset likely to require evaluation and/or archaeological monitoring; general

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	211.8	Dyke, Uaigh Bheag	Dyke	MHG54757	NC91SW 50.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	426	Dyke, Uaigh Bheag	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m;; archaeological monitoring during groundworks that may impact the asset; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	427	Dyke, Uaigh Bheag	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	428.2	Dyke, Uaigh Bheag	Dyke	MHG13174	NC91SW 54.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	428.6	Dyke, Uaigh Bheag	Dyke	MHG13174	NC91SW 54.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	214.2	Dyke, Uaigh Bheag	Dyke	MHG13174	NC91SW 54.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	438	Dyke, Uaigh Bheag	Dyke	MHG13174	NC91SW 54.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	424	Dyke, Glen Loth	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset; any groundworks to the west of the asset likely to require evaluation and/or archaeological monitoring; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	211.2	Enclosure, Uaigh Bheag	Enclosure	MHG54757	NC91SW 50.00	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	961	Dyke, Uaigh Bheag	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset; any groundworks to the west of the asset likely to require evaluation and/or archaeological monitoring; general

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	430	Dyke, Uaigh Bheag	Dyke	MHG13174	NC91SW 54.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	431	Dyke, Uaigh Bheag	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	432	Dyke, Uaigh Bheag	Dyke	MHG13174	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	433	Dyke, Uaigh Bheag	Dyke	MHG13174	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	119.11	Ditch, Glen Sletdale	Ditch	MHG10048	NC91SW 19.00	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	447	Dyke, Glen Sletdale	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	448	Dyke, Glen Sletdale	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset (although asset is modern, prehistoric remains could survive below); general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	119.9	Lynchet, Glen Sletdale	Lynchet	MHG10048	NC91SW 19.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	453	Dyke, Glen Sletdale	Dyke	MHG13173	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	456.1	Borrow pit, Glen Sletdale	Quarry	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	456.2	Dyke, Glen Sletdale	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	457	Dyke, Beinn na Meilich	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	965.1	Bank, Beinn Mhealaich	Bank	MHG11533(?)	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
A1.5	969	Track, Eldrable Burn	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	800	Dyke, Glen Sletdale	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	971.2	Track, Caen	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	971.1	Track, Caen	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	844.2	Platform, Caen Hill	Platform	MHG10128	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 146 and 147 locations.
A1.5	848	Enclosure, Lower Caen	Enclosure	n/a	ND01NW 117.00	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 148 and access track location.
A1.5	853	Dyke, Lower Caen	Dyke	EHG6056 (No MON records)	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 148 and access track location.
A1.5	880	Track, Allt Sgealbach	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	894	Track, Allt Sgealbach	Track	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to North Tower 149 and access track location.
A1.5	892.2	Hut circle, Creag Marail	Hut circle	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; recommend micrositing access track to run west of assets along corridor to avoid direct impacts; if micrositng not feasible, archaeological evaluation and archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	823	Track, Badenahaulish	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
A1.5	959	Track, Badenahaulish	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
A1.5	450	Enclosure, Glen Sletdale	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes access track will utilise existing track to south); general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	433	Dyke, Uaigh Bheag	Dyke	MHG13174	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 171



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5	874.1	Track, Creag Marail	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5	874.2	Track, Creag a' Choire	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
A1.5 (in access track corridor to section)	441	Dyke, Loth Burn	Dyke	MHG19337	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset; general archaeological evaluation of groundworks areas between North Tower 171 and Sletdale burn SW of Tower 188 recommended given the density of assets
A1.5/B1.1	504.2	Peat cutting, Asc na Greine	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset

Table 7: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section B1.1

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
A1.5/B1.1	504.2	Peat cutting, Asc na Greine	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	375	Clearance cairn, Carrol	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	376	Structure, Uppat Estate	Structure	MHG53871	NC80NW 24	n/a	Low	Currently none asset-specific required due to distant location
B1.1	121	Broch, Killin	BR	MHG10805	NC80NE 3.00	n/a	Medium	Demarcation and buffer zone of 30m; microsite access track c50m to the south to avoid impacts; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	490.8	Possible burnt mound, Killin	Burnt mound	n/a	n/a	n/a	Low	Currently asset-none specific required due to distant location;
B1.1	502	Corn drying kiln	Kiln	MHG10799	NC80NE 20	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	487	Hut circle, Killin	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	488	Possible hut circle, Killin	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.1	489	Possible hut circle, Killin	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c10m to the south to avoid impacts; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	490.1	Possible burnt mound, Killin	Burnt mound	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c10m to the south to avoid impacts; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	500	Building, Killin	Building	MHG10799	NC80NE 20	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c10m to the north to avoid impacts; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	115.1	Hut circle, Allt nan Sgeith	Hut circle	MHG10597	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	115.2	Hut circle, Allt nan Sgeith	Hut circle	MHG10597	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	601	Structure, Allt nan Sgeith	Structure	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	139.2	Building, Allt Cnoc na Gamhna	Structure	MHG10398	NC70SE 49.00	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c10m west; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
B1.1	115.3	Hut circle, Allt nan Sgeith	Hut circle	MHG10597	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	115.5	Hut circle, Allt nan Sgeith	Hut circle	MHG10597	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	115.4	Hut circle, Bridge of Horn	Hut circle	MHG10597	n/a	n/a	Low	Demarcation and buffer zone of 20m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	139.1	Building, Allt Cnoc na Gamhna	Building	MHG10398	NC70SE 49.00	n/a	Low	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
B1.1	381	Peat cutting, Coire an Uisgeachaidh	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	380	Bridge, Carrol	Bridge	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.1	378.1	Peat stack, Carrol	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	378.2	Peat cutting, Carrol	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	490.2	Clearance cairn, Killin	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	490.3	Clearance cairn, Killin	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	490.5	Clearance cairn, Killin	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	492.1	Cistern, Killin	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location and type of asset; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	492.2	Mound, Killin	Mound	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	490.7	Clearance cairn, Killin	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	477	Peat cutting, Creag an Lochain Deirg	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	490.4	Clearance cairn, Killin	Mound	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	490.6	Clearance cairn, Killin	Mound	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	490.10	Clearance cairn, Clyne	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	501.1	Mound, Killin	Possible structure	MHG10799	NC80NE 20	n/a	Negligible	Demarcation and buffer zone of 20m; microsite access track c10m to the north to avoid impacts; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	501.2	Mound, Killin	Possible structure	MHG10799	NC80NE 20	n/a	Negligible	Demarcation and buffer zone of 20m; microsite access track c10m to the north to avoid impacts; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.1	600.1	Clearance cairn, Bridge of Horn	Clearance cairn	MHG10597	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.1	115.7	Clearance cairn, Allt nan Sgeith	Clearance cairn	MHG10597	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	600.2	Clearance cairn, Bridge of Horn	Clearance cairn	MHG10597	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.1	600.3	Clearance cairn, Bridge of Horn	Clearance cairn	MHG10597	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.1	600.4	Clearance cairn, Bridge of Horn	Clearance cairn	MHG10597	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.1	600.6	Clearance cairn, Bridge of Horn	Clearance cairn	MHG10597	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.1	600.7	Clearance cairn, Bridge of Horn	Clearance cairn	MHG10597	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.1	115.8	Clearance cairn, Allt nan Sgeith	Clearance cairn	MHG10597	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	115.9	Clearance cairn, Allt nan Sgeith	Clearance cairn	MHG10597	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	115.10	Clearance cairn, Allt nan Sgeith	Clearance cairn	MHG10597	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	139.4	Lazy beds, Allt Cnoc na Gamhna	Field system	MHG10398	NC70SE 49.00	n/a	Negligible	Demarcation and buffer zone of 10m; microsite access track c10m west; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
B1.1	476	Peat cutting, Creag an Lochain Deirg	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	478	Peat cutting, Am Bru-lochan	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.1	480.1	Peat cutting, An Dubh Lochan	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	480.2	Peat cutting, An Dubh Lochan	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	480.3	Peat cutting, An Dubh Lochan	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	480.4	Peat cutting, An Dubh Lochan	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	480.5	Peat cutting, An Dubh Lochan	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	481.2	Peat cutting, An Dubh Lochan	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	481.1	Peat cutting, An Dubh Lochan	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	484	Peat cutting, Clyne	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	491	Peat cutting, Clyne	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	483.1	Clearance cairn, Killin	Clearance cairn	MHG10799	NC80NE 20	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	483.2	Clearance cairn, Killin	Clearance cairn	MHG10799	NC80NE 20	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	504.1	Peat cutting, Asc na Greine	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.1	374.2	Dyke, Carrol	Dyke	MHG53871	NC80NW 24	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	374.3	Pen, Carrol	Pen	MHG19558	NC80NW 24	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	374.4	Dyke, Carrol	Dyke	MHG19558	NC80NW 24	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	377	Ditch, Carrol	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	379.1	Peat cutting, Coire an Uisgeachaidh	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.1	379.2	Peat cutting, Coire an Uisgeachaidh	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.1	485	Track, Clyne	Track	MHG30283	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	486	Dyke, Clyne	Dyke	MHG25168	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	503	Enclosure, Killin	Enclosure	MHG10799	NC80NE 20	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	496	Enclosure, Killin	Enclosure	MHG10799	NC80NE 20	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	495	Enclosure, Killin	Enclosure	MHG10799	NC80NE 20	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	493	Dyke, Killin	Dyke	MHG10799	NC80NE 20	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	494	Dyke, Killin	Dyke	MHG10799	NC80NE 20	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	479	Enclosure, Clyne	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	475	Track, Am Bru-lochan	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	497	Dyke, Killin	Dyke	MHG10799	NC80NE 20	n/a	Negligible	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	499	Dyke, Killin	Dyke	MHG10799	NC80NE 20	n/a	Negligible	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets
B1.1	482	Track, An Dubh-lochan	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	498	Dyke, Killin	Dyke	MHG10799	NC80NE 20	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 215 and 220 recommended given the density of assets

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.1	504.1	Peat cutting, Asc na Greine	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.1	506	Dyke, Asc na Greine	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	505	Track, Asc na Greine	Track	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.1	600.5	Lynchet, Bridge of Horn	Lynchet	MHG10597	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	602	Dyke, Allt Cnoc na Gamhna	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	604	Dyke, Allt Cnoc na Gamhna	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	138.1	Enclosure, Allt Cnoc na Gamhna	Enclosure	MHG10395	NC70SE 50.00	n/a	Negligible	Demarcation and buffer zone of 10m; micro-site access track further SE to avoid impact; otherwise general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
B1.1	138.4	Enclosure, Allt Cnoc na Gamhna	Enclosure	MHG10395	NC70SE 50.00	n/a	Negligible	Demarcation and buffer zone of 10m; micro-site access track further SE to avoid impact; otherwise general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
B1.1	138.5	Dyke, Allt Cnoc na Gamhna	Dyke	MHG10395	NC70SE 50.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.1	115.6	Dyke, Allt nan Sgeith	Dyke	MHG10597	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	603	Dyke, Allt nan Sgeith	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Tower 242 and Allt nan Sgeith burn to the SW recommended given the density of assets
B1.1	139.3	Dyke, Allt Cnoc na Gamhna	Dyke	MHG10398	NC70SE 49.00	n/a	Negligible	Demarcation and buffer zone of 5m; micro-site access track further SE to avoid impact; otherwise general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
B1.1	138.2	Enclosure, Allt Cnoc na Gamhna	Enclosure	MHG10395	NC70SE 50.00	n/a	Negligible	Demarcation and buffer zone of 10m; micro-site access track further SE to avoid impact; otherwise general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
B1.1	138.3	Enclosure, Allt Cnoc na Gamhna	Enclosure	MHG10395	NC70SE 50.00	n/a	Negligible	Demarcation and buffer zone of 10m; micro-site access track further SE to avoid impact; otherwise general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone
B1.1	605.6	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of North Tower 248 and access track.

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.1	605.8	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
B1.1	605.9	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
B1.1	605.10	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
B1.1	605.12	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
B1.1	605.13	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
B1.1	605.1	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
B1.1	605.2	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
B1.1	605.3	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
B1.1	605.4	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of North Tower 248 and access track.
B1.1	605.5	Drainage ditch and upcast bank,	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of North Tower 248 and access track.

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
		Allt Cnoc na Gamhna						
B1.1	605.7	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
B1.1 (in access track corridor to section)	605.11	Drainage ditch and upcast bank, Allt Cnoc na Gamhna	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.

Table 8: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section B1.2

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.2	388.11	Building, Allt Bad A' Chrasgaidh	Building	MHG11267	n/a	n/a	Low	Demarcation and buffer zone of 20m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	110	Hut circle, Morvich Burn	Hut circle	MHG10648	NC70SE 25.00	n/a	Low	Currently none asset-specific required due to distant location of Towers 258 and 259; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	386	Building, Cnoc Bad A' Chrasgaidh	Building	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location of Towers 259 and 260; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.4	Structure, Bad A' Chrasgaidh	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.16	Building, Bad A' Chrasgaidh	Building	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location; access track details not known however
B1.2	391.5	Building, SW of Coire Cnoc na Gamhna	Building	MHG59240	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	391.6	Kiln, SW of Coire Cnoc na Gamhna	Kiln	MHG59240	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.2	391.9	Building, SW of Coire Cnoc na Gamhna	Building	MHG59240	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	394	Mill (possible), Morvich Burn	Mill	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	396	Structure, Bad A' Chrasgaidh	Structure	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	418.1	Building, Allt Bad A Chrasgaidh	Building	MHG10630	NC70SW 34.00	n/a	Low	Currently none asset-specific required due to distant location; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	418.5	Corn drying kiln, Allt Bad A Chrasgaidh	Kiln	MHG10630	NC70SW 34.00	n/a	Low	Currently none asset-specific required due to distant location; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	459	Mound, Garskelly	Mound	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	466.1	Building, Dalnamain	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	462	Hut circle, Garskelly	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	466.3	Structure, Dalnamain	Structure	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	147.1	Corn Kiln, Innis Aonar	Kiln	MHG19237	NH79NW 38	n/a	Low	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.2	Structure, Innis Aonar	Building	MHG19237	NH79NW 38	n/a	Low	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.14	Building, Innis Aonar	Building	MHG19237	NH79NW 38	n/a	Low	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	136.1	Building, Alltan Riabhach	Building	MHG10342	NH69NE 24.00	n/a	Low	Demarcation and buffer zone of 20m; microsite access track further north away from buildings Assets 136.1 and 136.2; archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	136.2	Building, Alltan Riabhach	Building	MHG10342	NH69NE 24.00	n/a	Low	Demarcation and buffer zone of 20m; microsite access track further north away from buildings Assets 136.1 and 136.2; archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	950	Building, Innis Aonar	Building	MHG14568		n/a	Low	Currently none asset-specific required due to distant location in relation to North Towers 273 and 274; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.2	388.10	Building, Allt Bad a' Chrasgaidh	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	391.8	Building, Coire Cnoc na Gamhna	Building	MHG59242	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	470	Corn drying kiln, Dalnameine	Kiln	MHG11728	NH79NW 9	n/a	Low	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	383.1	Clearance cairn, Morvich Burn	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of Towers 258 and 259; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	383.2	Clearance cairn, Morvich Burn	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of Towers 258 and 259; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	385.1	Clearance cairn, Cnoc Bad A' Chrasgaidh	Clearance cairn	MHG11115	NC70SE 24	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	385.2	Clearance cairn, Cnoc Bad A' Chrasgaidh	Clearance cairn	MHG11115	NC70SE 24	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	385.4	Clearance cairn, Cnoc Bad A' Chrasgaidh	Clearance cairn	MHG11115	NC70SE 24	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	385.5	Clearance cairn, Cnoc Bad A' Chrasgaidh	Clearance cairn	MHG11115	NC70SE 24	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.2	Enclosure, Bad A' Chrasgaidh	Enclosure	MHG11267	NC70SE 2; NC70SE 14	n/a	Negligible	Currently none asset-specific required due to distant location of Tower 260; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.7	Clearance cairn, Bad A' Chrasgaidh	Clearance cairn	MHG11267	NC70SE 2; NC70SE 14	n/a	Negligible	Currently none asset-specific required due to distant location of Tower 260; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.8	Clearance cairn, Bad A' Chrasgaidh	Clearance cairn	MHG11267	NC70SE 2; NC70SE 14	n/a	Negligible	Currently none asset-specific required due to distant location of Tower 260; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.2	387.9	Enclosure, Bad A' Chrasgaidh	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.12	Clearance cairn, Bad A' Chrasgaidh	Clearance cairn	MHG11267	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of Tower 260; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.13	Enclosure, Bad A' Chrasgaidh	Enclosure	MHG11267	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of Tower 260; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	183.1	Enclosure, Allt Bad a' Chrasgaidh	Enclosure	MHG28537	NC70SE 55.00	n/a	Negligible	Currently none asset-specific required due to distant location of Towers 260 and 261; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	388.6	Enclosure, Allt Bad a' Chrasgaidh	Building	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	384	Clearance cairn, Cnoc Bad A' Chrasgaidh	Clearance cairn	MHG11115	NC70SE 24	n/a	Negligible	Currently none asset-specific required due to distant location of Tower 259; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	385.3	Clearance cairn, Cnoc Bad A' Chrasgaidh	Clearance cairn	MHG11115	NC70SE 24	n/a	Negligible	Currently none asset-specific required due to distant location; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.3	Building, Bad A' Chrasgaidh	Building	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.11	Structure, Bad A' Chrasgaidh	Other	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.15	Building, Bad A' Chrasgaidh	Building	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	390.2	Peat cutting, Allt Strath Lunndaidh	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.2	799	Marker cairn, Allt Strath Lunndaidh	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.2	391.1	Enclosure, SW of Coire Cnoc na Gamhna	Enclosure	MHG59240	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; access track details not known however.
B1.2	391.4	Building, SW of Coire Cnoc na Gamhna	Building	MHG59240	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	391.7	Platform, SW of Coire Cnoc na Gamhna	Platform	MHG59242	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	392	Peat cutting, SW of Coire Cnoc na Gamhna	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.2	393.1	Clearance cairn, Cnoc an t-Salachaidh	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; access track details not known however
B1.2	422	Clearance cairn, Allt Bad A Chrasgaidh	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location to Tower 261; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	466.2	Pens, Dalnamain	Pen	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	468	Bridge, Dalnamain	Bridge	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset; active road bridge in use as such.
B1.2	460	Mound, Garskelly	Mound	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location to access track
B1.2	464	Mound, Achtaduach	Mound	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	467	Clearance cairn, Achtaduach	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location to Tower 276 and access track
B1.2	147.5	Clearance cairn, Innis Aonar	Clearance cairn	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.7	Clearance cairn, Innis Aonar	Clearance cairn	MHG19237	NH79NW 38	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.15	Clearance cairn, Innis Aonar	Clearance cairn	MHG19237	NH79NW 38	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.2	472.1	Prehistoric clearance cairn, Allt na h-Innse Aonair	Clearance cairn	MHG11725	NH79NW 6	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	472.2	Prehistoric clearance cairn, Allt na h-Innse Aonair	Clearance cairn	MHG11725	NH79NW 6	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	472.3	Prehistoric clearance cairn, Allt na h-Innse Aonair	Clearance cairn	MHG11725	NH79NW 6	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	472.4	Prehistoric clearance cairn, Allt na h-Innse Aonair	Clearance cairn	MHG11725	NH79NW 6	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	473	Shooting butt, Allt na h-Innse Aonair	Shooting butt	n/a	n/a	n/a	Negligible	Currently none specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	474	Prehistoric clearance cairn, Allt na h-Innse Aonair	Clearance cairn	MHG11725	NH79NW 6	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	388.3	Clearance cairn, Allt Bad A Chrasgaidh	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location to Tower 261; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.10	Dyke, Bad A' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.14	Track, Bad A' Chrasgaidh	Track	MHG11267; MHG28537	NC70SE 14.00; NC70SE 55.00	n/a	Negligible	Demarcation and buffer zone of 5m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	388.1	Dyke, Bad A' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	388.7	Dyke, Bad A' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.2	388.8	Dyke, Bad A' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.1	Dyke, Bad A' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.5	Enclosure, Bad A' Chrasgaidh	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	387.17	Enclosure, Bad A' Chrasgaidh	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	390.1	Peat cutting, Allt Strath Lunndaidh	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.2	390.3	Peat cutting, Allt Strath Lunndaidh	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.2	391.2	Track, Coire Cnoc na Gamhna	Track	MHG59242	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	391.3	Dyke, Coire Cnoc na Gamhna	Dyke	MHG59242	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	391.7	Platform, Coire Cnoc na Gamhna	Platform	MHG59242	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	395.1	Dyke, Bad A' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.2	395.2	Dyke, Bad A' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	397	Dyke, Bad A' Chrasgaidh	Dyke	MHG11267	NC70SE 56	n/a	Negligible	Currently none asset-specific required due to distant location
B1.2	398	Dyke, Bad A' Chrasgaidh	Dyke	MHG11267	NC70SE 56	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	418.3	Dyke, Allt Bad a' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
B1.2	419	Dyke, Allt Bad a' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
B1.2	420	Dyke, Allt Bad a' Chrasgaidh	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	461	Dyke, Garskelly	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	463.2	Track, Achtauach	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	463.1	Dyke, Achtauach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	465	Dyke, Achtauach	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location.
B1.2	471	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.4	Pen, Innis Aonar	Pen	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.6	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within the buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.9	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.10	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.11	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	469	Dyke, Abhainn an t-Stratha Charnaig	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	471	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.3	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.8	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.12	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.13	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	147.9	Dyke, Innis Aonar	Dyke	MHG19237	NH79NW 38	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between North Towers 271 and river Strath Carnan recommended
B1.2	812	Peat bank, An Droichneach	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
B1.2	813	Track, An Droichneach	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	814	Dyke, Eiden	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	815	Enclosure, Eiden	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	136.3	Enclosure, Allt an Riabhach	Dyke	MHG10342	NH69NE 24.00	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	1018	Enclosure, Eiden	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
B1.2	388.9	Enclosure, Allt Bad a' Chrasgaidh	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets
B1.2	388.2	Structure, Allt Bad a' Chrasgaidh	Structure	n/a	n/a	n/a	Negligible/Low	Currently none asset-specific required due to distant location of Tower 261; access track details not known however; general archaeological evaluation and/or monitoring during all groundworks between North Towers 258 and 261 (c 100m SW of) given the density of assets



Table 9: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section C1.1

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
C1.1	9	Invershin Farm, settlement and burnt mound 500m E of	Cairn; hut circle; burnt mound			SM5497	High	Scheduled Monument Consent required for any ground works within SM area; demarcation and buffer zone of 20m to east of SM area; archaeological monitoring during groundworks that fall within a surrounding 50m buffer zone.
C1.1	10	Invershin Primary School, settlement 600m E of	Prehistoric settlement			SM5498	Medium	Scheduled Monument Consent required for any ground works within SM area; demarcation and buffer zone of 20m to east of SM area; archaeological monitoring during groundworks that fall within a surrounding 50m buffer zone.
C1.1	585.10	Corn drying kiln, Salachaidh	Kiln	MHG63030	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.12	Corn drying kiln, Salachaidh	Kiln	MHG63030	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.1	Farmstead, Salachaidh	Building	MHG63030	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.2	Building, Salachaidh	Building	MHG63030	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	860	Building, Clais na Faire	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c40m south to avoid impacts to this and probable cairn Asset 861; otherwise targeted evaluation of asset and subsequent archaeological monitoring during groundworks that may further impact the asset or fall within buffer zone
C1.1	861	Possible kerb cairn, Clais na Faire	Cairn	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c40m south to avoid impacts to this and building Asset 860; otherwise targeted evaluation of asset and subsequent archaeological monitoring during groundworks that may further impact the asset or fall within buffer zone
C1.1	788	Shieling, Invershin	Shieling	MHG12904	NH59NE 33	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	583	Peat cutting, Salachaidh	Peat cutting	MHG63030	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
C1.1	584	Clearance cairn, Salachaidh	Clearance cairn	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.3	Agricultural landscape, Salachaidh	Field system	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.4	Agricultural landscape, Salachaidh	Field system	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.5	Storage pit, Salachaidh	Hollow	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
C1.1	585.6	Storage pit, Salachaidh	Hollow	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.7	Storage pit, Salachaidh	Hollow	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.8	Storage pit, Salachaidh	Hollow	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.15	Clearance cairn, Salachaidh	Clearance cairn	MHG63030	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
C1.1	585.16	Clearance cairn, Salachaidh	Clearance cairn	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.9	Agricultural landscape, Salachaidh	Field system	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	862.1	Peat cutting, Clais na Sinneig	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
C1.1	862.2	Peat cutting, Clais na Sinneig	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
C1.1	366	Bank, Allt na Ciste Duibhe	Bank	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to nature of asset and location
C1.1	580	Dyke, Invershin Castle	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.11	Enclosure, Salachaidh	Enclosure	MHG63030	n/a	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	847	Dyke, Strone Achavachy	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	845	Bank, Allt Loch Leisgein	Bank	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	858	Dyke, Clais na Faire	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	859	Dyke, Clais na Faire	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	582	Dyke, Salachaidh	Dyke	MHG63032	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.1	585.14	Clearance cairn, Salachaidh	Clearance cairn	MHG63030	n/a	n/a	Negligible	Currently none asset-specific required due to distant location to South Tower 3 and access track
C1.1	367.1	Shooting butt, Clais na Sinneig	Shooting butt	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Tower 6 and access track location.
C1.1	367.2	Shooting butt, Clais na Sinneig	Shooting butt	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Tower 6 and access track location.

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
C1.1	367.3	Shooting butt, Clais na Sinneig	Shooting butt	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Tower 6 and access track location.

Table 10: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section C1.2

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
C1.2	103	Battle of Carbisdale	Battlefield	n/a	n/a	BTL19	High	Metal detector survey on any groundworks within vicinity of Inventory Battlefield.
C1.2	787	Hut circle or cairn	Unknown	MHG62766	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; metal detector survey prior to ground breaking works in relation to Carbisdale battlefield also recommended
C1.2	573	Track, Strathcarron Wood	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
C1.2	1021	Ditch, Luachair Bhan	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Table 11: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section D1.1

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.1	327	Ford and culvert, Garbhairidh	Structure	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
D1.1	143	Building, Garbhairidh	Building	MHG7367	NH58SE 3	n/a	Low	Currently none asset-specific required due to distant location
D1.1	331	Sheepfold, Càrn na h-Uigeig	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	167.1	Building, Glack	Building	MHG20472	NH57SE 27	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	167.4	Kiln barn, Glack	Kiln barn	MHG20472	NH57SE 27	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	167.5	Building, Glack	Building	MHG20472	NH57SE 27	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	167.6	Building, Glack	Building	MHG20472	NH57SE 27	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	952	Hut circle, Creagan a' Choin Ruaidh	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c10m west; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	953	Hut circle, Creagan a' Choin Ruaidh	Hut circle	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	343	Possible structure, Novar	Structure	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location to South Towers 98 and 99 and access track
D1.1 (in access track corridor to section)	350	Building, Boathvic	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.1 (in access track corridor to section)	351.1	Building, Boathvic	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.1 (in access track corridor to section)	351.2	Building, Boathvic	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.1	341.1	Soil bund, Allt a' Ghreaich	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
D1.1	341.2	Soil bund, Allt a' Ghreaich	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
D1.1	341.3	Soil bund, Allt a' Ghreaich	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
D1.1	167.2	Enclosure, Glack	Enclosure	MHG20472	NH57SE 27	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	167.3	Pen, Glack	Pen	MHG20472	NH57SE 27	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	364	Cistern, Boathmore	Other	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.1	864	Pond, Allt a' Choire Sliogaich	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Towers 88 and 89 and access track location.
D1.1	865.4	Rig and furrow, Allt a' Choire Sliogaich	Rig and furrow	MHG8393	NH57NE 11.01	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Towers 88 and 89 and access track location.
D1.1	330	Track, Càrn na h-Uigeig	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	342	Dyke, Cnoc Liath	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	340	Track, Cnoc Liath na h-Acain	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	342	Dyke, Cnoc Liath na h-Acain	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	344	Dyke, Cnoc Liath na h-Acain	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
D1.1	357	Dyke, Glack	Dyke	MHG20472	NH57SE 27	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	358	Bridge, Glack	Bridge	MHG20472	NH57SE 27	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	359	Dyke, Glack	Dyke	MHG20472	NH57SE 27	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	360	Dyke, Glack	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	363	Dyke, Boathmore	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	362	Track, Boath	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.1	167.7	Enclosure, Glack	Enclosure	MHG20472	NH57SE 27.00	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	167.8	Enclosure, Glack	Enclosure	MHG20472	NH57SE 27.00	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	167.9	Enclosure, Glack	Enclosure	MHG20472	NH57SE 27.00	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1	865.2	Dyke, Allt a' Choire Sliogaich	Dyke	MHG8393	NH57NE 11.01	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Towers 88 and 89 and access track location.
D1.1	865.1	Dyke, Allt a' Choire Sliogaich	Dyke	MHG8393	NH57NE 11.01	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Towers 88 and 89 and access track location.
D1.1	863	Lade, Allt A'Choire Sliogaich	Lade	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Towers 88 and 89 and access track location.
D1.1	865.3	Dyke, Allt a' Choire Sliogaich	Dyke	MHG8393	NH57NE 11.01	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Towers 88 and 89 and access track location.
D1.1	951.1	Ditch, Allt a' Choire Dhuibh	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
D1.1	951.2	Ditch, Allt a' Choire Dhuibh	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
D1.1	951.3	Ditch, Allt a' Choire Dhuibh	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
D1.1	951.4	Ditch, Allt a' Choire Dhuibh	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
D1.1	951.5	Ditch, Allt a' Choire Dhuibh	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
D1.1	1022	Dyke, Leacdhù Beag	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
D1.1 (in access track corridor to section)	348.1	Clearance cairn, Boathvic	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.1 (in access track corridor to section)	348.2	Clearance cairn, Boathvic	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.1 (in access track corridor to section)	348.3	Clearance cairn, Boathvic	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.1 (in access track corridor to section)	348.4	Clearance cairn, Boathvic	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.1 (in access track corridor to section)	353	Clearance cairn, Boathvic	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.1 (in access track corridor to section)	354	Shed, Boathvic	Building	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.1 (in access track corridor to section)	346	Dyke, Boathvic	Dyke	MHG20472	NH57SE 27	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1 (in access track corridor to section)	345	Dyke, Boathvic	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1 (in access track corridor to section)	347	Dyke, Boathvic	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1 (in access track corridor to section)	349	Enclosure, Boathvic	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.1 (in access track corridor to section)	356	Dyke, Boathvic	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1 (in access track corridor to section)	352	Dyke, Boathvic	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1 (in access track corridor to section)	355	Dyke, Boathvic	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.1 (in access track corridor to section)	361	Dyke, Glack	Dyke	MHG20472	NH57SE 27	n/a	Negligible	Demarcation and buffer zone of 5m (where not on existing track); archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Table 12: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section D1.2

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.2	85	Balnacrae, chambered cairn 230m WSW of	Chambered cairn			SM2396	High	Scheduled Monument Consent required for any ground works within SM area; demarcation and buffer zone of 20m from Scheduled extent; archaeological monitoring during groundworks that may impact the asset or fall within a surrounding 50m buffer zone; general archaeological evaluation of groundworks areas between South Towers 130 and 140 recommended given the density of assets and hospitable environment
D1.2	154.4	Structure, Garabil	Structure	MHG14142; MHG19702	NH56NE 26.00	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	556.4	Clearance cairn, Eilean Na Cabhaig	Clearance cairn	MHG20792	NH56NE 29.00	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	729	Burnt mound (possible), Strath Sgitheach	Burnt mound	n/a	n/a	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	736	Building, Strath Sgitheach	Building	MHG8918	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c100m north to avoid asset and hut circle (Asset 737); otherwise targeted evaluation of asset and subsequent archaeological monitoring during groundworks that may further impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 130 and 140 recommended given the density of assets and hospitable environment
D1.2	154.2	Structure, Garabil	Structure	MHG14142; MHG19702	NH56NE 26.00	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	179.3	Hut circle, Cnoc a' Leacachan	Hut circle	MHG28205	NH57SE 34.00	n/a	Low	Currently none asset-specific required due to distant location in relation to South Tower 100 and access track location
D1.2	179.1	Hut circle, Cnoc a' Leacachan	Hut circle	MHG28205	NH57SE 34.00	n/a	Low	Currently none asset-specific required due to distant location in relation to South Tower 100 and access track location
D1.2 (in access track corridor to section)	556.1	Structure, Eilean Na Cabhaig	Structure	MHG20792	NH56NE 29.00	n/a	Low	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	742	Sheep fold, Strath Sgitheach	Sheepfold	MHG8922	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	737	Hut circle - Strath Sgitheach	Hut circle	MHG8903	n/a	n/a	Low	Demarcation and buffer zone of 20m; microsite access track c100m north to avoid asset and hut circle (Asset 737); otherwise targeted evaluation of asset and subsequent archaeological monitoring during groundworks that may further impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 130 and 140 recommended given the density of assets and hospitable environment

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.2	568	Hill of the Cave (rock shelter)	Other	n/a	n/a	n/a	Low/Negligible	Currently none asset-specific required due to distant location to South Tower 115 and access track
D1.2	550	Borrow pit, Fannyfield Wood	Borrow pit	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.2	553	Borrow pit, Fannyfield Wood	Borrow pit	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.2	552	Borrow pit, Fannyfield Wood	Borrow pit	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.2	335.1	Peat cutting, Torran an Sporain	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
D1.2	337.1	Shooting butt, Allt Buidheachean	Shooting butt	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	337.2	Shooting butt, Allt Buidheachean	Shooting butt	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	339.2	Deer salt lick, Torr a' Mhulcan	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
D1.2	339.1	Deer salt lick, Torr Dearg	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
D1.2	561	Clearance cairn, Cnoc an Fhasgnaidh	Other	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	569	Bridge, Eas a' Chonaisg	Bridge	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	335.2	Peat cutting, Cnoc na Moine	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
D1.2	339.3	Deer salt lick, Torr a' Mhulcan	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
D1.2	154.3	Clearance cairn, Garabil	Clearance cairn	MHG14142; MHG19702	NH56NE 26.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	179.2	Prehistoric clearance cairn, Cnoc a' Leacachan	Clearance cairn	MHG28205	NH57SE 34.00	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Tower 100 and access track location
D1.2	179.4	Prehistoric clearance cairn, Cnoc a' Leacachan	Clearance cairn	MHG56490	NH57SE 34.00	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Tower 100 and access track location

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.2 (in access track corridor to section)	556.3	Dyke, Eilean Na Cabhaig	Dyke	MHG20792	NH56NE 29.00	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	261	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	551	Dyke, Fannyfield Forest	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
D1.2	334	Culvert, Torran an Sporain	Other	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
D1.2	338.1	Shooting butt, Torr Dearg	Shooting butt	MHG56494	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 106 and access track.
D1.2	560	Dyke, Cnoc an Fhasgnaidh	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	562.2	Enclosure, Cnoc an Fhasgnaidh	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	565	Boundary ditch, Eilean Na Cabhaig	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	562.1	Enclosure, Cnoc an Fhasgnaidh	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	154.1	Enclosure, Garabil	Enclosure	MHG14142	NH56NE 26.00	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	556.2	Dyke, Eilean Na Cabhaig	Dyke	MHG20792	NH56NE 29.00	n/a	Negligible	Demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2	336.1	Ditch, Torrain an Sporain	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 108 and access track.
D1.2	731	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	735	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	734	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.2	730	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	732	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	733	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	737	Enclosure, Strath Sgitheach	Enclosure	MHG40807; MHG8909	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	740	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	741	Enclosure, Strath Sgitheach	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	743	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	338.3	Shooting butt, Torr Dearg	Shooting butt	MHG56494	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset
D1.2	1019	Enclosure, Strath Sgitheach	Enclosure	MHG40807; MHG8909	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	739	Enclosure, Strath Sgitheach	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	741	Dyke, Strath Sgitheach	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 129 and 140 recommended given the density of assets and hospitable environment
D1.2	164	Enclosure, Cnoc an Fasgnaidh	Enclosure	MHG20086	NH56NE 30.00	n/a	Negligible	Currently none asset-specific required due to distant location in relation to distant location of South Tower 113
D1.2	338.2	Shooting butt, Torr Dearg	Shooting butt	MHG56494	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
D1.2	338.5	Shooting butt, Torr Dearg	Shooting butt	MHG56494	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 106 and access track.
D1.2	338.4	Shooting butt, Torr Dearg	Shooting butt	MHG56494	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset
D1.2	336.7	Ditch, Torrain an Sporain	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
D1.2	336.2	Ditch, Torrain an Sporain	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 108 and access track.
D1.2	955.1	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	955.2	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	955.3	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	955.4	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	955.5	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	955.7	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
D1.2	955.8	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone.
D1.2	955.9	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	955.10	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	955.11	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	955.12	Ditch, Allt Buidheachean	Ditch	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location of South Tower 107 and access track.
D1.2	567	Clearance cairn, Eilean na Cabhaig	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
D1.2 (within access)	570	Clearance cairn, Eas a' Chonaisg	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Table 13: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section E1.1

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
E1.1	1024	Quarry, Muir of Fairburn	Quarry	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to nature of asset and distant location
E1.1	101	Fairburn	Designed landscape			GDL00174	High	Ensure access tracks don't accidentally create corridors of visibility towards proposed pylons from Fairburn House (LB14031)
E1.1	170.3	Structure, Aultgowrie Bridge	Structure	MHG24740	NH45SE 9.00	n/a	Low	Currently none asset-specific required due to distant location
E1.1	515	Mound, Bridgepark	Mound	n/a	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	520.2	Building, Bridgepark	Building	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location
E1.1	540.8	Structure, Cnocanarve	Structure	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location
E1.1	744	Flood bank, Coille Uisge	Other	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location in relation to distant location of South Towers 175 and 176
E1.1	170.4	Farmstead, Aultgowrie Bridge	Structure	MHG24740	NH45SE 9.00	n/a	Low	Re-survey area prior to works to identify the asset; demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (asset extent indeterminate due to tall vegetation)
E1.1	535	Possible structure, Newton	Unknown	n/a	n/a	n/a	Low/Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	827	Sculpture, Kinellan Woods	Other	n/a		n/a	Negligible	Demarcation and buffer zone of 10m; no archaeological monitoring during groundworks recommended.
E1.1	520.3	Enclosure, Bridgepark	Enclosure	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
E1.1	276	Clearance cairn, Aultgowrie Bridge	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	282	Clearance cairn, Aultgowrie Bridge	Clearance cairn	MHG62286	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
E1.1	281	Clearance cairn, Aultgowrie Bridge	Clearance cairn	MHG62286	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
E1.1	283	Clearance cairn, Aultgowrie Bridge	Clearance cairn	MHG62286	n/a	n/a	Negligible	Currently none asset-specific required due to distant location

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
E1.1	284	Clearance cairn, Aultgowrie Bridge	Clearance cairn	MHG62286	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
E1.1	285	Clearance cairn, Aultgowrie Bridge	Clearance cairn	MHG62286	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
E1.1	541	Clearance cairn, Cnocanarve	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
E1.1	795	Dyke, Tiadh Allt	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset
E1.1	518	Track, Bridgepark	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	517	Dyke, Bridgepark	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	522.1	Enclosure, Bridgepark	Enclosure	MHG62290	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	516	Dyke, Bridgepark	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	170.2	Enclosure, Aultgowrie Bridge	Enclosure	MHG24740	NH45SE 9.00	n/a	Negligible	Currently none asset-specific required due to distant location
E1.1	519	Dyke, Bridgepark	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	520.1	Enclosure, Bridgepark	Enclosure	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	533	Dyke, Newton	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	534	Dyke, Newton	Dyke	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
E1.1	537	Track, Newton	Track	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
E1.1	539	Dyke, Coille Mhor	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	301	Dyke, Ardochy	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
E1.1	540.4	Dyke, Cnocanarve	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1	542	Dyke, Cnocanarve	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
E1.1	790	Enclosure, Kinnahaird	Enclosure	MHG14111	n/a	n/a	Negligible	Currently none asset-specific required due to distant location to Tower 174; access track details not known however and if access is gained from the road to the NW then archaeological monitoring during groundworks that may impact

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
								the asset or fall within a buffer zone of c20m from the HER polygon line should be undertaken (note that the asset is a cropmark with no upstanding features)
E1.1 (in access track corridor to section)	536	Dyke, Newton	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1, E1.2	170.1	Dyke, Fairbuen	Dyke	MHG24740	NH45SE 9.00	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1, E1.2	280	Dyke, Fairburn	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Table 14: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section E1.2

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
E1.1, E1.2	170.1	Dyke, Fairbuen	Dyke	MHG24740	NH45SE 9.00	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.1, E1.2	280	Dyke, Fairburn	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.2	277	Building, Aultgowrie Bridge	Building	n/a	n/a	n/a	Low	Currently none asset-specific required due to distant location
E1.2	177.1	Building, Ardochy	Building	MHG23314	NH44SE 41.00	n/a	Low	Currently none asset-specific required due to distant location
E1.2	962	Probable Kerb Cairn, Ardochy	Cairn	MHG2741	NH44SE 17	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.2	901.4	Hut circle, Urchany	Hut circle	Uncertain	Uncertain	n/a	Low	Recommend alignment diversion, to encompass South Towers 219 and 220 and access tracks, to the NW to avoid potentially extensive impacts to known and unknown heritage assets; if micro-siting is unfeasible a detailed mitigation programme involving non-invasive and invasive evaluation, targeted excavation and archaeological monitoring will likely be required; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
E1.2	783	Structure, Allt na Criche	Structure	MHG62153	n/a	n/a	Low	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
E1.2	901.5	Hut circle and platform, Urchany	Hut circle	MHG61222?	n/a	n/a	Low	Recommend alignment diversion, to encompass South Towers 219 and 220 and access tracks, to the NW to avoid potentially extensive impacts to known and unknown heritage assets; if micro-siting is unfeasible a detailed mitigation programme involving non-invasive and invasive evaluation, targeted excavation and archaeological monitoring will likely be required; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
E1.2	794	Cairn - Allt na Criche, Urchany	Clearance cairn? Cairn?	MHG62141		n/a	Low	Re-survey area prior to works to identify the asset; demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (asset extent indeterminate due to tall vegetation)
E1.2	793	Cairn - Allt na Criche, Urchany	Clearance cairn? Cairn?	MHG62142		n/a	Low	Re-survey area prior to works to identify the asset; demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (asset extent indeterminate due to tall vegetation)
E1.2 (in access track corridor to section)	795.1	House, Ardochy	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
E1.2 (in access track corridor to section)	795.3	Building, Ardochy	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)



Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
<b>E1.2 (in access track corridor to section)</b>	<b>795.2</b>	Steading, Ardochy	Building	n/a	n/a	n/a	Low	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
<b>E1.2</b>	<b>1025</b>	Numerous prehistoric assets, Farley SW end	Various	Various	n/a	n/a	Low/Medium	Recommend alignment diversion, to encompass South Towers 219 and 220 and access tracks, to the NW to avoid potentially extensive impacts to known and unknown heritage assets; if micro-siting is unfeasible a detailed mitigation programme involving non-invasive and invasive evaluation, targeted excavation and archaeological monitoring will likely be required; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
<b>E1.2</b>	<b>1026</b>	Numerous prehistoric assets, Farley SW end	Various	Various	n/a	n/a	Low/Medium	Recommend alignment diversion, to encompass South Towers 219 and 220 and access tracks, to the NW to avoid potentially extensive impacts to known and unknown heritage assets; if micro-siting is unfeasible a detailed mitigation programme involving non-invasive and invasive evaluation, targeted excavation and archaeological monitoring will likely be required; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
<b>E1.2</b>	<b>279</b>	Clearance cairn, Aultgowrie Bridge	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location
<b>E1.2</b>	<b>305</b>	Clearance cairn, Ardochy	Clearance cairn	MHG23314	NH44SE 41.00	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
<b>E1.2</b>	<b>856.2</b>	Clearance cairn, Cnocnagraishag	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
<b>E1.2</b>	<b>856.1</b>	Clearance cairn, Cnocnagraishag	Clearance cairn	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to distant location in relation to South Tower 229 and access track location
<b>E1.2</b>	<b>901.1</b>	Clearance cairn, Urchany	Clearance cairn	Uncertain	Uncertain	n/a	Negligible	Recommend alignment diversion, to encompass South Towers 219 and 220 and access tracks, to the NW to avoid potentially extensive impacts to known and unknown heritage assets; if micro-siting is unfeasible a detailed mitigation programme involving non-invasive and invasive evaluation, targeted excavation and archaeological monitoring will likely be required; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
<b>E1.2</b>	<b>901.3</b>	Clearance cairn, Urchany	Clearance cairn	Uncertain	Uncertain	n/a	Negligible	Recommend alignment diversion, to encompass South Towers 219 and 220 and access tracks, to the NW to avoid potentially extensive impacts to known and unknown heritage assets; if micro-siting is unfeasible a detailed mitigation programme involving non-invasive and invasive evaluation, targeted excavation and archaeological monitoring will likely be required; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
<b>E1.2</b>	<b>900</b>	Peat cutting, Creag an t-Suidheachain	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
<b>E1.2</b>	<b>246</b>	Track, Breakachy	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset
<b>E1.2</b>	<b>177.2</b>	Enclosure, Ardochy	Dyke	MHG23314	NH44SE 41.00	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
E1.2	784	Track, Breakachy	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.2	895	Track, Loch nam Bonach	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.2	896	Peat cutting, Loch nam Bonach	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to the asset type
E1.2	899	Track, Buachaille Breige	Track	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.2	902	Boundary wall, Urchany	Wall	MHG23303?	n/a	n/a	Negligible	Recommend alignment diversion, to encompass South Towers 219 and 220 and access tracks, to the NW to avoid potentially extensive impacts to known and unknown heritage assets; if micro-siting is unfeasible a detailed mitigation programme involving non-invasive and invasive evaluation, targeted excavation and archaeological monitoring will likely be required; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
E1.2	898	Peat cutting, Cnoc Dubh	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
E1.2	903	Enclosure, Urchany	Enclosure			n/a	Negligible	Recommend alignment diversion, to encompass South Towers 219 and 220 and access tracks, to the NW to avoid potentially extensive impacts to known and unknown heritage assets; if micro-siting is unfeasible a detailed mitigation programme involving non-invasive and invasive evaluation, targeted excavation and archaeological monitoring will likely be required; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
E1.2	792	Enclosure or shelter - Allt na Criche, Urchany	Enclosure	MHG62143		n/a	Negligible	Re-survey area prior to works to identify the asset; demarcation and buffer zone of 20m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (asset extent indeterminate due to tall vegetation)
E1.2	901.2	Clearance cairn or shieling, Urchany	Clearance cairn	Uncertain	Uncertain	n/a	Negligible/Low	Recommend alignment diversion, to encompass South Towers 219 and 220 and access tracks, to the NW to avoid potentially extensive impacts to known and unknown heritage assets; if micro-siting is unfeasible a detailed mitigation programme involving non-invasive and invasive evaluation, targeted excavation and archaeological monitoring will likely be required; general archaeological evaluation of groundworks areas between South Towers 214 and 221 recommended given the density of assets and hospitable environment.
E1.2 (in access track corridor to section)	302	Clearance cairn, Ardochy	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)
E1.2 (in access track corridor to section)	1001	Peat cutting, Breakachy Hill	Peat cutting	n/a	n/a	n/a	Negligible	Currently none asset-specific required due to type of asset
E1.2, E1.3	306	Clearance cairn, Cnocnagrashaig	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone

Table 15: Early Design Advice to Reduce Potential Direct Impacts to Known Heritage Assets within Section E1.3

Section ID	Asset No.	Asset Name	Type	HER No.	NRHE No.	Desig. No.	Significance	Advice
E1.2, E1.3	306	Clearance cairn, Cnocnagrashaig	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 10m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.3	299	Dyke, Ruttle Wood	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.3	300	Dyke, Ruttle Wood	Dyke	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone
E1.3	222	Track, Torr a' Bhealaidh	Track	n/a	NH44SE 94.00	n/a	Negligible	If track upgrades required, a targeted evaluation to characterise the historic track may be necessary; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone;
E1.3 (in access track corridor to section)	304	Clearance cairn, Torr a' Bhealaidh	Clearance cairn	n/a	n/a	n/a	Negligible	Demarcation and buffer zone of 5m; archaeological monitoring during groundworks that may impact the asset or fall within buffer zone (assumes the adjacent access track will be used)

Table 16: Potential Broad Mitigation Recommendations – North Alignment

Section ID	Tower Range	Recommendation	Justification
A1.1	1-13	Archaeological evaluation of groundworks, percentage TBD by THC HET	High density of known archaeological remains
A1.1	N end of access track to Tower 18	Archaeological monitoring of groundworks to determine any sub-surface survival of Asset 150	Presence of structural remains on mapping
A1.2-A1.4	80 and Allt an Learanaich burn to the NE of Tower 81	Archaeological evaluation of groundworks, percentage TBD by THC HET	High density of known archaeological remains, hospitable locale
A1.4	107-116	Archaeological evaluation of groundworks, percentage TBD by THC HET	High density of known archaeological remains, hospitable locale
A1.4	125-128	Archaeological evaluation of groundworks, percentage TBD by THC HET	High density of known archaeological remains, hospitable locale
A1.5	171 and Sletdale burn SW of 188	Archaeological evaluation of groundworks, percentage TBD by THC HET	High density of known archaeological remains, hospitable locale
B1.2	215-220	Archaeological evaluation of groundworks, percentage TBD by THC HET	High density of known archaeological remains, hospitable locale
B1.2	242 and Allt nan Sgeith burn to the SW	Archaeological evaluation of groundworks, percentage TBD by THC HET	High density of known archaeological remains
B1.2	258-261	Archaeological evaluation and/or monitoring during all groundworks between 258 and 261 (c 100m SW of)	High density of known archaeological remains
B1.2	271 and river Strath Carnan	Archaeological evaluation of groundworks, percentage TBD by THC HET	High density of known archaeological remains

Table 17: Potential Broad Mitigation Recommendations – South Alignment

Section ID	Tower Range	Recommendation	Justification
C1.2	27-28	Metal-detector survey; archaeological evaluation of groundworks, percentage TBD by THC HET	Inventory Battlefield for Carbisdale (Asset 103; BTL19)
D1.2-E1.1	129-140	Archaeological evaluation of groundworks, percentage TBD by THC HET	High density of known archaeological remains, hospitable locale
E1.2	214-221	Archaeological evaluation, targeted excavation in advance of groundworks, archaeological monitoring likely throughout; percentage/extent TBD by THC HE	High density of known archaeological remains, hospitable locale

# Beaully to Loch Buidhe to Spittal 400Kv Overhead Line, Highland: Walkover Survey and Setting Sensitivity Assessment Appendix 6: Assessment Scope & Criteria

*AOC Project Number: 27571*

*June 2025*





## Scope of Assessment

This report details the results of a Heritage Impact Assessment and aims to identify and map the nature of the heritage resource within the Site and surrounding Study Area. Where possible, the assessment will evaluate the likely direct physical impact from Proposed Development, upon the known and potential heritage resource.

This report includes design refinement advice and broad recommendations for mitigation measures and / or further archaeological works; where the archaeological potential of the asset warrants, or where additional information on the asset is required (**Appendix 5**). This advice will be considered by SSEN-T and their consultants within the iterative design process of the Proposed Development, with adoptable mitigation proposals to be made in Chapter 12: Cultural Heritage of the Environmental Impact Assessment (EIA) Report.

The assessment has used the sources listed in the main text to identify and map heritage assets and other relevant find spots or evidence within the Site and defined study area. Heritage assets are defined in national planning guidance and can include designated assets (Scheduled Monuments, Listed Buildings etc.), standing, buried or submerged remains, historic buildings and structures, parks and gardens and areas, sites and landscapes - whether designated or not (**Table 1**).

## Assessment Criteria

### *Archaeological Potential*

Consideration of archaeological potential will be informed by the number, density and distribution of known heritage assets of a specific period and/or type within the Study Area. The proximity of such assets to the Site and/or the similarities/dissimilarities in topographical location between the Site and the location of known assets will also be a factor in determining potential. Previous land use on the Site will also be a consideration in assessing potential, as later disturbance may have removed or damaged earlier buried archaeological remains and therefore may have reduced the potential for archaeological remains to survive on Site. Consideration will also be given to evidence from landform change in the Study Area and the possibility that natural deposits such as colluvium or alluvium may have buried archaeological remains. The potential for surviving archaeological evidence of past activity within the Site is expressed in the report as ranging between the scales of:

- High – The available evidence suggests a high likelihood for past activity within the Site and a strong potential for archaeological evidence to survive intact or reasonably intact;
- Medium – The available evidence suggests a reasonable likelihood for past activity within the Site and consequently there is a potential that archaeological evidence could survive.
- Low – The available evidence suggests archaeological evidence of activity is unlikely to survive within the Site, although some minor land-use may have occurred.
- Uncertain - Insufficient information to assess.

Buried archaeological evidence is, by its very nature, an unknown quantity which can never be 100% identified during a desk-based assessment. The assessed potential is based on available evidence but the physical nature and extent of any archaeological resource surviving within the Site cannot be confirmed without detailed information on the below-ground deposits or results of on-site fieldwork.

Where known heritage assets are identified, the importance of such assets is determined by reference to existing designations where available. For assets where no designation has been assigned, an informed assessment has been made of the likely historic, artistic, or archaeological importance of that resource based on professional knowledge and judgement.



Adjustments to the classification (Table 2, below) are occasionally made, where appropriate; for some types of finds or assets where there is no consistent value, and the importance may vary. Levels of importance for any such areas are generally assigned on an individual basis, based on professional judgement and advice.

Table 1: Assessing the Importance of a Heritage Asset	
<b>HIGH</b>	Assets of high importance and rarity and those considered to be important at a national level., e.g. Scheduled Monuments (or non-designated assets of schedulable quality and importance), Category A Listed Buildings, Inventory Gardens and Designed Landscapes and Inventory Battlefields. Well preserved historic landscapes, whether inscribed or not, with exceptional coherence, time depth, or other critical factor(s)
<b>MEDIUM</b>	Assets of medium or high importance and rarity and those considered to be important at a regional level. Designated or non-designated assets including Category B and C Listed Buildings and Conservation Areas; well preserved structures or buildings of historical significance, historic landscapes or assets of a reasonably defined extent and significance, or reasonable evidence of occupation / settlement, ritual, industrial activity etc.  Examples may include burial sites, medieval and prehistoric settlement sites, Roman roads and dense scatter of finds.
<b>LOW</b>	Assets of low importance and rarity and those considered to be important at a local level. Locally listed buildings or non-designated assets with some evidence of human activity which have the potential to contribute to local research objectives, structures or buildings of potential historical merit.  Examples include assets such as historic field systems and boundaries, agricultural features such as ridge and furrow, etc.
<b>NEGLIGIBLE</b>	Assets of very low importance which are common. Heritage assets with very little or no surviving archaeological interest or buildings and landscapes of no historical significance.  Examples include destroyed antiquities, buildings of no architectural merit, or relatively modern landscape features such as quarries, field boundaries, drains and ponds etc.
<b>UNKNOWN</b>	Insufficient information exists to assess the importance of a feature (e.g. unidentified features on aerial photographs).

The likely magnitude of the impact of the Proposed Development works is determined by identifying the level of change from the Proposed Development upon the 'baseline' conditions of the Site and the heritage resource identified in the assessment. This effect can be either adverse (negative), beneficial (positive) or neutral. The criteria for assessing the magnitude of impact are set out in **Table 2** below.

Table 2: Criteria for Determining Magnitude of Impact	
LEVEL OF MAGNITUDE	DEFINITION

ADVERSE	
<b>HIGH</b>	Considerable impacts fundamentally changing the baseline condition of the receptor, leading to total or considerable alteration of the asset or its setting – e.g. complete or almost complete destruction of the archaeological resource; dramatic visual intrusion into a the setting of the asset resulting in considerable adverse change; significant increase in noise or changes in sound quality; extensive changes to use. Considerable impacts to or loss of designated heritage assets of the highest significance, notably Scheduled Monuments, Protected Wreck Sites, Inventory Battlefields, Listed Buildings, Inventory Gardens and Designed Landscapes, and World Heritage Sites.
<b>MEDIUM</b>	Impacts changing the baseline condition of the receptor materially but not entirely, leading to partial alteration of the asset or its setting – e.g. a large proportion of the archaeological resource damaged or destroyed; visual intrusion into aspects of the setting of the asses which are considered to contribute to their significance; and changes in noise levels or use of an asset that would result in detrimental changes to character.
<b>LOW</b>	Detectable impacts which alter the baseline condition of the receptor to a small degree – e.g. a small proportion of the surviving archaeological resource is damaged or destroyed; minor severance, change to the setting or structure or increase in noise; and limited encroachment into character of a historic landscape.
<b>NEGLIGIBLE</b>	Barely distinguishable adverse change from baseline conditions, where there would be very little appreciable impact on a known asset, possibly because of distance from the development, method of construction or landscape or ecological planting, that are thought to have no long term effect on the significance of the asset.
NEUTRAL	
<b>NEUTRAL</b>	A change to the asset or its setting which does not result in harm or benefit. This may occur where there is a perceptible change but that change does not diminish or enhance the significance of the asset or the ability to appreciate its significance.
BENEFICIAL	
<b>NEGLIGIBLE</b>	Barely distinguishable beneficial change from baseline conditions, where there would be very little appreciable impact on a known asset and little long term effect on the significance of the asset.
<b>LOW</b>	Minimal enhancement to an assets or its setting, such as removal of minor inappropriate features, limited improvements to setting or reduction in severance; slight changes in noise or sound quality; minor changes to use; resulting in a small improvement which would lead to enhancement of the ability to appreciate the significance of an asset.
<b>MEDIUM</b>	Changes key to an asset or its setting resulting in material enhancements which allow for greater appreciation of the asset and/or its setting. For example, removal of an inappropriate later addition allowing for the asset's significance to be revealed; removal of an inappropriate feature in an asset's setting allowing the contribution of setting to the asset's significance to be better understood or substantial reductions in noise or disturbance such that the significance of known asset would be enhanced.

<b>HIGH</b>	Substantial positive changes to an asset and key elements of its setting which would greatly enhance its significance and the ability to appreciate that significance; this might result from the removal of adverse or considerably distracting features from the setting of an asset; significant decrease in noise or changes in sound quality; changes to use or access.
-------------	--

In certain cases, it is not possible to confirm the magnitude of impact upon a heritage resource, especially where anticipated buried deposits exist. In such circumstances a professional judgement as to the scale of such impacts is applied.

## Setting Sensitivity Assessment Criteria and Methodology

The setting sensitivity assessment presented in **Appendix 3** has described the setting of selected designated heritage assets, and assessed the relevant sensitivity of these assets, in order to provide a baseline for use by SSEN-T and their consultants in the setting assessment within Chapter 12: Cultural Heritage of EIA Report.

The following criteria have been used to establish relative sensitivity.

Historic Environment Scotland's (HES) Designation Policy and Selection Guidance (HES 2020) indicates that the relationship of an asset to its setting or the landscape makes up part of its contextual characteristics. HES's Managing Change Guidance, in defining what factors need to be considered in assessing the impact of a change on the setting of a historic asset or place, states that the magnitude of the proposed change should be considered '*relative to the sensitivity of the setting of an asset*' (HES 2016, updated 2020, 11), thereby making clear that assets vary in their sensitivity to changes in setting and thus have a relative sensitivity. The EIA Handbook suggests that cultural significance aligns with sensitivity but also states that '*the relationship between value and sensitivity should be clearly articulated in the assessment*' (SNH & HES 2018, 184). It is therefore recognised (ibid) that the importance of an asset is not the same as its sensitivity to changes to its setting. Elements of setting may make a positive, neutral, or negative contribution to the significance of an asset. Thus, in determining the nature and level of effects upon assets and their settings by the development, the contribution that setting makes to an asset's significance and thus its sensitivity to changes to setting need to be considered

In their Managing Change: Setting guidance, HES define setting as '*the way the surroundings of a historic asset or place contribute to how it is understood, appreciated, and experienced*' (HES 2016, updated 2020). The guidance further notes that '*planning authorities must take into account the setting of historic assets or places when drawing up development plans and guidance, when considering various types of environmental and design assessments/statements, and in determining planning applications*' (ibid). It advocates a three-stage approach to assessing potential impacts upon setting which is utilised by the setting assessment included in this assessment. The three-stage approach includes:

*'Stage 1: Identify the historic asset that might be affected by the proposed development*

*Stage 2: define and analyse the setting by establishing how the surroundings contribute to the ways in which the historic asset or place is understood, appreciated and experienced*

*Stage 3: evaluate the potential impact of the proposed changes on the setting, and the extent to which any negative impacts can be mitigated'* (ibid, 8).

AOC have undertaken Stages 1 and 2 of the setting assessment process through the description of the asset's setting and assessment of its sensitivity to change. This forms a baseline for the setting assessment to be undertaken within Chapter 12: Cultural Heritage of the EIA Report.

The criteria used for establishing an asset's relative sensitivity to changes to its setting is detailed in Table 3. This table has been developed based on AOC's professional judgement and experience in assessing setting effects. It has been developed with reference to national heritage policies and guidance including National Planning Framework 4 (NPF4) (Scottish Government 2023), Historic Environment Policy for Scotland (HEPS) (Historic Environment Scotland (HES) 2014) and its Designation Policy and Selection Guidance (HES 2020), the Xi'an Declaration (ICOMOS 2005), the EIA Handbook (SNH & HES 2018), and HES's guidance on the setting of heritage assets (HES 2014).

Table 3: Criteria for Establishing Relative Sensitivity of a Heritage Asset to Changes to its Setting	
Relative Sensitivity	Criteria
Very High	An asset, the setting of which is critical to an understanding, appreciation and experience of it, should be thought of as having Very High Sensitivity to changes to its setting. This is particularly relevant for assets whose settings, or elements thereof, make an essential direct contribution to their cultural significance.
High	An asset, the setting of which makes a major contribution to an understanding, appreciation and experience of it, should be thought of as having High Sensitivity to changes to its setting. This is particularly relevant for assets whose settings, or elements thereof, contribute substantially to their cultural significance.
Medium	An asset, the setting of which makes a moderate contribution to an understanding, appreciation and experience of it, should be thought of as having Medium Sensitivity to changes to its setting. This could be an asset for which setting makes a contribution to significance but whereby its value is derived mainly from its other characteristics (see HES 2020 for discussion of intrinsic, contextual and associative characteristics which may contribute to overall cultural significance).
Low	An asset, the setting of which makes some contribution to an understanding, appreciation and experience of it, should generally be thought of as having Low Sensitivity to changes to its setting. This may be an asset whose value is predominantly derived from its other characteristics (see HES 2020 for discussion of intrinsic, contextual and associative characteristics which may contribute to overall cultural significance).
Negligible	An asset whose setting makes minimal contribution to an understanding, appreciation and experience of it should generally be thought of as having Negligible Sensitivity to changes to its setting.

The determination of a heritage asset's relative sensitivity to changes to its setting is first and foremost reliant upon the determination of its setting and the key characteristics of setting which contribute to its cultural significance and an understanding and appreciation of that cultural significance. This aligns with Stage 2 of the HES guidance on setting. The criteria set out in Table 3 are intended as a guide. Assessment of individual heritage assets is informed by knowledge of the asset itself; of the asset type if applicable; and by site visits to establish the current setting of the assets. This allows for the use of professional judgement and each asset is assessed on an individual basis.

## References

HES, 2016 (updated 2020), *Managing Change in the Historic Environment: Setting*. p. 11. <https://www.historicenvironment.scot/archives-and-research/publications/publication/?publicationId=80b7c0a0-584b-4625-b1fd-a60b009c2549> [Accessed 13 June 2025].

HES, 2019, *Historic Environment Policy for Scotland*. <https://www.historicenvironment.scot/advice-and-support/planning-and-guidance/historic-environment-policy-for-scotland-heps> [Accessed 13 June 2025].

HES, 2020, *Designation Policy and Selection Guidance*. <https://www.historicenvironment.scot/archives-and-research/publications/publication/?publicationId=8d8bbaeb-ce5a-46c1-a558-aa2500ff7d3b> [Accessed 13 June 2025].

ICOMOS, 2005, *Xi'An Declaration on the Conservation of the Setting of Heritage Structures, Sites and Areas*. Available at: <https://www.icomos.org/images/DOCUMENTS/Charters/xian-declaration.pdf> [Accessed 13 June 2025].

Scottish Government, 2023, *National Planning Framework 4 (NPF4)*. p.42.  
<https://www.gov.scot/publications/national-planning-framework-4/> [Accessed 13 June 2025].

SNH and HES, *Environmental Impact Assessment Handbook*. Version 5.  
<https://www.historicenvironment.scot/archives-and-research/publications/publication/?publicationId=6ed33b65-9df1-4a2f-acbb-a8e800a592c0> [Accessed 13 June 2025].