


Figure: CHVP 61.1a
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 94°
 Distance to Development: 0.17 km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45






Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Development Shown In Red, Temporary Access Tracks Shown In Blue
 - - - - Vertical Limit of Deviation: the maximum height of a tower above ground level




OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 185°
 Distance to Development: 0.17 km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45



Figure: CHVP 61.1b
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



View flat at a comfortable arm's length

Wireline Drawing - Proposed Development Shown In Red, Temporary Access Tracks Shown In Blue
 - - - - - Vertical Limit of Deviation: the maximum height of a tower above ground level

Figure: CHVP 61.1c
 Cultural Heritage Viewpoint 61: East Kinnauld, broch

Beauly to spittal OHL



OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 230°
 Distance to Development: 0.17 km

Horizontal field of view: 53.5° (planar projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45



Photomontage


OS reference: 274384 901580
Eye Level: 122m AOD
Direction of view: 230°
Distance to Development: 0.17 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5mm
Paper size: 841 x 297 mm
Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
Lens: 50mm (Canon AF 50mm f/1.2)
Camera height: 1.5m AGL
Date and time: 12/12/2025 12:45



Figure: CHVP 61.1d
Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



View flat at a comfortable arm's length

Wireline Drawing - Proposed Development Shown In Red, Temporary Access Tracks Shown In Blue
 - - - - - Vertical Limit of Deviation: the maximum height of a tower above ground level

Figure: CHVP 61.1e
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 139°
 Distance to Development: 0.17 km

Horizontal field of view: 53.5° (planar projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45



Photomontage

OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 139°
 Distance to Development: 0.17 km

Horizontal field of view: 53.5° (planar projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera:
 Lens:
 Camera height:
 Date and time:

Canon EOS R5
 50mm (Canon AF 50mm f/1.2)
 1.5m AGL
 12/12/2025 12:45



Figure: CHVP 61.1f
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



This image provides landscape and visual context only

Baseline Photograph

Figure: CHVP 61.1g
 Cultural Heritage Viewpoint 61: East Kinnauld, broch

Beauly to spittal OHL



| | | | | | |
|--------------------------|---------------|-----------------------------|------------------------------|----------------|----------------------------|
| OS reference: | 274384 901580 | Horizontal field of view: | 90° (cylindrical projection) | Camera: | Canon EOS R5 |
| Eye Level: | 122m AOD | Principal distance: | 812.5mm | Lens: | 50mm (Canon AF 50mm f/1.2) |
| Direction of view: | 55° | Paper size: | 841 x 297 mm | Camera height: | 1.5m AGL |
| Distance to Development: | 0.17 km | Correct printed image size: | 820 x 186 mm | Date and time: | 12/12/2025 12:45 |



Baseline Photograph

OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 145°
 Distance to Development: 0.17 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45

This image provides landscape and visual context only



Figure: CHVP 61.1h
 Cultural Heritage Viewpoint 61: East Kinnauld, broch

Beauly to spittal OHL



This image provides landscape and visual context only

Baseline Photograph

Figure: CHVP 61.1i
 Cultural Heritage Viewpoint 61: East Kinnauld, broch

Beaully to spittal OHL



OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 235°
 Distance to Development: 0.17 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45



Baseline Photograph

OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 325°
 Distance to Development: 0.17 km


Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45

This image provides landscape and visual context only



Figure: CHVP 61.1j
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



View flat at a comfortable arm's length

Wireline Drawing - Proposed Development Shown In Red, Temporary Access Trac
 - - - - - Vertical Limit of Deviation: the maximum height of a tower above ground le


Figure: CHVP 61.1k
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 55°
 Distance to Development: 0.17 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45




Wireline Drawing - Proposed Development Shown In Red, Temporary Access Tracks Shown In Blue
 - - - - Vertical Limit of Deviation: the maximum height of a tower above ground level

| | | | | | |
|--------------------------|---------------|-----------------------------|------------------------------|----------------|----------------------------|
| OS reference: | 274384 901580 | Horizontal field of view: | 90° (cylindrical projection) | Camera: | Canon EOS R5 |
| Eye Level: | 122m AOD | Principal distance: | 812.5mm | Lens: | 50mm (Canon AF 50mm f/1.2) |
| Direction of view: | 145° | Paper size: | 841 x 297 mm | Camera height: | 1.5m AGL |
| Distance to Development: | 0.17 km | Correct printed image size: | 820 x 186 mm | Date and time: | 12/12/2025 12:45 |



View flat at a comfortable arm's length

Figure: CHVP 61.11
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



View flat at a comfortable arm's length

Wireline Drawing - Proposed Development Shown In Red, Temporary Access Trac
 ----- Vertical Limit of Deviation: the maximum height of a tower above ground le

Figure: CHVP 61.1m
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 235°
 Distance to Development: 0.17 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45



Wireline Drawing - Proposed Development Shown In Red, Temporary Access Tracks Shown In Blue
 - - - - - Vertical Limit of Deviation: the maximum height of a tower above ground level

| | | | | | |
|--------------------------|---------------|-----------------------------|------------------------------|----------------|----------------------------|
| OS reference: | 274384 901580 | Horizontal field of view: | 90° (cylindrical projection) | Camera: | Canon EOS R5 |
| Eye Level: | 122m AOD | Principal distance: | 812.5mm | Lens: | 50mm (Canon AF 50mm f/1.2) |
| Direction of view: | 325° | Paper size: | 841 x 297 mm | Camera height: | 1.5m AGL |
| Distance to Development: | 0.17 km | Correct printed image size: | 820 x 186 mm | Date and time: | 12/12/2025 12:45 |



View flat at a comfortable arm's length

Figure: CHVP 61.1n
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



Photomontage

Figure: CHVP 61.1a
 Cultural Heritage Viewpoint 61: East Kinnauld, broch

Beauly to spittal OHL



OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 55°
 Distance to Development: 0.17 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45

View flat at a comfortable arm's length



Photomontage

OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 145°
 Distance to Development: 0.17 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera:
 Lens:
 Camera height:
 Date and time:

Canon EOS R5
 50mm (Canon AF 50mm f/1.2)
 1.5m AGL
 12/12/2025 12:45



View flat at a comfortable arm's length

Figure: CHVP 61.1p
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL



Photomontage

Figure: CHVP 61.1q
 Cultural Heritage Viewpoint 61: East Kinnauld, broch

Beauly to spittal OHL




OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 235°
 Distance to Development: 0.17 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45

View flat at a comfortable arm's length



Photomontage

OS reference: 274384 901580
 Eye Level: 122m AOD
 Direction of view: 325°
 Distance to Development: 0.17 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 186 mm

Camera: Canon EOS R5
 Lens: 50mm (Canon AF 50mm f/1.2)
 Camera height: 1.5m AGL
 Date and time: 12/12/2025 12:45

View flat at a comfortable arm's length

Figure: CHVP 61.1r
 Cultural Heritage Viewpoint 61: East Kinnauld, broch
Beauly to spittal OHL

