

Wireline Drawing - Proposed Development Shown In Red
------ Vertical Limit of Deviation: the maximum height of a tower above ground level

Figure: CHVP 64.1a
Cultural Heritage Viewpoint 64: Dun Garbhlaich, fort, Kilmorack

Beauly to Spittal OHL

ERM

Scottish & Southern Electricity Networks TRANSMISSION

OS reference:	244611 , 846568	Horizontal field of view:	(90˚ cylindrical projection)	Camera:	Canon EOS R5
Eye Level:	327m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	200˚			Camera height:	1.5m AGL
Distance to Development:	190 km			Date and time:	27/10/2025 11:45

Wireline Drawing - Proposed Development Shown In Red
------ Vertical Limit of Deviation: the maximum height of a tower above ground level

OS reference:	244611 , 846568	Horizontal field of view:	(90˚ cylindrical projection)	Camera:	Canon EOS R5
Eye Level:	327m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	290˚			Camera height:	1.5m AGL
Distance to Development:	190 km			Date and time:	27/10/2025 11:45

ERM

Scottish & Southern Electricity Networks TRANSMISSION

Figure: CHVP 64.1b
Cultural Heritage Viewpoint 64: Dun Garbhlaich, fort, Kilmorack

Beauly to Spittal OHL



Wireline Drawing - Proposed Development Shown In Red
------ Vertical Limit of Deviation: the maximum height of a tower above ground level

Figure: CHVP 64.1c
Cultural Heritage Viewpoint 64: Dun Garbhlaich, fort, Kilmorack

Beauly to Spittal OHL

ERM

Scottish & Southern Electricity Networks TRANSMISSION

OS reference:	244611 , 846568	Horizontal field of view:	(90˚ cylindrical projection)	Camera:	Canon EOS R5
Eye Level:	327m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	20˚			Camera height:	1.5m AGL
Distance to Development:	190 km			Date and time:	27/10/2025 11:45

360 Photography

View flat at a comfortable arm's length

OS reference:	244611 , 846568	Horizontal field of view:	360˚ (cylindrical projection)	Camera:	Canon EOS R5
Eye Level:	327m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	290˚	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	190 km	Correct printed image size:	820 x 260 mm	Date and time:	27/10/2025 11:45

ERM

Scottish & Southern Electricity Networks TRANSMISSION

Figure: CHVP 64.1d
Cultural Heritage Viewpoint 64: Dun Garbhlaich, fort, Kilmorack

Beauly to Spittal OHL



Wireline Drawing - Proposed Development Shown In Red
------ Vertical Limit of Deviation: the maximum height of a tower above ground level

Figure: CHVP 64.1e
Cultural Heritage Viewpoint 64: Dun Garbhlaich, fort, Kilmorack

Beauly to Spittal OHL

ERM

Scottish & Southern Electricity Networks
TRANSMISSION

OS reference:	244611 , 846568	Horizontal field of view:	315° (cylindrical projection)	Camera:	Canon EOS R5
Eye Level:	327m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	290°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	190 km	Correct printed image size:	820 x 260 mm	Date and time:	27/10/2025 11:45

View flat at a comfortable arm's length

Photomontage

View flat at a comfortable arm's length

OS reference:	244611 , 846568	Horizontal field of view:	315˚ (cylindrical projection)	Camera:	Canon EOS R5
Eye Level:	327m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	290˚	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	190 km	Correct printed image size:	820 x 260 mm	Date and time:	27/10/2025 11:45

ERM

Scottish & Southern Electricity Networks TRANSMISSION

Figure: CHVP 64.1f

Cultural Heritage Viewpoint 64: Dun Garbhlaich, fort, Kilmorack

Beauly to Spittal OHL

Baseline

View flat at a comfortable arm's length

Figure: CHVP 64.1g
Cultural Heritage Viewpoint 64: Dun Garbhlaich, fort, Kilmorack

Beauly to Spittal OHL

OS reference:	244611 , 846568	Horizontal field of view:	190.1° (cylindrical projection)	Camera:	Canon EOS R5
Eye Level:	327m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	290°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	190 km	Correct printed image size:	820 x 260 mm	Date and time:	27/10/2025 11:45



Wireline Drawing - Proposed Development Shown In Red
------ Vertical Limit of Deviation: the maximum height of a tower above ground level

OS reference:	244611 , 846568	Horizontal field of view:	190.1˚ (cylindrical projection)	Camera:	Canon EOS R5
Eye Level:	327m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	290˚	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	190 km	Correct printed image size:	820 x 260 mm	Date and time:	27/10/2025 11:45

View flat at a comfortable arm's length

ERM | Scottish & Southern Electricity Networks TRANSMISSION

Figure: CHVP 64.1h
Cultural Heritage Viewpoint 64: Dun Garbhlaich, fort, Kilmorack

Beauly to Spittal OHL

Photomontage

View flat at a comfortable arm's length

Figure: CHVP 64.1i
Cultural Heritage Viewpoint 64: Dun Garbhlaich, fort, Kilmorack

Beauly to Spittal OHL

OS reference:	244611 , 846568	Horizontal field of view:	190.1˚ (cylindrical projection)	Camera:	Canon EOS R5
Eye Level:	327m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon AF 50mm f/1.2)
Direction of view:	290˚	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	190 km	Correct printed image size:	820 x 260 mm	Date and time:	27/10/2025 11:45